MCAT

FINAL REPORT ADAPTIVE PRODUCTION ORIENTED RESEARCH PROGRAMME ON VEGETABLES - BRUMDEC September 1981 - September 1982

IICA/Jamaica
Miscellaneous Publication #362
Series ISSN-0534-5391

ADAPTIVE PROTECTION VIOLENTED

RESEARCH FROGRAMMEN ON


VEGETABLES - BRUMBEC

September 1981 - September 1982

Misselfancons Publication #259.4 Sertes ISSN-0834-3891



FINAL REPORT



ADAPTIVE PRODUCTION ORIENTED RESEARCH PROGRAMME ON

VEGETABLES - BRUMDEC

SEPTEMBER 1981 - SEPTEMBER 1982

3: 4-114

by

CHARLES PERCY KENNARD

VEGETABLE PRODUCTION SPECIALIST

IICA/JAMAICA

00000468

*002514—

TABLE OF CONTENTS

		•	PAGE
1.	INTRODUCTION		1
2.	APPLIED RESEAR	CH PROGRAMME	2
	2.1. First	Season's Work (January - May, 1982)	
		Season's Work (June - September, 1982)	
3.	TRAINING OF NA	TIONAL TECHNICIAN	11
4.	POTENTIAL MARKETS FOR VEGETABLES		12
5.	SUMMARY OF CON	CLUSIONS AND RECOMMENDATIONS	17
6.	ACKNOWLEDGEMEN	TS	19
7.	REFERENCES		20
8.	APPENDICES		21
	Appendix I	Phasing of Production	
	Appendix II	Yields of Vegetables Grown during the period	
		June to September, 1982 on Morass Peat Soil	
	Appendix III	Time of sowing, spacing, seedrate and period	
		of maturity of selected vegetables	
	Appendix IV	Summary of Fertiliser Recommendations for	
		Selected Vegetables	
	Appendix V	Summary of Estimated Cost of Production and .	
		Returns from Selected Vegetables Planted on	
		the Morass Peat Soil	
	Appendix VI	Potential Canadian and U.S.A. Markets for	
		Vegetables	
	Appendix VII	Importation of Vegetables - CARICOM and other	
		Caribbean Countries	
	Appendix VIII	Rainfall Data	
	Appendix IX	Maximum and Minimum Temperatures	
9.	Figures		31 .

INTRODUCTION

This report covers the period September 19th, 1981 to September 18, 1982 which was the period of assignment of the Consultant. The terms of reference for the Consultant during this assignment include:-

- (i) Prepare for the advise of the client a programme of adaptive production oriented research (short term) aimed at solving the problems which obtain in vegetable production in the project area.

 Problems which were to be addressed include the appropriateness of vegetable crops and varieties within. The context of (a) Jamaican Consumer acceptance (b) Soil/water considerations (c) Seasonality of production (d) Culture and harvesting characteristics (e) Weed, pest and disease associations (f) Seed production (g) Fertilizer regime and (h) Crop density and yields
- (ii) Initiate and implement a training programme for nation technicians consistent with the overall agreement agreement of vegetable production
- (iii) Develop a technical package of practices for implementing on-farm vegetable cultivation under conditions which obtain in the project area
 - (iv) Determine these areas for future vegetable research

A period of one (1) year is generally considered to be too short a period for an applied research programme on crops. All that can be obtained during this short period of time is indications as to what is likely to happen. Research on a continuing basis must be done to up-date the available information. This is more than true in the case of the Applied Research Programme on Vegetables at BRUMDEC because of a number of additional constraints. Prior to the initiation of this programme very little work has been done on vegetables on the Peat in

Jamaica and none at all at BRUMDEC. As a consequence the Consultant had very little local information to guide him. Not even the sites for the field work were available and these could not be prepared until early January 1982, resulting in over 3 months delay. Delay were also experienced in procuring the inputs and having personnel assigned to the programme.

In spite of the constraints mentioned above, the work done over two seasons and has given very positive indications. that vegetable production can be done profitably within the project area. Commercial production of selected vegetables should now be attempted using the package of practices contained in the Third Quarterly Report and which also forms an attachment of this, the Final Report. In the meanwhile, further research along the lines suggested in the Third Quarterly Report(5) should be done to up-date and expand on the information available on vegetable production within the Project. The prospects for Vegetable Production at BRUMDEC holds out great possibility what needs to be done is to transform these possibilities into realities.

2. APPLIED RESEARCH PROGRAMME

First Season's Work (January - May 1982)

As previously mentioned the sowing of the crop for the first season was done much later than planned. This no doubt had some adverse effect on the yields of several of the crops which does best during the cooler months of the year e.g. Garlic, Cauliflower, Lettuce, Cabbage etc. On the other hand, it was much too late to sow the onion crop - a crop with great potential for production on the Peat. Nevertheless spectacular results in terms of yields were obtained with cabbage, tomatoes, lettuce, sweet peppers, egg plant, cucumbers and string beans on the Peat. Encouraging results were also obtained on the Four Paths Clay Loam with tomatoes, sweet peppers, egg plant, carrots and cabbage. The indications are that high yields can also be obtained with water-melons on the Morass Peat Soil and Four Paths Clay Loam. However, the quality aspect of the fruits on the Peat would need further investigation and the overall problem of praedial larceny would have to be tackled. The results and methodology of the first season's work are detailed in the Third and Second Quarterly Report respectively (4,5).

2.2. Second Season's Work

Sowing of the crop during the season season was done as scheduled. The intentions being that the sowing should be completed by the end of April and before the advent of the very heavy rains in May. Unfortunately, a number of circumstances contributed to the entire experimental site being flooded out and all of the experiments and semi-commercial trials being destroyed. The rainfall during May was SOME 22.07 inches (560mm) which was nearly twice the average monthly precipitation of the Santa Cruz area (11.1 inches) for the years 1931-1960. This together with the fact that the area allocated to the trials were located on the lower part of the peat were the main contributary causes. The end result of the flooding of the plots and the destruction of the experiments have left several gaps in the programme.

- (i) Work on several of the crops could only be done during one season (January April)
- (ii) No results could be obtained with onions a crop which appears to have great potential for cultivation on the Peat. A few of the plants which survived the flood produced reasonably sized bulbs.
- (iii) Only one fertilizer study on the Peat could have been completed. Accurate information is therefore not available and over the different seasons. Recommendations on fertilizer treatments incorporated in the package of practices are based mainly on work done elsewhere and may not be the best treatments for vegetables grown within the project.
 - (v) No information could be obtained on the effects of the micro-nutrients (Ca, Zn, B, Mn) on yields, quality etc.

- 4 -

Although it was not possible to resow the field experiments and in spite of the lateness of the season, the following semi-commercial trials were re-sown:

- (i) Cabbage Variety K.K. Cross
- (ii) Tomatoes Variety Floradale, Manapal and Malalucie
- (iii) Ochro Variety Emerald
- (iv) Cucumber Variety Ashley and Cheroke
- (v) Watermelon Variety Sugar Baby, Charleston Gray and Jubilee
- (vi) Sweet Corn Variety Florida Staysweet

Details of the cultural practices, fertilizer treatments etc. for the above are presented in the Third Quarterly Report.

In addition the following were also sown:

- (vii) Egg Plant Semi-Commercial Trial
- (viii) Sweet Pepper Observational Trial
 - (ix) Squash Observational Trial
 - (x) Cantaloupe Observational Trial
 - (xi) Dasheen Observational Trial
 - (xii) String Bean

The details concerning these are presented below:

- 2.2.1. Egg Plant Semi-Commercial Trial
- 2.2.1.1. Layout

Sown on five (5) flat beds each measuring 1.8 x 32.4m with drain 45cm between each bed.

2.2.1.2. Variety

Black Beauty

2.2.1.3. Seeding/Spacing

Direct seeding on the 16th June with spacing between rows and plants in the rows being 90cm and 75cm respectively.

Thinned on the 15th July (30 days after seeding) to one plant per hole.

2.2.1.4. Fertilizer Treatment

P₂0₅ - 180 kg/ha K₂0 - 269 kg/ha Cu - 8 kg/ha

Applied prior to seeding on the surface of the soil

2.2.2. Sweet Peppers - Observational Trial

2.2.2.1. Layout

2.2.2.2. <u>Variety</u>

California Wonder
Resistant Giant
Yole Wonder

2.2.2.3. Seeding/Spacing

Direct seeded on the 16th June with spacing between rows being 60cm and between plants in the row 45cm.

2.2.2.4. Fertilizer Treatment

P₂0₅ - 135 kg/ha K₂0 - 180 kg/ha Cu - 8 kg/ha

Applied to the surface of the soil prior to seeding

2.2.3. Squash - Observational Trial

2.2.3.1. Layout

Sown on three (3) flat beds each measuring 1.8 x 21.4m

2.2.3.2. Variety

Crookneck Early Summer Yellow

2.2.3.3. Seeding/Spacing

Direct seeding with one row planted in the centre of each bed with spacing between plants being 1.2m. Because of the dwarfness of the variety a closed spacing could have been used - two rows being placed in each bed with spacing between rows and plants in rows - 0.9m. Sowing done on the 7th July and thinning done on the 19th July with two (2) plants left on each mound.

2.2.3.4. Fertilizer Treatment

P₂0₅ - 50 kg/ha K₂0 - 100 kg/ha

The fertilizers applied much later than planned some twenty seven (27) days after seeding and at the time of fruiting.

2.2.4. Cantaloupe - Observational Trial

2.2.4.1. Layout

Sown on flat bed approximately 400 sq. metres

2.2.4.2. Variety

Edisto

2.2.4.3. Seeding/Spacing

Direct seeding on the 17th June with spacing being 1.2 x 1.8m.

2.2.4.4. Fertilizer Treatment

 $P_2^0_5$ - 80 kg/ha K_2^0 - 160 kg/ha

Application of fertilizer made by broadcasting to the surface of the soil on the 3rd August (48 days after sowing). The fertilizer should normally have been applied just prior to seeding.

2.2.5. Dasheen - Observational Trial

2.2.5.1. <u>Layout</u>

Sown on a flat bed approximately 832 sq. metres

2.2.5.2. Variety

Unknown - Planting material obtained from St. Elizabeth.

2.2.5.3. Spacing

Tubers planted on the 28th June to a spacing of 0.9x 0.9m.

2.2.5.4. Fertilizer

None Applied

2.6.1. String Beans - Observational Trial

2.2.6.1. Layout

Each variety sown on a flat bed 1.8m x 10.2 (18.4 sq. metres) with drain 30cm deep between beds.

2.2.6.2. Variety

Tender Best

Top Crop

Contender

2.2.6.3. Seeding/Spacing

Direct seeding on the 15th June and thinned on the 10th June (15 days after sowing) with spacing between rows being 30cm and between plants - 15cm.

2.2.6.4. Fertilizer Treatment

 $P_{2}^{0}_{5}$ - 67 kg/ha

K₂0 - 135 kε/ha

Cu - 8 kg/ha

Application was made by broadcasting to the surface of the soil on the 5th May prior to the flooding of the plots

2.2.7. General Progress of Crop during the Second Season

whilst the growth of the crops seems to be reasonably satisfactory most of the crops do not appear to be performing as well as they did during the first season. This is probably as a result of the rather dry, hot and humid conditions which prevailed through mid-June to end of August. These conditions are likely also to have adverse effects on fruit set and consequently on yields. The crops which do appear to be least affected by the prevailing conditions are Ochroes, Egg Plant, Sweet Corn, Squash, Cucumbers, Watermelons and Cantaloupe. The progress of the individual trial are present below. Unfortunately the harvesting would not be completed for the final results to be included in the report. Yields of some of the vegetables are presented in Appendix II.

2.2.7.1. Tomatoes - Semi-commercial trial

The major problems encountered in the growing of the crop so far has been due to collar and root rot which has resulted in the death of quite a number of plants. The variety Manapal is more seriously affected than Manalucie or Floradade. Fruiting occurred in lower than the previous season.

2.2.72. Cabbage - Semi-commercial trial

The main problem encountered in the growth of the crop up to this stage is the damage done to the seedlings by cutworms and crickets. "Head" formation commenced some fifty-eight days after sowing.

2.2.7.3. Ochro - Semi-commercial Trial

Of all the crops being evaluated during the present,...
the ochro seems to be performing the best. The
growth is extremely vigorous and there has been
few problems with pests and diseases. The leaf
eating chrysomelid beetles have been the only pests
of any consequence.

Harvesting of the fruits commenced on the 10th of August fifty-six (56) days after sowing.

2.2.7.4. Cucumbers - Semi-commercial Trial

Harvesting of fruits commenced on the 5th August, fifty-two (52) days after sowing. The average size of fruits was 313 and 292 gm for Cherole and Ashley respectively. At the end of the harvest 18,700 kg and 14,200 kg/ha of marketable fruits were harvested from Cherokee and Ashley respectively. The leaf eating chrysomelid beetles were the main pests. Downy mildew was the only disease observed and the incidence was very light.

2.2.7.5. Watermelon - Semi-commercial Trial

All three varieties were affected by Anthracnose disease but the incidence was much more severe on the variety Sugar Baby. This variety appears to be an early and prolific producer. The fruit of this variety is rounded and dark green in coloration. It is smaller in size (av. weight - 35 kg) when Charleston Gray (6-8 kg) and Jubilee (6-8 kg). Praedial larcency and the quality of the fruits continues to be the main problem in growing watermelons.

2.2.7.6 Sweet Corn - Semi-commercial Trial

This crop has been subjected to attack by insects from the time it was sown until it was harvested. This required the application of insecticides on a twice weekly basis. The high case of insect control would make it almost uneconomical to grow the crop.

The high incidence of pests is due in a large part to the fact that the area on which the sweet

corn was grown is surrounded by thousand of acres infected with grass weeds. The end result of this is that there is a constant migration of the pests from the grass weeds to the more tender and attractive sweet corn. The two main pests encountered were cutworms and armyworms. As the surrounding area is cropped and a large area is put under sweet-corn, the pest problem is likely to become less acute. The eating qualities of the grains were very good and the yields of 3,712 kg/ha of cobs was within acceptable limits.

2.2.7.7. Egg Plant - Semi-commercial Trial

No serious problem has been encountered in the growing of the crop. The leaf eating chrysomelid beetles were the only pests of significance.

This crop seems to be well adopted for growing during the present hot, dry season.

2.2.7.8. Sweet Pepper - Observational Trial

All three varieties have shown satisfactory growth so far with pests and disease problems being almost non-existant. Harvesting of the peppers in all three (3) varieties commenced some seventy-nine (79) days after sowing.

2.2.7.9. Squash - Observation Trial

The growth of the variety has been quite remarkable. It is extremely vigorous and has been free from pests and diseases. It started to produce fruits - only twenty-seven (27) days after sowing. It has been indicated that for the American market, the Swuash should be about 6 - 8" (15-20 cm). This means that for this market, harvesting can commence about five (5) weeks after sowing and would have

to be done every 2 to 3 days. With the Advent of the rains towards the end of August early September there has been some rot of the fruits. This indicates that for the best results sowing must be done so that harvesting is done in the dry.

2.2.7.10. Cantaloupe - Observational Trial

The growth of the crop has been quite satisfactory. The leaf eating chrysomelid beetles has been the main pests. A slight attack of the disease - Downy mildew also occurred. Fruiting commenced some fifty-three (53) days after sowing. Praedial larcency is likely to be one of the main constraints in growing this crop. The average size of fruits is between 2 - 3 kg.

2.2.7.11. Dasheen - Observation Trial

This crop is a natural for the pest soil if marketcan be found for the tubers. Without the application of fertilizers, the growth of the crop has been most satisfactory and there has been no pest and disease problems.

2.2.7.12. String Beans - Varietal Observation Trial

This crop or at least the varieties seem less adopted to the prevailing conditions. The growth of the varieties - Tender Beet and Top Crop was very poor, and failed to produce any yields. The growth of the variety contender was also disappointing.

Harvesting of the beans from this variety commenced some 56 days after sowing and only lasted for eight (2) days. The yield was very low equivalent to 1,056 kg/ha. The yields from the variety harvester on the Peat during the

previous season when conditions were more favourable for the crop was δ ,111 kg/ha.

3. TRAINING OF NATIONAL TECHNICIANS

This aspect of the programme has suffered because no counterpart at the graduate level was appointed full time to the programme. For several months and at the inception, no counterpart was assigned to work along with the Consultant. Subsequently one was assigned on a part-time basis but he left before the second season work started.

Mr. Noel Austin, the Research Assistant who was assigned to the Vegetable Programme from the 1st January 1962, has done a commendable job. The on the job training and experience gained during the past nine (9) months would have served him in good stead if and when BRUMDEC decides to go into large scale proudction of vegetables. Unfortunately, he has left to further his studies. A number of the workers who were involved in the field operations on a regular basis has developed certain skills which can be utilized in the vegetable programme. The Applied Research Aspect would need some one at the graduate level to continue the research work and to oversee the commercial production.

The Consultant participated in one training session for the Supervisory staff at which certain aspect of vegetable production was dealth with.

4. POTENTIAL MARKETS FOR VEGETABLES

The first step in any production process must of necessity, be to locate the markets for disposal of the product or produce and at the sametime looking at the market requirements in terms of volume, quality, packing, period of supply etc. At this point in time, there seems to be several potential markets for vegetables produced in Jamaica and the Black River Upper Morass Development Project - (BRUMDEC) can play a significant role in supply these markets. These potential markets are discussed.

4.1. WINTER MARKETS IN U.S.A. AND CANADA

A study carried out by Luis Berger Int. (6) indicates that there is a potential market in the U.S.A. and Canada for a number of vegetables between January - June. These vegetables include carrots, cucumbers, egg plant, okra, pepper (sweet) and tomatoes. Further details are given in Appendix V which has been extracted from Luis Berger Report.

The Arthur Young Study (7) done on behalf of the J.N.E.C. also emphasised the potential of this market in the U.S.A. The report pointed out that this market has expanded and the volume imported has risen considerably in the past decade but inspite of the increased imports, "gaps" in the supply still exist and which are reflected in high prices, unavailability of supplies, poor quality etc. at certain periods. The main suppliers of this market in the North Eastern U.S.A. include Mexico, Chile and Haiti. Little if any Jamaican produce is imported to the U.S. markets at the present time and as yet there is little or no commercial production being geared to meet this market. The Arthur Young Study indicates that under the existing conditions for production in Jamaica, those most likely to be successfully grown include peppers (green), egg plant, acorn squash, cantaloupe, honey, melons.

4.2. ETHNIC MARKETS

The Arthur Young Study (7) indicates that because of the large Latin American and West Indian population in the U.S., there is a sizeable market for fresh produce from the Caribbean and South America. As for as the Caribbean is concerned, this would also be true for Canada and the U.K. Among the agricultural produce which can be exported to this market which is available all year round are Dasheen, Cho-cho, Pumpkin. The indications are that there could be immediate increases in the sale to these markets if there were greater regularity in shipments and some attention was paid to quality.

4.3. CARICOM AND OTHER CARIBDEAN MARKETS

As shown in Appendix VI which is an extract from the Luis Berger Study (6), there is a substantial market in the CARICOM and other Caribbean countries. Vegetables imported into the region include onions, garlic, carrots, tomatoes, cabbage etc. Most of these if not all can be produced within the region and BRUMDEC can cash in on this particularly during the off season.

4.4. MARKETS WITHIN FOOD PROCESSING INDUSTRIES

The Arthur Young Study (7) mentioned the fact that Jamaican Food Processors have been quite successful in developing exports markets for their products in the Caribbean, Canada and U.K. Less success was achieved in the U.S.A., but it was felt that this market could be expanded with adequate planning and marketing. Among the products processed for exports are Pepper Sauces and Pickled Pepper. Any expansion of the Food Processing Industries whether the processed items are for local consumption or for export would require increased production of the basic material and on a regular basis.

4.5. LOCAL MARKETS FOR FRESH VEGETABLES

Jamaica imports substantial quantities of certain vegetables eg. garlic, onions etc. markets for which are also available in other countries. It would also appear that during the Tourist Season (Winter Season) there is a shortage of certain selected vegetables e.g. lettuce, radish, beets etc. all of which can be produced locally and even at BRUMDEC. As the Tourist Trade further expands, shortages of these vegetables are likely to become acute if production for this market is not undertaken.

4.6. PLANNING FOR PRODUCTION

and the second of the second of the second of the

At this point in time there seems to be some reservation as to whether DRUMDEC should be involved in vegetables production at all. Given the potential markets for vegetables, the spectacular results obtained during the past year, the profitability of vegetable production and the large tract of unutilised lands which are more suitable

for vegetables than any other known crops, such reservation cannot be fully justified.

Planning for production needs to be done almost immediately so that commercial production on a phased basis can commence as soon as possible. In planning for production, attention must be given to:

- (ii) procuring the equipment for land preparation, plant protection, harvesting, storage, pack etc.,
- (iii) recruiting and training the personnel who would be responsible for the commercial production.

 A probably phasing of the actual production could be as shown in Appendix I. The acreages and crops can be adjusted as the market dictates.

5. SUMMARY OF CONCLUSIONS AND RECOMMENDATIONS

- (i) Work during the first season (January to May) and more recently during May to September has clearly indicated that there is great potential for vegetable production within DRUMDEC and particularly on the Peat.
- (ii) The best season for production appears to be the period November to March when conditions are most favourable for growth and harvesting of the vegetables. Production during this period could be geared to meet the winter markets in the U.S.A. and Canada, the demands of the local tourist trade and the Processing Industries. The vegetables which can be produced on the Peat during this season include tomatoes, sweet and hot peppers, cabbage, lettuce, string-beans, egg plant, cucumbers, squash and okra. Subsequent work may also

prove that onions, carrot and even garlic can be grown. Good yields can also be obtained by growing certain vegetables eg. tomatoes, cucumbers, carrots, watermelons, sweet and hot peppers on the Four Paths Clay Loam - 204 during this season.

- (iii) High yields and economic returns can also be obtained by growing selected vegetables on the Peat during the period April to September. The vegetables most likely to produce the best results include eggplant, squash, cucumbers, okra, sweet and hot peppers, onions and carrots. Production during this period can be utilized to supply the Processing Industries, Ethnic Markets, CARICOM and Local Markets.
 - (iv) Fertilizer studies on the Four Paths Clay Loam 204 have indicated that the best result can be obtained on tomatoes through the application of 60N-90P 135K or 45N 135P 90K and for carrots 60N 90P 120K. These fertilizer treatments are being recommended for use on these vegetables until further results are obtained through experimentation.
 - (v) Only one fertilizer study could have been completed on the Morass Peat Soil 152 that on cabbage done during January April. The best results in terms of profitability and quality of produce were obtained with the application of 200P and 250K. Further studies need to be done with the different vegetables over several season to obtain additional information on the fertiliser requirements for the different crops. The fertiliser recommendations included in the package of practices now being advocated are based on work done elsewhere and from field observations.

- (vi) The soil analyses of the Peat has shown Copper to be the only micro-nutrient which is difficient in the soil and it was the only one applied. Work which was initiated to determine whether any benefits could be derived from the application of the other micro-nutrients eg. Boron, Manganese, Zinc etc. were not completed because of the flooding of the plots. This work should be done sometime in the near future.
- (vii) The Applied Research Work done during the year can only serve to provide indications as what is likely to happen. Research on a continuous basis must be done to:
 - (a) up-date the available information,
 - (b) obtain additional information on new crops and varieties;
 - (c) determine the N.P.K. and micronutrient requirements for the different vegetables;
 - (d) investigate the incidence of pests, diseases, weeds and their control etc.

6. ACKNOWLEDGEMENTS

The Consultant wishes to acknowledge with sincere thanks the help and assistance give to him by the staff of IICA, BRUMDEC, Ministry of Agriculture and other agencies in his assignment and in making his stay in Jamaica a pleasant and memorable one. Particular mention need to be made of the following:-

- Dr. Percy Aitken-Soux Director IICA/Jamaica
- Mr. Lloyd Logan Managing Director/BRUMDEC
- Mr. Vivian Chin Consultant/IICA
- Dr. Irving Johnson Agricultural Economist/IICA
- Mrs. Lindsey Miller Administrative Assistant/IICA
- Mrs. Judith Wedderburn Administrative Assistant/IICA

- Mr. S. Ghaznavi - Agricultural Manager/BRUMDEC

- Mr. Bobby Stephens - BRUMDEC/JNIC

- Mr. Derrick Smith - BRUMDEC

- Mr. Nigel Austin - BRUMDEC

- Mr. Donald Malcolm - BRUMDEC

- Mrs. Rose Evans - BRUMDEC

- Miss Margaret Wright - BRUMDEC

- Miss Beverly Tennents - BRUMDEC

- Mr. Malcolm E. Easy - Formerly of BRUMDEC

- Mr. Basil Williams - BRUMDEC

- Miss Karen Riley - IICA

- Miss Maxine Brown - IICA

- Miss Latita Williams - IICA

7 7. REFERENCES

- KENNARD, Charles

 Summary of the Proposed Programme of
 Work for Adaptive Production Oriented
 Research (short-term) in Vegetable Production in the BRUMDEC Project. Misc.
 Publication 319, IICA/Jamaica, January
 1982.
- KENNARD, Charles, Vegetable Production (BRULDEC) Review and Proposed Short-Term Adaptive Production Oriented Research Programme. Misc. Publication No. 320, IICA/Jamaica, January 1982.
- 3. KENNARD, Charles Vegetable Production Programme (BRUMDEC) First Quarterly Report. IICA/Jamaica, December 91981.
- 4. KENNARD, Charles Vegetable Production Programme BRUMDEC

 Second Quarterly Report. Misc. Publication

 No. 353. IICA/Jamaica, April 1982.
- 5. KENNARD, Charles Vegetable Production BRUMDEC. Third
 Quarterly Report. Misc. Publication
 No. 322. IICA/Jamaica, July 1982.
- 6. BERGER, Louis Int. Inc. and Systems. Small Farmers
 Production and Marketing System Study,
- 7. YOUNG, Arthur The Export Market in the United States
 for Jamaican Agricultural and Horticultural. Products Prepared for Jamaica
 National Export Corporation, JULY 15, 1981

±, ±' + ... ;

Southern Control of the Control of t

APPENDIX I

PROBABLE PHASING OF PRODUCTION

Year	Growing Season	Crops	Acreage	Growing Season	Crops	Acreage
н	September - March	Cucumber, Okra,		April - September	Okra, Egg Plant	
		Egg Plant, Tomatoes,			Squash, hot peppers	
		Squash, Sweet Peppers,				
		Cantaloupe	50	·		50
11	September - March	Cucumbers, Okra,		April - September	Okra, Egg Plant,	
		Egg Plant, Tomatoes,			Squash, Peppers,	
		Squash, Sweet Peppers,			Onions, Carrots	
		Cantaloupe, Onions	150			50
111	September - March	Cucumbers, Okra,		April - September	Okra, Egg Plant,	
		Egg Plants, Tomatoes,			Squash, Peppers,	
		Squash, Sweet Peppers,			Onions, Carrots	
		Cantaloupe, Onions etc	300		Sweet Corn	150
A Digit	September - March	Cucumbers, Okra,		April - September	Okra, Egg Plant,	250
ized		Egg Plant, Tomatoes,			Squash, Peppers,	
by (Squash, Sweet Peppers,			Onions, Carrots	
](Cantaloupe, Onions,			Sweet corn	
00		Sweet corn, Lettuce		•		
g		etc.	200			
e						

APPENDIX II

JUNE TO SEPTEMBER, 1982 ON MORASS PEAT SOIL

Harvesting just commenced	N.A.	N.A.	N.A.	85	Black Beauty	Egg Plant
Harvesting just commenced	10,200*	10,200*	N.A.	8.4	Edisto	Cantaloupe
	N.A.	N.A.	N.A.	N.A.	Manapal	
	N.A.	N.A.	N.A.	N.A.	Wanalucie	
Harvesting not yet started	N.A.	N.A.	N.A.	N.A.	Floradade	Tomatoes
Harvesting not yet started	N.A.	N.A.	N.A.	N.A.	K.K. Cross	Cabbage
	N.A.	N.A.	N.A.	78	Yole Wonder	
	N.A.	N.A.	N.A.	79	Resistant Giant	
Harvesting just commenced	N.A.	N.A.	N.A.	79	Californa Wonder	Sweet Pepper
	31,379*	31,379*	110	88	Charleston Gray	
praedial larceny	45,000*	45,000*	110	76	Jubi lee	
Yields of watermolons had	28,362*	28,362*	90	99	Sugar Baby	Watermelons
Yields very low. Crop not adopted to hot, dry conditions	1,056	1,056	64	8	Contender	String Beans
gress	6,960	8,069	N.A.	42	Crookneck Early Summer Yellow	1
gress	4,500	4,500		So	Emerald	Okra
worm and earworm affect to marketable yields	3,/12	2,276	/6	68	Florida Staysweet 5204	Sweet Corn
	18,700	000,22	80	52	Cherokee	
Period of harvesting of peat relatively short.	14,200	18,250	80	52	Ashley	Cucumber
! Dig	Marketable		Less Harvesting	ומטו	variety	dorn
	kg/ha)	s	ng-Days after sowing	Duration of harvesting-Days	Vanioty	C
d by G 0		PERIOD SOIL	ES GROWN DURING THE 1982 ON MORASS PEAT	YIELDS OF VEGETABLES GROWN JUNE TO SEPTEMBER, 1982 ON		
APPENDIX II	API					
le			21 -	•		

^{*} Estimated yields, N.A. Not available

TIME OF SOWING, SPACING, SEEDRATE AND PERIOD OF MATURITY OF SELECTED VEGETABLES APPENDIX III

							(
rop	Varieties	Time of Sowing	Spacing	Seed Rate (kg/ha) Direct Seeding) Fransplanting	Period of Harvesting Days after sowing	Digitized by
abbage	K.K. Cross	September - end December		1.12-1.40	0.28-0.40	85-120	
	Y.R. Summer Roundup	Mid March - Mid April	Between plants -45cm				
ettuce	Great Lakes	November - Mid December	Between rows - 60cm	1.68-2.25	0.28-0.40	50-80	
	Minetto	November - December	Between plants-30cm		- Stance		
	Mignonette	Mid March Mid April	Between rows -45cm, 20 cm between plants				
omatoes	Floradade, Tropic Manapal, Roma VF	September end December Mid March-Mid April	Between rows 75cm Between plants - 60 to 75cm	0.84-1.12	0.28-0.56	85-120	
gg Plant	Black Beauty Long Purple	September - Mid January Mid March -Mid June	Between rows 75-90cm Between plants - 60- 75cm	1.12-1.40	0.28-0.40	90-140	
weet Pepper	Resistant Giant California Wonder	September end December Mid March - Mid April	Between rows 60-75cm Between plants 45-60	1.12-2.0	0.28-0.40	80-130	
	Yole Wonder	Mid March-Mid April	Between plants 45- 60cm				
ot Pepper	Scotch Bonnet	September end December Mid March - Mid April	Between rows 75-90cm Between plants 75cm	1.12-2.0	0.28-0.40	130-180	•
itring Beans	Harvester	Mid November - Mid January	Between rows 30-40cm Between plants 10- 15cm	70-80		45-90	•
atermelons	Charleston Gray	Mid November - Mid December Mid March - Mid May	Plant single row in beds 1.5-1.6m wide spacing between plants in bed-1.8m	1.4-2.0		70-110	•

APPENDIX III (CONT'D)

	Squash	0kra	Carrots	Cucumbers	Crop	
	Crookneck Early Summer Yellow	Emera ld	Danvers 126 Danvers Half Long	Ashley Poinsett, Cheroke	Variety	
	Mid November - Mid January Mid May - Mid June	September - Mid January Mid April - Mid June	September end December Mid March - Mid April	Mid November - Mid January Mid May - Mid June	Time of Sowing	
	Plant single row in centre of each bed with spacing between plants - 1.2m	Between rows - 75cm Between plants - 60cm	Between rows 30cm and thin to spacing of 10cm between plants at 4-6 weeks	Plant single row of plants in beds 1.5 - 1.6m wide spacing between plants in bed 1.2m	Spacing	23 -
	1.4-2.0	0.84-1.0	2.25-4.5	2.25-3.0	Seed Rate (kg/ha) Direct Seeding Transplanting	· ·
•	•	1	•	1	a) Transplanting	APPENDIX III (CONT'D)
	42-90	56-120	110-130	45-9-	Period of by Harvestinged Days aftermized sowing	Google

APPENDIX IV

SUMMARY OF FERTILIZER RECOMMENDATIONS FOR SELECTED VEGETABLES

			•
Crop	Morass Peat Soil	Four Paths Clay Loam	Remarks
•	Rate of Application (kg/ha)	Rate of Application (kg/ha)	
Tomatoes, Egg Plants	P ₂ 0 ₅ - 180	500 kg of 6:18:27 fertilizer	(i) On Morass Peat application
Sweet Peppers, Hot Peppers	K 0 - 260	Mixture containing 60N-90P-135K	of fertilizer to be made to surface of soil one (1)
Cabbage	P ₂ 0 ₅ - 200	-	week prior to seeding.
	K_2^{-0} - 250		(ii) On Four Paths Soil -
Lettuce	N - 20		encooperated with the
	P ₂ 0 ₅ - 200	,	soil one (1) week before sowing or transplanting
	K_2^{0} - 250		(iii) Application of 8 kg/kg of
String Beans	P ₂ 0 ₅ - 67		Ca should be made to peat
	K_2^{0} - 120	•	soil being cropped for the first time.
Cucumbers	P ₂ 0 ₅ - 50	628 kg of 7:14:14 or	
Watermelons	$K_2^0 - 150^{\circ}$	377 kg of 12:24:12	
Cantaloupe			
Okra	P ₂ 0 ₅ - 90		
	K_2^{-0} - 150	•	·
Sweet Corn	P ₂ 0 ₅ - 180		
igitize	K_2^{0} - 260	ı	
Squash	P ₂ 0 ₅ - 90		
Go	K_2° - 150	•	
Carrots	P ₂ 0 ₅ - 225	N - 60	
gl	K_2^0 - 270	P ₂ 0 - 90	
e	7	K_2^20 -120	
Onions	P ₂ 0 ₅ - 150	ı	
	K ₂ 0 - 200		

APPENDIX V

SUMMARY OF ESTIMATED COST OF PRODUCTION AND RETURNS FOR SELECTED VEGETABLES
PLANTED ON THE MORASS PEAT SOIL

Crop	Anticipated Productions (1bs/acre)	Unit Price (cts/lb)	Estimated cost of Production J\$ per acre	Gross Revenue J\$ per acre	Net Return J\$ per acre
Sweet Peppers	10,000	40	2,981	4,000	1,019
Tomatoes	16,000	30	3,837	4,800	963
Egg Plant	10,000	40	2,540	4,00	1,460
Cabbage	15,000	30	2,606	3,600	994
Cucumbers	15,000	25	2,244	3,750	1,506
Watermelons	20,000	30	2,800	000°9	3,200
0kra	8,000	40	1,800	3,200	1,400

POTENTIAL CANADIAN AND U.S.A. MARKETS FOR VEGETABLES

Product	Canadian M	an Market	U.S.A. Market	et
•	Estimated Open Market (Metric tons)	Open Seasons	Estimated Open Market (Metric tons)	Open Seasons
Green Beans	200	February - May	1,600	March - April
Carrots	009	January - February	009'9	January - February
Cucumbers	1,300	February - April	14,000	March-mid April
Egg Plant	006	January - June	10,000	February - June
Omions (fresh)	300	January - March	3,000	January - February
Onions (dry)	1,000	February - May	10,000	March - April
0kra	300	February - June	3,000	March - May
Peppers	1,400	February - June	15,000	Mid March May
Tomatoes	000,9	February - May	000,06	March - April

Source: Small Farmers Production and Marketing Systems Study: Louis Berger Int. Inc. and Systems



APPENDIX VII

IMPORTATION OF VEGETABLES - CARICOM AND OTHER CARIBBEAN COUNTRIES

Country	Estimated Quantities of current Demand Supplied by Imports (Per Cent)	
CARICOM		
Antigua	54	
Barbados	45	
Belize	34	
Dominica	15	
Grenada	8	
Guyana	34	
Jamaica	.12	
Montserrat	20	•
St. Kitts/Navis	54	
St. Lucia	50	
St. Vincent	38	
Trinidad & Tobago	25	
OTHER CARIBBEAN COUNTRIES		
Guadelope	15	
Martinique	. 16	
Netherlands Antilles	100	
Puerto Rico	89	
Surinam .	48	
Venez eula	5	
Virgin Islands (U.S.)	96	
Virgin Islands (U.K.)		

Source: Small Farmer Production and Marketing System Study. Louis Berger Int. Inc. and Systems

APPENDIX VIII

RAINFALL DATA - JUNE TO AUGUST 1982

	JUNE	JULY	AUGUST
1	0.0	0.0	0.0
2	0.0	0.0	0.5
3	0.0	0.0	0.0
4	0.0	5.5	0.0
5	0.0	6.0	15.0
6	0.0	0.0	0.0
7	27.0	0.0	5.0
8	0.0	20.5	0.0
9	22.5	5.5	0.0
_10	0.0	9.0	0.0
11	0.5	0.0	0.0
_12	0.0	0.0	15.5
13	0.0	2.5	7.0
14	0.0	0.0	0.0
15	0.0	0.0	0.0
16	0.0	0.0	0.0
17	0.0	0.0	0.0
18	0.0	15.0	0.0
19	0.0	0.5	0.0
['] 20	0.0	0.0	1.0
21	16.0	13.5	1.5
22	3.5	0.0	0.0
23	0.0	0.0	0.0
24	0.0	0.0	7.7
25	0.0	3.5	0.5
26	0.0	1.0	15.0
27	0.0	0.0	0.5
28	0.0	0.0	2.5
29	4.5	19.0	2.0
30	0.0	0.0	63.0
31	-	0,0	10.5
Total (mm)	74.0	101.5	143.0
1" (inches)	2.91	4.0	Digitized by GOC

Source: Rice Station, Elim, St. Elizabeth

u



Fig. I - Carrots sown on ridges on Four Paths Clay Loam



Fig. II - String beans growing on ridges on Four Paths Clay Loan S

Ŷ

FIGURES



Fig. III - Flat beds with drains between used for planting vegetables on Peat




Fig. IV - Shows excellent germination of tomatoes direct seeded on flat-beds on Peat

AGRICULTURE IN JAMAICA

Collection of papers of the Office of IICA in Jamaica

<u> 1977 - 1978</u>	
No. I - 1	Fritz Andrew Sibbles, "Basic Agricultural Information on Jamaica Internal Document of Work", January 1977
No. I - 2	Yvonne Lake, "Agricultural Planning in Jamaica", June 1977
No. I - 3	Aston S. Wood, Ph. D., "Agricultural Education in Jamaica", September - October 1977
No. I - 4	Uli Locher, 'The Marketing of Agricultural Produce in Jamaica", November 1977
No. I - 5	G. Barker, A. Wahab, L. A. Bell, "Agricultural Research in Jamaica", November 1977
No. I - 6	Irving Johnson, Marie Strachan, Joseph Johnson, "Land Settlement in Jamaica", December 1977
No. I - 7	Government of Jamaica, "Agricultural Government Policy Papers", February 1978
No. I - 8	Jose Emilio Araujo, 'The Communal Enterprise', February 1980
No. I - 9	IICA and MOAJ, "Hillside Farming Technology - Intensive Short Course", Vols, I and II, March 1978
No. I - 10	Jose Emilio Araujo, 'The Theory Behind the Community Enterprise - Seminar in Jamaica", March 1978
No. I - 11	Marie Strachan, "A National Programme for the Development of Hillside Farming in Jamaica", April 1978
No. I - 12	D. D. Henry, "Brief Overall Diagnosis of Hillside Farming in Jamaica", April 1978
No. I - 13	Neville Farquharson, "Production and Marketing of Yams in Allsides and Christiana", May 1978

- No. I 14

 R. C. E. McDonald, A. H. Wahab, "Fertility Assessment of Newly Terraced Hillside Soils Using the Microplot Technique the Allsides Case Study", 1978

 No. I 15

 IICA IDB, "Course in Preparation and Evaluation of Agricultural Projects", Vols. I and II, November 1977
- No. I 16 Neville Farquaharson, "Production and Marketing of Dasheen in Allsides and Christiana", June 1978

1978 - 1979

- No. II 1

 O. Arboleda-Sepulveda (IICA-CIDIA), "Agricultural Documentation and Information Network in Jamaica", September 1978
- No. II 2 Victor Quiroga, 'National Agricultural Information
 System', (NAIS-Jamaica) Project Profile, September 1978
- No. II 3 Joseph Johnson, 'A Review on Land Reform in Jamaica for the Period 1972 1978", September 1978
- No. II 4 Neville Farquharson, "ABC of Vegetable Farming", A
 Draft High School Textbook, Vols. I, II, III and IV,
 February 1979
- No. II 5 Jerry La Gra, "Elements of an Agricultural Marketing Strategy for Jamaica", March 1979
- No. II 6 D. D. Henry, I. E. Johnson, "Agricultural Extension Service in Jamaica", March 1979

1979 - 1980

- No. III 1 H. R. Stennett, "Watersheds of Jamaica and Considerations for an Ordinal Scale of Their Development", July 1979
- No. III 2 IICA-MAJ, "Hillside Farming in Jamaica", A Training Seminar, December 1978
- No. III 3 A. L. Wright, A. H. Wahab, H. Murray, "Performance of Six Varieties of Red Peas (Phaseolus vulgaris L.) on a Newly Terraced Ultisol in Jamaica", September 1979
- No. III 4 IICA Jamaica Staff, "Agro-Socio-Economic Sample Survey of Allsides Trelawny, Jamaica", September 1979

- No. III 5 IICA-MOAJ, "An Approach to Agricultural Settlement of Hilly Lands", October 1979
- No. III 6 IICA-MOAJ, "Tree Crops of Economic Importance to Hillside Farms in Jamaica", October 1979
- No. III 7 Canute McLean, 'Production and Marketing of Peanuts', November 1979

1980

- No. IV 1 Joseph Johnson, "Production and Marketing of Red Peas in the Hilly Areas of Jamaica", January 1980
- No. IV 2 Lyn Snuffer, "Rural Women: An Annotated Caribbean Bibliography with special reference to Jamaica", January 1980
- No. IV 3 Vincent Campbell, Abdul Wahab, Howard Murray, "Response of Peanut (Arachis hypogaea L.) on a Newly Terraced Ultisol in Jamaica", January 1980
- No. IV 4 P. Aitken, A. Wahab, I. Johnson, A. Sahni, "Agro-Socio-Economic Survey - Pilot Hillside Agricultural Project 'PHILAGRIP' Southern Trelawny," February, 1980
- No. IV 5 Glenys H. Barker, 'Bibliography of Literature relating to Research and Development in the Agricultural Sector of Jamaica 1959 1979'', March 1980
- No. IV 6 Milton R. Wedderburn, "Allsides Farmers' Pre-Cooperative A Socio-Economic Assessment", March 1980
- No. IV 7 Adele J. Wint, 'The Role of Women in the Development Process', April 1980
- No. IV 8 Milton R. Wedderburn, 'The Co-operative Input in the Development of the Pilot Hillside Agricultural Project (PHILAGRIP)", April 1980
- No. IV 9 MOJ/IICA/CARDI, Fruit Trees Seminar -"Research & Development of Fruit Trees", June 1980
- No. IV 10 Henry Lancelot, "Traditional Systems in Hillside Farming, Upper Trelawny, Jamaica", June 1980

!

- No. IV 11 IICA/Jamaica, "Pilot Hillside Agricultural Project", (PHILAGRIP), Project Document. Vols. I, II and III, June 1980
- No. IV 12 A. Wahab, I. Johnson, P. Aitken, H. Murray and H. Stennett, 'Highlights of the Pilot Hillside Agricultural Project at Allsides", July 1980
- No. IV 13

 I. Johnson, A. Wahab, P. Aitken, H. Payne, "Benchmark for a Project Profile for Developing a Peanut Industry in Jamaica", July 1980
- No. IV 14 P. Aitken, A. Wahab, I. Johnson, 'The Allsides Post Peasant", August 1980
- No. IV 15 Norma Munguia, Percy Aitken, Abdul Wahab, Irving Johnson, "Salt Extraction by Solar Energy", A Miniproject, September 1980
- No. IV 16

 Abdul H. Wahab, Percy Aitken-Soux, Irving E. Johnson and Howard Murray, "The Allsides Project in Jamaica Developmental Potentials of Hillside Agriculture", September 1980
- No. IV 17

 P. Aitken, A. Wahab, I. Johnson, A. Sahney and N. Munguia, 'Rural Women Survey', Vols. I, II and III, October 1980
- No. IV 18
 P. Aitken, I. E. Johnson, A. Wahab, "Assessment of Employment Among Small Hillside Farmers of Jamaica", November 1980
- No. IV 19 IICA/Jamaica "Pilot Hillside Agricultural Project", (PHILAGRIP), Final Project Document. October 1980.
- No. IV 20
 P. Aitken, A. Wahab, I. E. Johnson, Bo-Myeong Woo,
 "IICA Evaluation of the First Phase FSB Allsides
 Project", (Internal Document of Work), November 1980
- No. IV 21 MINAC/IICA/CARDI 'Seminar on Multiple Cropping';,
 December 1980

1981

No. V - 1

N. Munguia, P. Aitken, A. Wahab, I. Johnson, "Smoke Curing of Fish (as a household industry in Rural Jamaica)", January 1981

Digitized by Google

No. V - 2	P. Aitken, A. Wahab, I. Johnson, "Under-employment - It's Relation to the Agricultural Sector and Considerations for its Management", January 1981
No. V - 3	D. D. Henry, J. R. Gayle, "The Culture of Grafted Pimento (as spice crop for Allsides, Jamaica)", January 1981
No. V - 4	Abdul H. Wahab, Noel Singh, "Agricultural Research in Jamaica", February 1981
No. V - 5	P. Aitken-Soux, A. H. Wahab, I. E. Johnson, "Country Level Action Plan (CLAP)", May 1981
No. V - 6	P. Aitken-Soux, A. H. Wahab, I. E. Johnson, 'Overview of Agricultural Development in Jamaica', May 1981
No. V - 7	Samuel Thompson, I. E. Johnson, P. Aitken-Soux, Abdul Wahab, "The Land Development & Utilization Act 1966", July 1981
No. V - 8	Abdul Wahab, Percy Aitken-Soux, Irving Johnson, Bo-Myeong Woo, Howard Murray, Joseph Dehaney, "The Experiences of Jamaica in the Management of Agricultural Production on Hillsides", July 1981
No. V - 9	Dave Hutton, Abdul Wahab, Howard Murray, "Yield Response of Yellow Yam (Dioscorea Cayenensis) After Disinfesting Planting Material of Pratylenchus Coffeae", July 1981
No. V - 10	Elaine Montague-Gordon, Abdul H. Wahab, Joseph Dehaney and Audrey Wright, "Performance of Eleven Varieties of Dry Beans (Phaseolus vulgaris) Over Two Successive Seasons on the Hillsides of Jamaica", August 1981
No. V - 11	Dave G. Hutton, Abdul H. Wahab, "Position Paper on Root Crops in Jamaica", August 1981
No. V - 12	Percy Aitken-Soux, Abdul H. Wahab, Irving E. Johnson, "Technical Assistance for the English Speaking Caribbean (Considerations for an IICA Strategy)" (Internal Document of Work), September 1981
No. V - 13	Bo-Myeong Woo, Abdul H. Wahab, Joseph Dehaney, "Crop Production on Hillsides using non-Bench Terracing Alternative Measures for Soil Conservation (first year's results of the Olive River Soil Conservation studies)", September 1981

- No. V 14

 Abdul II. Wahab, Percy Aitken-Soux, Irving E. Johnson,
 Bc-Myeong Woo, Howard Furray and Joseph Dehaney, "Agricultural
 Production on Hillsides the Allsides Project Case Study",
 Geptember 1981

 No. V 15

 D. G. Hutton, A. H. Wahab and J. Dehaney, "Investigating
- D. G. Nutton, A. H. Wahab and J. Dehaney, "Investigating Critical Levels of Dry Rotting of Yellow Yam (Dioscorea Cayenensis) Planting Material, the Benefits of Disinfesting the Heads of Pratylenchus Coffeae and of After-Planting Nematicide Treatments", September 1961
- D. G. Hutton, A. H. Wahab, H. Murray and J. Dehaney,
 "Critical Levels of Dry Rotting of Yellow Yam (Dioscorda
 Cayenensis) Planting Material and Yield Responses After
 Disinfesting Heads of Pratylenchus Coffeae and After
 Post-Plant Nematicide Applications", September 1981
- No. V 17 E. Ayer and J. Reyes, "Seminar on Mediterranean Fruit Fly", September 30, 1981
- No. V 18 Bo-Nyeong Woo, "Erosion Control Works in Korea", October 1981
- No. V 19

 Irving E. Johnson and Percy Aitken-Soux, "Country Level
 Action Plan (CLAP)" (Third Revision Internal Document
 of Work), October 1981-
- No. V 20
 Humberto Pizarro, "Programme of Work to Establish Guidelines
 for the Effective Administration, Operation and Maintenance
 of the Irrigation and Drainage District in the BRUMDEC Project"
 November 1981
- No. V 21 Humberto Pizarro, "The Operation of the Drainage System in the Black River Upper Morass Project", November 1981
- Mo. V 22 Humberto Pizarro, "Recommendations for Land Use and Irrigation Needs in the BRUMDEC Project", November 1981
- No. V 23

 Humberto Pizarro, "Organization, Operations and Maintenance of the Irrigation System in the BRUMDEC Project",
 November 1981
- No. V 24 Humberto Pizarro, "Basic Information for Planning Water Management in the BRUMDEC Project", November 1931

1982

- No. VI 1

 Vivian Chin, "Rice Research and Production in the BRUMDEC

 Project State-of-the-Art Review, Identification of Constraints
 and Interim Recommendations and Budget for Establishing 405

 Hectares (1,000 acres) of Rice on the Clay Soils at BRUMDEC",

 January 1982

 No. VI 2

 Vivian Chin, "Programme of Work for the Short-Term Adaptive
- No. VI 2 Vivian Chin, "Programme of Work for the Short-Term Adaptive Production-Oriented Research on Rice in the BRUMDEC Project", January 1982
- No. VI 3 Claude Grand-Pierre, "Adaptive Research for Grain Production (BRUMDEC) A Short-Term Programme", January 1982
- No. VI 4 Claude Grand-Pierre, "Experimental Procedures for Grain Crops Research in the BRUMDEC Project", January 1982
- No. VI 5 Charles Kennard, "Summary of the Proposed Programme of Work for Adaptive Production Oriented Research (Short-Term) in Vegetable Production in the BRUMDEC Project", January 1982
- No. VI 6 Charles Kennard, "Vegetable Production (BRUMDEC) Review and Proposed Short-Term Adaptive Production Oriented Research Programme", January 1982
- No. VI 7 Bo-Myeong Woo, "Olive River Rum-Off Plots Description of the Experiment", January 1982
- No. VI 8 Vivian Chin, "Fertilizer Experiments in BRUMDEC (Second Quarterly Report)", January 1982
- No. VI 9 Claude Grand-Pierre, "Third Quarterly Report of the Short Term Production Oriented Sorghum Research Programme",

 January 1982
- No. VI 10
 Bo-Myeong Woo, Ministry of Agriculture, "Crop Production on Hillsides Using Non-Bench Terracing Alternative Measures for Soil Conservation", February 1982
- No. VI 11 Philemon Hoilett, Ina Pyne, Calvin Gray, Renford Baker, and Michel Eldin, "Workshop on Agroclimatic Zoning case study Kingston, Jamaica", April 1982
- No. VI 12 Charles Kennard, 'Vegetable Production Programme BRUMDEC Second Quarterly Report', Period December 19, 1981 March 18, 1982, April 1982
- No. VI 13 Claude Grand-Pierre, "Final Report on Grain Experimental Work in BRUMDEC", (Contract I), May 1982
- No. VI 14 J. Y. Richmond, Ph.D., "Lab Safety Seminar Animal Health Conferences of Jonathan Richmond", June 1982

Digitized by Google

· Digitized by Google

No.	VI	-	15	Michael Wiles, "Freshwater Prawn (Shrimp) Culture for Jamaica - An Exploratory Report", June 1982
No.	VI	-	16	Norma Munguia, Byron Lawrence, "Goat Revolving Scheme Project Model", Rural Women Project, July 1982
No.	VI	-	17	Franklin E. Rosales, Ministry of Agriculture et al "Experimental Designs for Cassava-Peanut Production Systems", July 1982
No.	VI	-	18	IICA/Jamaica, Samuel B. Bandara, "Institutions in the Agricultural Sector of Jamaica", (A Catalogue) Preliminary version, July 1982
No.	VI	-	19	Charles Percy Kennard, "Vegetable Production Programme - BRUMDEC Third Quarterly Report", Period March 19th to June 18th 1982, July 1982
No.	VI	-	20	Swarna Bandara, "Mushroom Production An Annotated Biblography of Literature Available in Jamaica", September 1982
No.	VI	-	21	Charles Percy Kennard, Final Report "Adaptive Production Oriented Research Programme on Vegetables - BRUMDEC", September, 1982.

FECHA DE DEVOLUCION							
	<u> </u>	<u> </u>					

. ...



DOCUMENTO MICROFILMADO

Digitized by Google