HCA-CIDIA



MCA-CIDIA A 1 FEB 1982

HCA-CIDIA

131.

COMPUTERIZATION OF THE AGRINTER/AGRIS PRODUCTION FLOW AT IICA-CIDIA IN TURRIALBA, COSTA RICA

February 10 - March 4, 1975

Ву

Helga Schmid

IDRC Consultant

Turrialba, Costa Rica Marzo, 1975

Υ΄ .

agent gan de la contra est

-- OIL CIDIA

Computerization of the AGRINTER/AGRIS production flow at IICA-CIDIA in Turrialba, Costa Rica

H. Schmid, IDRC Consultant

Summary

This report describes a solution for computarization of the AGRINTER/AGRIS production flow. Maximum use of existing resources (University of San José computer, AGRIS software of IAEA, Vienna) has been considered in order to keep the development costs low and time short until finishing the project. Part 1 contains a schedule for the next 2-1/2 years concerning equipment, staff and computer time requirements, as well as the gradual development of the complete project.

Part 2 describes the technical details of the project, e.g. the implementation of the existing software, the modifications required for AGRINTER, and the AGRINTER production.

Part 3 deals with some future aspects about the use of AGRINTER or AGRIS output tapes (SDI services, retrospective search, etc.)

February 1975

• • • •

A TADANMATUTAT TO A TOTAL A TO tigate particle in the case to the company of the contract of Control (1986) And the Control of th to the province of the province of the contract of the contrac

the Court through a control of the court of the control of the con The Carl Note Investigation (1997) Albertain and the Carlo C

Supplied to the state of the st

and the second of the second o the contract of the contract o

TABLE OF CONTENTS

| Introduction 1 | | | |
|----------------|------|--|----|
| Par | t 1. | Schedule of the Project Sept. 1974 - Aug. 1977 | |
| Par | t 2. | Technical Aspects | 3 |
| 1. | AGRI | NTER/AGRIS worksheet | 6 |
| | 1.1 | TRN Number (Temporary Reference Number) | 6 |
| | 1.2 | Bilingual entries for several data elements | 7 |
| | | 1.2.1 Diacritical signs | 7 |
| | | 1.2.2 Title enrichments | 7 |
| | | 1.2.3 City and country names | 8 |
| | | 1.2.4 Notes | 9 |
| | | 1.2.5 Dates | 10 |
| | 1.3 | Proposed future changes in the worksheet | 10 |
| 2. | Comp | uter Requirements | 11 |
| | 2.1 | Hardware available in Costa Rica | 11 |
| | 2.2 | Equipment and Manuals be purchased by IICA-CIDIA | 12 |
| | | 2.2.1 Print train | 12 |
| | | 2.2.2 Disk pack | 12 |
| | | 2.2.3 Magnetic tapes | 13 |
| | | 2.2.4 Keypunch machine IBM 29 | 13 |
| | | 2.2.5 OS Manuals | 14 |
| 3. | Soft | ware Description | 14 |
| | 3.1 | Checking Cycle - AGRIS only | 14 |
| | 3.2 | AGRINTER/AGRIS checking cycle | 16 |
| | 3.3 | AGRINTER production | 17 |
| | 3.4 | Machinereadable input from national center | 19 |
| 4. | Main | tenance Problems and Set-up Instructions | 19 |
| | 4.1 | Maintenance of tapes and disks | 19 |
| | | 4.1.1 Initialization of magnetic tapes | 19 |
| | | 4.1.2 Tape index | 20 |
| | | 4.1.3 Initialization of disk packs | 20 |
| | 4.2 | Computer Request Form | 20 |
| | 4.3 | Set-up Instructions | 21 |
| | | 4.3.1 Job XIAS001 - Restore | 21 |
| | | 4.3.2 Job XIAS002 - New Cycle Restart | 21 |
| | | 4.3.3 Job XIAS004 - New Input | 22 |
| | | 4.3.4 Job XIAS005 - Update | 22 |

AND THE STATE OF T • E . • 1.0

••

em to state energy of the state

 σ where $x \in \mathbb{R}^{n}$ is the second of $x \in \mathbb{R}^{n}$.

•. 1.5 $(A(\Theta), A(\Theta), A(\Theta$. . • get grown to the same of the same

Ç

 $(-g_{i}^{\alpha}(x), x) = (-g_{i}^{\alpha}(x), x) + (-g_{i}$ Service Services β · Ψ

| 4.3.5 Job XIASOO7 - Final check | 22 | | |
|---|----|--|--|
| 4.3.6 Job XIASOO8 - AGRIS tape production | 23 | | |
| 4.3.7 Job XIASSCRA, XIASREST, XIASSAVE | 23 | | |
| 4.4 Implementation of new print train | 24 | | |
| 4.5 Implementation of private disk pack | 25 | | |
| 4.6 Key-punch instructions for the worksheet | 26 | | |
| 4.6.1 New Input | 26 | | |
| 4.6.2 Updates | 28 | | |
| Part 3. Future Aspects of the use of AGRINTER/AGRIS Files | 29 | | |
| Acknowledgements | 32 | | |
| Bibliography | | | |
| Appendix I to VI | 35 | | |
| Figure 1 and 2 | 43 | | |

to the second second

.

INTRODUCTION

The 'Centro Interamericano de Documentación e Información Agrícola - IICA-CIDIA' in Turrialba, Costa Rica, has two different kind of tasks:

- to produce the Latin American bibliography for agricultural sciences:

 AGRINTER. This index started to be published nine years ago with a

 quarterly frecuency, each issue containing about 3000 references.
- to supply the Food and Agriculture Organization (FAO), Rome, with information for the worldwide agricultural information system AGRIS, which is operational since January 1975. In this case CIDIA is responsible only for documents published in Latin American and the Caribbean countries. About 60% of the AGRINTER data is to be used for AGRIS input.

It has been tried in the past /1/ to make AGRIS and AGRINTER as much compatible as possible in order to avoid duplication of efforts, therefore AGRIS and AGRINTER use the same worksheet. The small differences (mostly concerning the different carrier languages: English for AGRIS, Spanish for AGRINTER), are taken into consideration.

Until now AGRINTER has been processed manually, only the personal author and title KWIC indexes were generated by computer use. AGRIS input is presently submitted on worksheets.

The use of a computer for AGRINTER/AGRIS processing is required as soon as possible for several reasons:

- The number of documents per month is increasing steadily and a manual treatment will be more and more difficult. Example: the AGRINTER production takes at present time 7 weeks.
- Requirements of AGRIS input is to be in machine-readable form, namely on magnetic tapes in ISO format /27.

The Market of th

2. A secretar result for the second secon

- At present time the bibliographic data are typed and proofread three times: keypunching in Vienna for AGRIS input, typesetting in Turrialba for AGRINTER, keypunching of titles and authors for the indexes. If the data are published in a local bibliography (e.g. data from Brazil) a fourth time typing and proofreading is required.
- With increasing input CIDIA will ask its contributing national centers (member states) to supply input in machine-readable form, in order to decrease the workload in Turrialba. Brazil will very soon be able to submit AGRINTER input in machine-readable form.
- Finally, machine-readable bibliographic data open many possibilities for its use, as SDI (selective dissemination of information) services or retrosepctive searches for users in Latin American countries.

This report describes a possible solution to the computerization of the AGRINTER/AGRIS production flow by using the University of San José computer and the AGRIS software of the International Atomic Energy Agency, IAEA, Vienna. This software package has been originally developed for the International Nuclear Information System, INIS $\sqrt{3}$ and then modified to fulfill AGRIS requirements $\sqrt{47}$.

Because of this software developments, the IAEA, Vienna, was designated to process the AGRIS input and in March 1974 some member states requested to make the AGRIS software available for use at an inputting centre. This computer system has been implemented at the University of San José computer and it has been proved that the hardware requirements* are available in Costa Rica to run this system. It is now the task of IICA-CIDIA to continue the started project by purchasing the missing equipment (e.g. upper-lower case print train), to employ a computer specialist for developing the AGRINTER production programs

^{*} Concerning the data input equipment, punched cards will be used, having in mind that in about two years any better methods (keyboard to tape, or on-line data entry) will be available in Costa Rica as well.

Albertain to the second of the

en de de de la filosofia de la composição Por la composição de la c

A section of the transport of the control of the

and the state of t

in the indicated way, and to train its staff to use the computer in an effective way, so that the extra computer operation is justified by saving manual work.

Part 1: Schedule of the Project Sept. 1974 - Aug. 1977

Because of the fact that the project is sponsored by the International Development Research Center, IDRC, Canada, as a 3 years project, in agreement with IDRC the following schedule has been worked out.

Sept. 1974 - Aug. 1975

In the first year of the agreement the following items should be accomplished (see also 2.2 in Part 2):

a) Purchase of

- an IBM 29 key-punch machine including interpretation feature (about 7000 \$)
- an IBM 1416 print train with upper-lower case characters (about 4000 \$), see Appendix II for the proposed printer arrangement.
- 50 reels of 2400 feet magnetic tapes for computer processing in Costa Rica and 12 minimeels for mailing to Vienna (about 1400 \$)
- one disk pack for IBM 2314 disk drive (about 600 \$)
- b) Employment of a computer specialist taking care of all computer operations and program developments at IICA-CIDIA (see Appendix III).
- c) During this period AGRIS input to Vienna is done for about 20 documents on magnetic tape, the remaining worksheets are submitted as worksheets.
- d) AGRINTER is still produced manually.
- e) Development and testing of AGRINTER programs to be started.
- f) An arrangement with the University of San José is to be finalized for the use of the computer.

•

in septembrie de la social de la composition della composition del

and the subject of th

en de la companya de la co

en de la companya de la co

The end of the property of the control of the control

to state and the second of the

 $A = \operatorname{\mathsf{Spr}}(A) = \operatorname{\mathsf{Spr}}(A)$

effective of the time of the second of the s

Section 1

- g) The printing of the proof-lists and later the bibliography with the special print train has to be performed at a computer center with an interchangeable print train (e.g. the commercial data processing center SEDCA, or at the University when a new printer is installed).
- h) Data input is done by punched cards.

Computer time requirements:

4-6 hours per week until the employment of computer specialist

8-10 hours per week after specialist's employment, including testing of new programs.

Sept. 1975 - Aug. 1976:

The second year of the agreement is supposed to introduce considerable changes into the operation. In January 1976 the software for AGRINTER should be ready for production, whereby most of the programs are identical with the AGRINDEX production programs, and are available from Vienna. New programs will have to be developed and tested. The present procedure for the KWIC index could be used at the beginning by punching titles into cards via computer, in the same format now done manually. These cards are then processed by the IBM 1130 with the existing programs.

At the same time the present AGRIS checking programs have to be modified in order to accept AGRINTER input as well (e.g. diacriticals, etc.).

When all the above requirements are fulfilled (January 1976) all data will be punched in machine-readable form, no worksheets will be sent to Vienna for AGRIS input, the AGRINTER production will be performed by computer.

At the end of this period the KWIC index programs have to be transferred from the present IBM 1130 computer to the IBM 360, so that the complete AGRINTER production is processed in San José.

ing the second of the second of the property of the second of the second

A control of the control of

Computer time requirements:

Sept. 75 - Dec. 75: 8-10 hours per week

2 hours printing per week (special train)

Jan. 76 - Sept.76: 10 hours per week processing

5 hours per week testing

5 hours per week printing (special train)

Sept. 76 - Aug. 77:

In the last year of the IDRC contract, programs to accept machine-readable input should be implemented (input form Brazil), and machine-readable output (e.g. AGRINTER tape to Brazil) should be provided.

The possibility of running an SDI service for users in IICA member states is to be studied using AGRIS or AGRINTER tapes, or CAIN tapes. Another project for this year will be the Union List of Serials, ULS.

At the same time the AGRINTER/AGRIS software has to be maintained according to any new requirements of FAO, Rome (changes in descriptive cataloguing rules, introduction of new features).

At the very end of the contract the input equipment problem has been reconsidered. It is probable that at this time more effective and modern input equipments are available in Costa Rica (keyboarding to magnetic tape or on-line equipment, i.e. terminals). The University of San José is now starting to generate a DOS system with teleprocessing. One should consider to perform the primary data input with this system.

and the second s

 $(A_{ij},A_{ij},A_{ij},A_{ij}) = (A_{ij},A_$

e Arraman de la compania del la compania de la compania del la compania de la compania de la compania del la compania de la compania de la compania del la compani

The section of the s

.

Part 2: Technical Aspects

This part shows in great detail the technical problems and proposals for their solution. It should be emphasized here that any solution suggested today might be replaced by a new one due to the fast developments in the field of computers and to the fact that such a system must be a dynamic one, being easily changeable to meet the needs of its users. In order to understand this part the reader is supposed to be familiar with the AGRIS reference series, $\sqrt{27}$.

1. AGRINTER/AGRIS worksheet

The present system at CIDIA up to the complete worksheet is well organized due to all the efforts made in the last years. All necessary AGRIS manuals have been translated into Spanish and modified according to AGRINTER needs. Special considerations should be given to the following items:

1.1 TRN number (Temporary Reference Number)

Worksheets coming from member states contain at the moment a "local TRN" which is then manually changed to an IF-TRN number. It is strongly recommended that CIDIA delegates the assignment of the final TRN number to the member states. Since the AGRIS software from Vienna does not provide the handling of several TRNs for one document, this procedure can only be carried out manually which might be a source of errors. In order to avoid duplication, certain ranges of TRN should be given to member states:

e.g. IF7x9nnnn to Brazil

IF7x8nnnn to Argentina, etc.

Even letters would be allowed in the fifth position of the TRN number. Since not all documents are sent to AGRIS, AGRIS would not receive a continuous serie of TRN numbers, which does not violate any AGRIS rules.

The state of the s

Commence of the property of the first of the commence of the c

Control of the second control of the control of the second control of the s

When a document gets published in the AGRINTER Bibliography it receives an AGRINTER-RN number; when it is published in AGRINDEX it receives an AGRIS-RN number. As link between these two RN numbers series, serves the TRN number.

1.2 Bilingual entries for several data elements

Under the assumption that key-boarding of AGRINTER/AGRIS is performed only once, there may be only one worksheet carrying all necessary information used for both systems.

The following differences exist between AGRIS and AGRINTER:

1.2.1 Diacritical signs

Since AGRINTER is a bibliography with Spanish as carrier language it has been decided to keep the Spanish diacritical signs only (no Portuguese ones), i.e.N n a e i o u. All data elements in Spanish language are to be entered with diacritical signs on the worksheet (AGRIS and AGRINTER). A computer program will suppress all diacriticals on the tape sent to the AGRIS input unit (Vienna).

1.2.2 Title enrichments

Requirements for

AGRIS: at the English title (tag 200) in English

AGRINTER: at the original title (tag 230 or 200) in

Spanish

Worksheet entry:

AGRINTER/AGRIS:

English title: tag 200: Title in English with enrich-

ment in English in square brackets

tag 230: Only enrichment in Spanish in

square brackets.

The same special control of the same state of th

BAAR A PERSONAL PROPERTY OF THE PROPERTY OF TH

Section 1998 and 1998 and 1998 are section for the section of the se

where $x_1 = x_2 = x_1 + x_2 + x_3 + x_4 + x_4$

and the second of the second o

A transfer of the second set of the second second

The appointment of the control of th

and the second of the second

A March 1998 And 1998 And

e tar

The state of the s

A frience of the acceptance of the contract of the state of the contract of th

processed of the first think

wilds a mi premiero

্ৰাট্টি ক্ৰিয়া কৰে কৰ

Non-English title: tag 200: Title in English in square

brackets with enrichment in English

inner square brackets.

tag 230: Title in original language

with enrichment in Spanish in square

brackets.

AGRINTER only:

English title: tag 200: Title in English

tag 230: Only enrichment in Spanish

in square brackets.

Note: Enrichment in Spanish could be given at tag 200 as

well if it is desired.

Non-English title: tag 200: -

tag 230: Title in original language

with enrichment in Spanish

in square brackets

1.2.3 City and country names (tags 100, 110, 211, 401, 230 S)

Requirements for

AGRIS: English names (e.g. Guatemala City)

AGRINTER: Spanish names (e.g. Ciudad de Guatemala)

Worksheet entry

AGRINTER/AGRIS: All city and country names are to be entered in English. A computer program (to be incorporated in the checking cycle, see 3.2 in part 2) should check for the word 'City' and verify the preceding word to be either 'Guatemala' or 'Panamá' or 'México'.

and the second of the second o

 $(1, \dots, n) = (n+1) + (n+1) +$

 $\mathbf{r}_{i} = \mathbf{r}_{i} + \mathbf{r}_{i}$

and the second of the second o (x,y) = (x,y) + (x,y

the state of the s

The key-punch operator should be advised that the correct spelling of 'City' is vital, because only then the check program is working. This correct spelling allows then to translate the English city name into Spanish when AGRINTER is printed. With country names there is no problem, since they are checked for standardized spelling in the checking cycle.

AGRINTER only: Country names to be entered in English, otherwise the checking programs would reject them. City names can be entered either way. If the English version is used the word 'City' must be spelled correctly (see above).

1.2.4 Notes (tag 610)

Requirements for

AGRIS: Text in English (e.g. tables, illus.)

AGRINTER: Text in Spanish (e.g. tablas, ilus.)

Worksheet entry:

AGRINTER/AGRIS: Since tag 610 may contain any notes, not necessarily standardized, an automatic translation is not possible. It would be more logical to create a separate tag, however, this raises problems for the maintenance of the computer software. The present computer software rejects any tags different from the accepted AGRIS tags. Therefore it is suggested to enter both data elements in the tag 600, whereby first the English version and then the Spanish version is entered. The Spanish version is entered in square brackets.

AGRINTER only: Note given in Spanish (square brackets are not required).

1.2.5 Dates (tags 213,403)

Requirement for

AGRIS: Abbreviations for months according to English.

AGRINTER: Abbreviations for months according to Spanish.

Worksheet entry:

Since the abbreviations for months are standardized and checked by program, all documents (AGRINTER only"as well) have to use the English form. At AGRINTER printing the translation is to be performed.

Note: The worksheet prepared at present at the AGRINTER national cooperative centers are in Spanish only. As soon as the national center send input in machine-readable form they have to follow the above mentioned rules. The indication 'worksheet entry' in section 1.2 means the form of the worksheet at the time of key-boarding.

- 1.3. Proposed future changes in the worksheet (when it gets printed next time, in about 2 years)
 - Since the notes have to be entered in both languages, the field for tag 610 is too small.
 - The Vienna software uses tag 000 for the purpose to indicate the input medium and its translation table, which is valid until the next tag 000 is encountered, so that the information AGRINTER/AGRIS has to be entered at another place, e.g. as suffix to the TRN number (see key-punch instructions 4.6 in part 2). It is suggested in later editions of the worksheet not to print 000.

and the second of the second o

the first of the second of the

 $(x,y) = \frac{\partial x}{\partial x} + \frac{\partial y}{\partial y} + \frac{\partial y}$

the second of th

the state of the s

Commence of the state of the state of the state of

and the contract of the contra

att e agett

of the state of the control of the state of

the control of the state of the

 $(X_{ij}, X_{ij}, X_{$

(x,y) = (x,y) + (x,y) + (y,y) + (y,y

Contract to the contract of th

2. Computer Requirements

2.1 Hardware available in Costa Rica

Appendix I gives an overview of the computer facilities in Costa Rica (January 1975).

The computer installed at IICA (section D) is well suited for scientific use only. For processing bibliographic information the system would have to be increased by extra input/output equipment (disks, tapes), no existing software could be used; there is no high-level language (COBOL or PL/I) for text processing. Therefore all coding would have to be performed in Assembler language (about 3 men-years). Furthermore, there are no effective utility programs for sort/merge operations, as well as the whole machine would be too slow to process all the information, especially taking into account the expected increase of documents in the next years.

The commercial data processing center SEDCA (section B) has two computers installed, the larger one is excellently suited for the planned work.

The third computing centre available to IICA is the University of Costa Rica in San José. Since the processing there would be the most preferred one from financial point of view, all tests have been carried out at the University. The University computer is well equipped with disk drives and tape units. Since the core size (192K) is the lower limit for running OS, only the most simple OS version PCP (primary control system) is operational.

- In the Enth of the Mark to the control of the Control
- $(x,y) \in \mathcal{F}_{\mathbf{a}}$, $(x,y) \in \mathcal{F}_{\mathbf{a}}$, $(x,y) \in \mathcal{F}_{\mathbf{a}}$, $(x,y) \in \mathcal{F}_{\mathbf{a}}$, $(x,y) \in \mathcal{F}_{\mathbf{a}}$
- A section of the control of the contro
- Description of the control of the cont
- en de la companya de la co
- All the second of the second o
- A Company of the model of the model of the company of the model of the company of
- The second of th

Another difficulty is the slow printer (1403/2 with 600 lines/min) with a not exchangeable print train. Therefore printing of the check lists and final print of AGRINTER has to be performed at SEDCA, which has a printer (1403/N1) with exchangeable print train and the universal character set.

2.2 Equipment and Manuals to be purchased by IICA-CIDIA

2.2.1 Print train

The AGRINTER/AGRIS operation requires a special train with the AGRIS character set, the PL/I character set (the existing print train serves for FORTRAN programs only which need a smaller character set), and the Spanish discritical signs.

As type font only the so-called TEXT font provides upper and lower case characters which means either a SN-5 or a TN-5 train. Due to the specific requirement a TN-5 train with a special arrangement has been proposed (see Appendix II). Most slugs can be chosen as standard ones, 12 out of the 80 must be manufactured on request. Purchase price is about 4000\$, life time 4-6 years depending on the use and maintenance. After this time a major maintenance procedure will be required (1000-2000\$ depending on the status).

2.2.2 Disk pack

IICA-CIDIA needs for the processing of its data a private disk pack. It is suggested to buy one BASF disk pack for an IBM 2314 drive directly from Germany in the same way as the University bought its own disk packs or an IBM 2316 from IBM. Purchase price about 600\$.

en de la companya de la co

We can be a substitute of the subst

2.2.3 Magnetic tapes

Since none of the centers can provide enough tape reels,
IICA-CIDIA needs to have its own magnetic tapes. The
estimated figure is for the first year 50 tapes (2400 feet)
(10 checking cycle back-up tapes, 12 AGRIS monthly tapes,
12 AGRINTER monthly tapes, 4 program tapes and 12 work
tapes) with an increase of yearly 24 tapes (archive copies
of old AGRIS/AGRINTER files). Furthermore 12 minireels
are needed for mailing to Vienna.

Price: 50 2400 feet tapes at 25\$ 1250\$

12 minimals about 12\$ 150\$

1400\$

2.2.4 Key-punch machine: IBM 29

As primary data entry machine, for the time being an keypunch machine has been chosen.

Since this machine is used full-time, a new one has to be rented (or purchased). The machine must be equipped by EBCDIC key identifications and EBCDIC card interpretation. It is very desirable to have the 'fast skip option' included, since it speeds up punching time.

Another desirable extra feature is the interpretation feature (to print text on cards which are punched by computer). The interpretation machine of the University accepts BCD cards only. However, the price of the interpretation feature is rather high.

4.00

- Land March 1 for the Community C

| | | Purchase | Maintenance month |
|----------------|---|----------|-------------------|
| Prices (in Ø): | Standard IBM 029 | 31.355¢ | 270¢ |
| | High speed skip + | 7.432¢ | 50¢ |
| | <pre>Interpretation + (model C22)</pre> | 21.830¢ | 50¢ |

2.2.5 OS Manuals

There should be one copy available at IICA-CIDIA of the IBM manuals listed under $\sqrt{67}$.

The manuals should be ordered for OS MFT Rel. 21.7 although the existing operating systems are lower releases (PCP Rel. 19.3 at University). However, SEDCA and the University announced to go to higher releases soon. It might be possible to find at the IAEA some of the old manuals for the old releases, which can be mailed to Turrialba.

3. Software Description

3.1 Checking cycle - AGRIS only

The AGRIS software developed at IAEA is presently used in Vienna and in some inputting centers. The programs are distributed on magnetic tape; three to four times a year update versions of the programs are distributed. The system is documented in draft reports / 4,5_7; this chapter will be fully understandable only to those readers familiar with the above mentioned documentation. The programs have been implemented at the University computer installation under the operating system OS PCP Rel. 19.3.

Some problems were found:

- Subroutine LRECL (see program CVPI) gives incorrect results.

The $M_{\rm p}$ is the state of the state of the state of $M_{\rm p}$ is the $M_{\rm p}$

A STATE OF THE STA

State of the Carlos of the Control o

and the contract of the second second

and the control of th

entral control of the state of

the state of the s

and the second of the second o

and the state of t

Company of the Compan

the contract of the contract o

national state of the state of

A property of the control of the contr

Company of the State of the Sta

Section Control Contro

It has been replaced by a routine which sets the maximum length of a record to the fixed value 3496.

- The parameter on the EXEC card gets sometimes destroyed by converting the last character to X. The problem has been solved by adding spaces or a dummy parameter.
- Since a PCP system works without spooling only one output class (A) is allowed. In order to provide the printing of system messages (file SYSPRINT) and the checking list (file LIST), the second file is stored on a permanent data set (file LIST on XIA.LIST), which is then saved on the backup tape as sixth file. It is printed as the last job step.
- Since at the present time the University has a RN print train (52 characters), an intermediate solution has been found by simulating the upper and lower case and some special characters in the following way. Two lines are printed in place of one original print line:

| char. | special print | char. | special print |
|---------------|---------------|--------|---------------|
| A to Z | A to Z | a to z | A to Z |
| .,*- 0 to 9 | unchanged | / | # or N |
| (| 8 |) | п |
| \mathcal{L} | • | _7 | x |
| = | # | • | © |

?! " should be avoided for the time being.

;

and the second of the second o

and the first of the second of

A separate printing program LISTG has been written to accomplish the above mentioned character simulation. As soon as the new print train is available this program is to be replaced by a simple tape printing program (IEBGENER for OS MFT; in PCP, the record format VBA has to be changed to FA).

Another program HOLDBF (see Fig. 1) has been written and incorporated in the checking cycle which allows documents from the bibliographic file to be retained for the next cycle and not being sent to Vienna. This checking cycle is fully operational and should be used from now on to send on a monthly basis about 20 documents to Vienna.

The full amount of data should be processed as soon as the AGRINTER modification and additions are available (see 3.2 and 3.3 in part 2). The tape for Vienna is recorded in EBCDIC code (not ASCII as required by AGRIS) since for the time being none of the computer centers has provision for ASCII soded magnetic tapes (to be performed at system generation time). This is no problem at all for the processing in Vienna.

3.2 AGRINTER/AGRIS Checking Cycle

When AGRINTER data are entered in the checking cycle several program modifications are necessary to provide for the special requirements described in 1.2. It is proposed to perform these modifications in Vienna, since it facilitates the program maintenance.

Following changes are necessary:

- Accept diacriticals in the input conversion program (see Appendix VI for proposed EBCDIC representation of ñ N á é í ó ú) and in the bibliographic check program.

in the graph of the first of the confidence of t

- Accept the AGRINTER/AGRIS indication (included on the worksheet)
 and print it in the check list.
- Allow to correct this information in the update cycle.
- Accept documents for AGRINTER only (tag 200 might be missing)

 A new checking program should be added after program INISBC which checks for the bilingual entry in tag 610 for AGRINTER/AGRIS worksheets and checks for correct city names by using the word 'City' as the key-word and testing the preceding word for 'Guatemala', 'México' or 'Panamá'. The error codes for this program should be of the form '1nn4s', where nn is a serial number, s the severity. If this form is chosen, the error codes will not interfer with any AGRIS error codes used in the checking cycle. In subroutine MESS (program VALID) the error text has to be added for each new error code.

3.3 AGRINTER Production

The AGRINTER production (see Fig. 2) is a separate program flow and very similar to the AGRINDEX production done in Vienna. The boxes marked by asterisks indicate programs available from Vienna, all other programs have to be written for AGRINTER need.

It will be the task of the computer specialist at IICA-CIDIA to assemble the existing programs with the new ones and to bring up the AGRINTER production.

It is estimated that at the beginning of 1976 all programs are ready except, probably, the title KWIC index, for which at the beginning the present procedure on the IBM 1130 could be used.

Section of the section

The following programs will be needed for the AGRINTER production:

- SELECT: This program replaces program HOLDBF and selects between documents for AGRIS and those for AGRINTER. Documents not to be published are sent to the bibliographic error file by means of 'hold cards'. In documents selected for AGRIS any bilingual data elements (tag 610) are reduced to English text only.

 The character set has to be reduced to the AGRIS set only (no diacriticals).
- KEYGEN*: Generation of the sort key, which allows to sort the AGRINTER file in the required sequence.
- SORT*: With sort exit for cross references.
- RNASGN*: RN assignment program.
- RNREL*: Treats the cross references for secondary subject categories and related TRN's.
- TRLATE: Program TRLATE has to translate the dates and the country and city names into Spanish and has to reduce tag 610 to the Spanish version only.
- GENCX*: Personal author and report number index generation (eventually without report numbers).
- CORPX*: Corporate author index generation.
- KWIC: Title KWIC index generation, to be developed in Turrialba.
- GENIAX*: Object code index generation.
- PRINT: Printing program for the bibliography, all indexes and the table of contents.
- CLRN* and CLTRN* Correspondence list RN-TRN and TRN-RN.

Available from Vienna. Some of the programs have been brought to Turrialba, but have not been used.

- en en gregoria de la companya de la La companya de la co
- en groupe de la gr
- - orași di sala de la compositori de la c La compositori de la
 - (x,y) and (x,y) and (x,y) and (x,y) and (x,y)

3.4 Machine readable input from national centers

Whenever national centers are ready to provide machine-readable input, IICA-CIDIA should implement the program to accept data in this form. There is a program available from Vienna (CVMI), however, some changes are necessary according to AGRINTER/AGRIS requirements, e.g. to submit the information indicating whether the document belongs to AGRINTER or AGRINTER/AGRIS. It is recommended to enter this information into the tag 001. See also the format of tag 001 for AGRIS output tapes in $\sqrt{27}$.

4. Maintenance Problems and Set-up Instructions

4.1 Maintenance of tapes and disks

In this section some basic tasks in a computer center are described. Although the problems are trivial, it should be mentioned here, because IICA-CIDIA is just being introduced to a computarized operation.

4.1.1. Initialization of magnetic tapes

In an OS operating system environment only IBM standard labelled tapes should be used for internal purpose.

Therefore brand new tapes should be clearly identified outside and then labelled by computer (program IEHINITT).

The volume serial number for the large tapes should be 'IFnnnn', where nnnn is a serial number. The IF prefix serves for clear distinction from other tapes used in the computer centers.

e de la companya de la co

A second of the s

Paga Lagorina Logico

The first of the state of the s

For the minimeels the identification IFSnnn is suggested.

25 tapes (2400 feet) have already been delivered, they
have been labelled and initialized by computer and stored
in the University computer room.

4.1.2. Tape index

Two manual tape indexes (with index cards) have been initiated, one index by reel number, the other by subject. The tape index gives information about the status of the magnetic tapes, the content, the creation date, etc.

Appendix V lists the tape index for the tapes IF0001 to IF0025.

4.1.3. Initialization of disk packs

One disk pack will be ordered by IICA-CIDIA. It has to be initialized under OS (program IHEDASDR), the suggested volume serial number is TICAnn', nn being a serial number O1 to 997.

4.2 Computer Request Form

A computer request form has been designed (Appendix IV) which is submitted together with the data cards. A copy of this form is kept in Turrialba which serves for checking the processing of the requested computer runs. Jobs requested by IICA-CIDIA may be 'New Input', 'Update', 'Final Check' or 'Tape to Vienna'. with 'New Cycle Restart'.

4.3 Set-up Instructions

4.3.1 Job XIASO01 - Restore

Job XIASOO1 restores the data files from the last backup tape (XIA.CUM.GnnnnVOO) onto disk. This job has to be executed before rerunning one of the other jobs. If the last backup tape is incorrect one has to set the system catalog to the previous last backup tape (IEHPROGM with UNCATLG and CATLG).

Run time: 5'

Data cards: UNCATLG DSNAME=XIA.CUM.GnnnnVOO

CATLG DSNAME=XIA.CUM.GnnnnVOO,VOL=2400=IFnnnn
Job is rerunable.

4.3.2 Job XIASOO2 - New Cycle Restart

This job has to run after job XIASOO8. It increments the volume/issue number of the output listing, and lists all documents not processed in XIASOO8 (i.e. all documents of the last checking cycle which due to an error could not be mailed to Vienna).

At the same time it removes the documents mailed to Vienna from the cycle.

It lists all withdrawn documents from the previous cycle under run zero.

Only after XIASOO2 the data files are ready to accept new input or update runs.

Run time: 15'

Data cards: none

and the contract of the contra

The state of the s

The state of the s

The Arthur the Committee of the Committe

Company (1999) Although the company of the company

Burnette Charles Charles David Branch Charles

Wir. to the

to the second section of the second section of

化复数分类的 医多种性 医多种性 医多种性 医二氏病

The Control of the Co

out out one of the second section with the contract of the contract of the second second

at William Butter

The American Committee of the State of the S

Actor and the control of movement of the Mills of the control of

 r_{i} . r_{i}

in which is the many of the control of the state of the s

The state of the s

• •

The second secon

Creates a new backup tape with a list file (to be printed with AGRINTER train). Job is not rerunable (if repetition necessary, run XIASOO1 before).

4.3.3 Job XIASOO4 - New Input

Job XIASOO4 reads new input data, checks it and adds it to the bibliographic file and to the bibliographic error file.

Run time: 15' - 60' (depending on the number of input cards).

Data cards: Input data (the first card must be '000 CARD INPUT START').

Creates a new backup tape with list file. Job is not rerunable (if repetition necessary, run XIASOO1 before).

4.3.4 Job XIASOO5 - Update

Job XIASO05 reads update cards and performs an update operation.

Run time: 30'

Data cards: Input data (the first card must be '000 CARD INPUT START').

Creates a new backup tape with list file (to be printed with AGRINTER train). Job is not rerunable (if repetition necessary, run XIASOO1 before).

4.3.5 Job XIASOO7 - Final Check

Job XIASOO7 checks all data of the bibliographic file and prints a listing of all TRN's ready for production.

Any severe errors in these documents force the document to be routed to the bibliographic error file.

The state of the s

•

M. Marketter and C. Markett

And the second s

and the second of the second o

in the Color Server Color terms of the Color for the Color of the Colo

A section of the contract of the

THE RESERVE TO STATE OF THE PARTY OF THE PAR

The figure of th

Run time: 30'

Data cards: none

Creates a new backup tape with list file (to be printed with AGRINTER train). Job is not rerunable (if repetition necessary, run XIASOO1 before).

4.3.6 Job XIASOO8 - AGRIS Tape Production

Job XIASOO8 prepares an AGRIS tape for Vienna with all documents from the bibliographic file. Some documents may be manually retained by supplying data cards with the TRN number in card column 1-9. The small tape for Vienna will be submitted with the computer request form. Creates an AGRIS archive copy (IFOO11 to IFOO22).

Run time: 20'

Data cards: TRN's to be held back (cc 1-9).

Creates a new backup tape with list file (to be printed with any train). Job is not rerunable (if repetition necessary, run XIASOO1 before).

Control cards: Insert volume serial number for AGRIS archive copy, and the volume serial number for the small tape to Vienna.

The computer listing and the small tape are to be sent to Turrialba.

- 4.3.7 Jobs to be run when no private disk available.
 - XIASSCRA Scratch VTOC on disk labelled 444444,
 Allocate disk spaces.
 - XIASREST Restore libraries from tape IF0024.

45 9.

1 5.0 %

and the second of the second o

and the second of the second o

and the state of t

en al company de la compan La company de la company d

The state of the second of the second text of the second weight to be second or the second of the se

euther with the expression of the control of the co

- XIASOO1 Restore AGRIS data from last backup tape
(IF0001-IF0010)

Whenever the program libraries have been changed, job - XIASSAVE writes a new library tape (IF0024-IF0025).

4.4 Implementation of a new print train

As soon as the new print train has arrived, the use of the print train must be prepared. An UCS buffer has to be loaded into SYS1.SVCLIB or SYS1.IMAGELIB*as member UCS1xx, where xx may be any letter combination. A meaningful abbreviation would be AT for AGRINTER Train.

| // EXEC | ASMFCL | | | |
|--------------|--------|----------|--------|------------|
| // ASM.SYSIN | DD * | | | |
| UCS1AT | CSECT | | | |
| | DC | x'00' | | |
| | DC | AL1(2) | 2 LINE | S PRINTED |
| | DC | AL1(120) | OF 120 | CHARACTERS |
| | DC | AL1(120) | | POSITION |
| | DC | C'xxxx | x t | 1-30 |
| | DC | c' | • | 31-60 |
| | DC | c' | • | 61,90 |
| | DC | C' | 1 | 91-120 |
| | DC | C' | • | 121-150 |
| | DC | c' | • | 151-180 |
| | DC | C' | 1 | 181-210 |
| | DC | C' | • | 211-240 |
| | END | | | |

//LKED.SYSLMOD DD DSN=SYS1.IMAGELIB (UCS1AT),DISP=OLD

Depending on the release.

in the growing that the control of the particle of the control of

4. I. am. max. with the first of the control of the c

Salah Sa

 $f(x) = (x + x)^{-1} + (x + x)^{-1}$ (2)

 $\mathcal{L}_{\mathcal{A}} = \mathcal{L}_{\mathcal{A}} + \mathcal{L}_{\mathcal{A}}$

the state of the s

-22

THE ROOM CONTRACT OF THE PROPERTY OF THE PROPE

whereby xxx....x means the sequence of characters on the print train according to position 1-30, 31-60 etc. See IBM System Reference Library: OS System Programmer's Guide. The actual change of the print train is done by the following operator commands (OS MFT).

P WTR

S WTR.PO,00E,,X,UCS=(AT,,VERIFY) where x means the output class to be printed with the AGRINTER train.

When the mount requestappears, the operator has to change the train and to reply;

R OO, 'AT'

When the verification request appears the operator should check the two printed lines and then reply R 00,'V'

In order to print the AGRIS/AGRINTER listings with the new print train one prints the file XIA.LIST (6th file on the backup tape IF0001-IF0010), with either program IEBGENER (if the printer accepts the variable length format (OS MFT), or with a small program changing the blocking from VBA (variable blocked with ASA control) to FA (fixed unblocked with ASA control) (for OS PCP).

4.5 Implementation of private disk pack

After initialization of the disk pack all catalog entries to the system disk with main index have to be deleted by UNCATLG (for catalogued data sets) and DLTX (for index entries and generation data sets) (program IEHPROGM). As soon as DLTX INDEX=XIA has been successfully executed, one can build a private catalogue on the private disk, connect it to the system catalogue (CONNECT) and

en transportunis en la companya de la companya del companya del companya de la co

en per en la companya de la companya del companya del companya de la companya de

of the second

.

ing the second s

en francisco de la companya de la c Antigoria

in de la company de la company

The contract of the second of

ing in after the common of the great Motor of the billion of the common of the common

(i) A trace of the last of the second state of the second seco

(4) A substitution of the following states of the f

The state of the s

[1] A subspection of the explored path of a contract position of the contract path of the

build all index structures there (see job XIASGEO2 in report /4/. From then on the AGRIS system disk is completely independent from the present operating system (except the CONNECT operation). See also program IEHPROGM in the OS utility manual /6/.

4.6 Keypunch instructions for worksheets

4.6.1 New Input

An IBM 29 keyboard machine has been chosen as input equipment for the first two years. After that period of time the input problem should be reconsidered and probably exchanged with a more effective way of keying (e.g. on-line data entry via terminals). The original paper-tape format has been chosen (see IAEA INIS-8 /3/

T C TAG A Text
$$_R$$
 for a new tag $_B$ and $_C$ for a continuation line $_B$ or Text $_R$ for a continuation line.

For a continuation card the line breaking rules described in IAEA INIS-8 are to be used, or the card is punched until column 80 and continued in column 1 of the following card without omitting any spaces between words.

In all other cases the carriage-return character should not be forgotten, otherwise rall spaces, until column 80, would be included in the text field.

And the second statement of the second st

220 ° 100 °

 Each document starts with the tag 001 and ends with the end-of-document sign (②). Tag 001 is punched only once, and not repeated on the second or third page of a worksheet. It is recommended to mark the cards belonging to one document by ink with the TRN number.

The character set used on the IBM 29 consists of control characters and the text characters.

Control characters are:

```
(numeric on the T-key)
Α
       0-2-8
В
                     (dollar-cent: numeric on the R-key)
Upper case
                     (logical or)
shift
Lower case
                     (logical not)
shift
end-of-
            @
                     (commercial at)
document
                    for special encoding (see below encoding
                    for \sqrt{7}
```

For AGRINTER diacriticals: an underscore (_) preceding the letter generates the following diacriticals (not yet implemented in the programs):

Note that the upper () and lower (7) case shift character is valid until the next shift character, whereas the underscore

and the second of the second o

and the state of the

THE REPORT OF A STATE OF STATE

Markey Sylvery Section 1988

The modern of the first

His existing and the contribution of the contribution

$$(\mathbf{x}_{i}) = (\mathbf{x}_{i}) + (\mathbf{$$

The state of the s

terd in the contract of the co

(_) is valid for the next character only. Digits and special characters are not influenced by any shift character. Tag 001 to 009 may be punched in either shift mode.

The complete AGRINTER/AGRIS character set is punched in the following way:

0 to 9, all specials (except /_/) direct keying

A to Z upper case shift + direct keying

a to z lower case shift + direct keying

Example: 100 Vallejo Meja, H. is punched as

T 100AlV-ALLEJO (M-EJA, (H-).

It is recommended to start each tag field for tags ≥ 100 with the correct shift character.

When the AGRINTER modifications come into action tag 001 should be prolongated to carry the AGRINTER/AGRIS information:

e.g. IF7500009A/B for AGRINTER/AGRIS

and IF7500010A for AGRINTER only.

4.6.2. Update ____

Updates cards are punched in the same way as new input with the following exceptions:

- The run number must be given at the beginning of a run (one run is one batch of new input data).
- Several runs can be updated in one operation.

(i) Line while \$1 \text{ is the control of the c

A MARINE SAN THE STATE OF THE S

restanting the second of the s

en de la companya de la co

Control of the Salar March

In the second of the second of

1. The state of th

Contract the ACCO Contract Con

Starte .

ndert volumente i pour la montre de la companya de Companya de la compa

is the first section of the first section of the se

 $(x,y) \in \{x,y\} \cap \{x,y$

- The update action is suffixed to the TRN number (U for update, R for replace, W for withdraw, G for go or good).

 A special format has to be designed when Agrinter comes in operation (see 4.6.1).
- Only those data elements are punched which are incorrect, whereby for tags 100 the level in which the tag appears must be given as well.

See also: Rules for Bibliographic Update /5_7.

Part 3: Future Aspects of the Use of AGRINTER/AGRIS Files

As soon as the AGRINTER/AGRIS production becomes fully computerized many possibilities are open to use the AGRINTER or AGRIS master files for selective dissemination of information (SDI services) or retrospective searches.

Many software packages exist which allow computer searches on these kind of data.

Primarily one has to distinguish between two search strategies:

- batch mode operation or
- interactive systems (with terminals)

whereby as search-keys either

- free-text searches or
- -search on controlled vocabulary comes into consideration.

For batch-mode operation and controlled vocabulary serves the IBM system IRMS (Information Retrieval Management System) written for the IBM 360 or 370 under operating system DOS. For INIS files the necessary interface programs 77 have been written in Vienna. In August 1974 it has been converted to OS 87. It is used for SDI services for the INIS data files and will be made

Approximation of the second of

 $\lambda_{2n-p} \sim s(t) = \varphi(t) + s(\theta(t) + t) + s(t) + \varphi(t) + s(\theta(t) + t) + s(\theta$

$= 24 \lambda^{1/2} \cdot 257 \cdot 2 \cdot \lambda^{1/2} \cdot 1 \cdot 10^{1/2} \cdot 10^$

State of the second district of the second district of the second district of the second of the second district of the secon

the first transfer of the contract of the cont

The second secon

 $\label{eq:continuous} |\psi(1)| = |\psi(1)| + |\psi(1)|| + |\psi(1)| + |\psi(1)|| + |$

, we have the section of the section of the section of the section \mathcal{A}_{ij}

 $(e^{i\phi})$, which is the contraction of the contr

The first control of the median of the median service of the service of the service of the control of the service of the servi

compatible with the AGRIS data file in the near future.

Since IRMS requires a controlled vacabulary, the following search items can only be used with AGRIS.

- Object code or text
- Geographic code or text
- Subject category
- Literary indicators
- Type of record
- Volume/issue number
- Language

As operand between the search items serve the logical (Boolean) operators: OR, AND, AND NOT.

The program for AGRIS files will be available in <u>August</u> 1975 (machine requirement: 1 magnetic tape, disk space on IBM 2314 or 3330, programming language Assembler, interface programs in PL/I(F)).

IRMS as an interactive system under OS is now available from IBM as a program product (to be rented on a monthly basis).

As an example for an interactive system with free-text search strategy IBM offers the STAIRS system (Storage and Information Retrieval System) which runs as an applications program under the terminal system CICS (Customer Information Control System). Both systems are program products (monthly rent: about 1000\$ for CICS, 700\$ for STAIRS).

STAIRS allows to search on all tag fields using free-text search strategy whereby in addition to the Boolean operators OR, AND, AND NOT the new operators may be used: ADJ for adjacent, SAME for restriction of the AND operation to the same paragraph (e.g. same tag field) etc.

The state of the s

The state of the s

·

were the second of the second

and the second of the second o

The second of the content of the conte

and the second of the second o

As example for an interactive system with a kind of free text search on specific tag fields (e.g. authors) serves the RECON system (remote consol system), developed by the US software firm LOCKHEAD for NASA. This system is used at present time at the Oakridge Research National Laboratory, ORNL, and at the European Space Research Organization, ESRO (Rome (Italy) and Darmstadt (F. R. Germany)).

For non-IBM computers also exist many retrieval systems (GOLEM for SIEMENS computers, etc.). Several of the INIS inputting centers (e.g. Zentralst: f. Aton-Energic Dokumentation, ZAED) are operating an SDI service for its users, some of them might even face the problem of retrospective searches. Many of these programs are available free of changes.

The problem of the retrospective searches are basically identical with the problems of SDI, however different program logics, are necessary since with retrospective searches the number of documents and therefore the required disk space are very high, so that sometimes it is impossible to hold all documents simultaneously online.

Furthermore, with retrospective searches another problem is encountered due to the fact that the data bank is to be updated on a regular basis (e.g. monthly). It will be the task of the computer specialist, as soon as the input problems are solved, to study the feasibility of using any existing software packages to provide the users in Latin-American countries with useful SDI services or retrospective searches.

Note: The author wishes to apologize if in this chapter all given information is not completely correct, due to the fact that there was no literature available in Turrialba when this report was done.

And the state of the s

grafia de la filosofia de la composición del composición de la composición del composición de la composición de la composición de la composición del composición de la composición del composición del composición

The state of the s

ACKNOWLEDGMENTS

This report is the result of a one month work at IICA-CIDIA in Turrialba, Costa Rica. The consultation was financed by the International Development Research Center, IDRC, Canada. Valuable cooperation in preparing the schedule, described in part 1, is acknowledged to Ronald Archer from IDRC who has been present at Turrialba during one week of the consultation period.

The good cooperation and the continuos assistence of all the staff members at IICA-CIDIA, especially of Maria Dolores Malugani, Director of the Center, and of Hugo Caceres, are very much appreciated. Without the willingness of the Center to accept a new way of AGRINTER/AGRIS production the complete project could never be started.

Special thanks are given to Olga Lendvay for all the fruitfull discussions during the time in Turrialba and for all her work on editing this report.

t in the second of the second

Armonia de la Carta de Carta d

BIBLIOGRAPHY

- /2 7 AGRIS Reference series:

FAO/AGRIS 3 Subject Categories

FAO/AGRIS 4 Guidelines for Bibliographic Description

FAO/AGRIS 7 Magnetic Tape Specification and Record Format

FAO/AGRIS 8 Magnetic Tape Codes and Character Sets

/3 7 INIS Reference Series:

IAEA-INIS-7 Magnetic and Punched Paper Tape Codes and Character Sets

IAEA-INIS-8 Paper Tape Specifications and Record Format

IAEA-INIS-9 Magnetic Tape Specifications and Record Format

IAEA-INIS-14 Description of Computer Programs

- /47 H. Schmid, G. Schallaboeck

 AGRIS Software Description (unpublished, available at IAEA, Vienna)
- __6_7 IBM Reference Series OS System Manuals:

OS Job Control Language

OS Job Control Language - User's Guide

OS PL/I (F) Language Reference

OS PL/I (F) Programmer's Guide

OS Utilities

OS Sort/Merge Program (standard programs, not program product)

OS Tape Labels

OS System Programmer's Guide

OS Messages and Codes

OS Assembler (F)

OS Assembler (F), Programmer's Guide

System /360 Principles of Operation

- (Note: The titles might be slightly different, since there was no OS bibliography available when this report was written).
- /7/7 G. Del Bigio, IRMS User's Manual IRMS/INIS Interface Programs (unpublished, available at IAEA, Vienna).
- /8 7 H. Schmid, G. Gadjokov; INIS Retrieval System using IBMs IRMS (for operating system OS, in preparation).

entered and an experience of the first transfer of the way of the contract of profit in the company of the contract of the c はいません。 とはいれている。 report i thin money (道) このは、とがずらかから ではいましたのでは現象であり、かかね。 おきずい というでは、からなるとして からおき、これません。 というこうは かみかく しょれき ; ... The state of the s the continue to the continue of the continue to the continue of the continue o 2 $(0,1)^{-1}$. The first $(0,1)^{-1}$ is $(0,1)^{-1}$. The $(0,1)^{-1}$ is $(0,1)^{-1}$. The $(0,1)^{-1}$ is $(0,1)^{-1}$. providence in the company of the second control of the control of and the second of the second アン大学 (All Company of All Company o Sugar to the same of the All the control of the second of the first of AND THE RESIDENCE OF THE SECOND STREET

and the control of the control of the second of the control of the

Lawrent Constitution (1982) and the Constitution of the Constituti

and the state of t

Figure captures:

Fig. 1: AGRIS Checking Cycle

Fig. 2: AGRINTER/AGRIS Checking Cycle and AGRINTER Production (part 1 and 2).

Appendix I: Computer installations at Costa Rica (February 1975)

Appendix II: Proposed print train arrangement

Appendix III: Job description for computer specialist

Appendix IV: Computer request form.

Appendix V: Tape index for tapes IF0001 to IF0025.

Appendix VI: EBCDIC table for INIS/AGRIS/AGRINTER/PLI character set.

・ Maria Maria Angle An

the appearance to suggest the first of the contract of the first of th

٠ .

Appendix I: COMPUTER FACILITIES IN COSTA RICA

A. IBM DATA CENTER

1. Computer: IBM 360/25

Core memory: 48 K

- 2. Direct Access Storage Facility: IBM 2311
 - 3 Drives using removable disk packs of capacity of

7 1/2 million bytes each

- 3. Magnetic Tapes:
 - 3 Drives 9 tracks 800, 1600 b.p.i.
 - 1 Drive 7 tracks 200, 556, 800 b.p.i
- 4. Card Reader: IBM 2540 (1000 c.p.m.)
- 5. Printer: IBM 1403 (1100 lines/min.)

Standard Print Train (60 character set), no. UCS feature

- 6. Cost: US\$100/hour
- 7. Operating System: DOS
- B. SEDCA (Sistema Electrónico de Datos y Ciencias Administrativas)

System I:

1. Computer: IBM 360/30

Core memory 65 K

- 2. Direct Access. Storage Facility: IBM 2311
 - 3 Drives using removable disk packs of capacity of 7 1/2 million bytes each
- 3. Magnetic Tapes:
 - 3 Drives 9 tracks 800 b.p.i.
- 4. Card Reader: IBM 2540 (1000 c.p.m.)
- 5. Printer: IBM 1403 (1100 lines/min.) model N1, with UCS feature
 Standard RN Print Train (52 char set)
- 6. Cost: US\$95/hour
- 7. Operating System: DOS

 $(-6)^{-1}$, $(-7.4)^{-1}$, $(-6)^{-1}$, $(-6)^{-1}$, $(-6)^{-1}$, $(-6)^{-1}$, $(-6)^{-1}$, $(-6)^{-1}$, $(-6)^{-1}$

 $(x_1, \dots, x_n) \in \mathcal{H}_{n-1}(\mathbf{y}) \times \mathcal{H}_{n-1}(\mathbf{y})$

.. · .

Marine Contract to the second

* 3 1 - K2 1

the state of the s

and the second s

And the second second

 $G_{ij}^{\mu\nu}$. The $G_{ij}^{\mu\nu}$ is the $G_{ij}^{\mu\nu}$ and $G_{ij}^{\mu\nu}$ is the $G_{ij}^{\mu\nu}$ and $G_{ij}^{\mu\nu}$ is the $G_{ij}^{\mu\nu}$

and the second of the second o

700

System II:

1. Computer: IBM 360/40

Core memory: 256 K

2. Direct Access Storage Facility: IBM 2311

7 Drives using removable disk packs of capacity of 7 1/2 million bytes each (8 drives 2314 end of 1975 planned)

3. Magnetic Tapes:

4 Drives 9 tracks - 800 b.p.i

- 4. Card Reader: IBM 2540 (1000 c.p.m.)
- 5. Printer: IBM 1403 (1100 lines/min.) model N1, with UCS feature.

 Standard RN Print Train (52 char. set)
- 6. Cost: US\$95/hour blocktime
- 7. Operating System OS (MFT, 2 partitions 90 K, 88 K), PL/I(F)

C. UNIVERSITY OF COSTA RICA

1. Computer: IBM 360/40 Model GF-40

Core memory: 196.608 bytes

- Direct Access Storage Facility: IBM 2314-A
 - 5 Drives using removable disk packs of 29.17x10⁶ bytes/package
- 3. Magnetic Tapes 2401-4

4 Drives 9 tracks - 800, 1600 b.p.i.

- 4. Card Reader: IBM 2540 (1000 c.p.m.)
- 5. Printer IBM 1403 (600 lines/min.) model 2, no. UCS, no exchangable print chain
- 6. Operating System DOS and OS (PCP, 170 K partition) PL/I (F)

D. INTER-AMERICAN INSTITUTE OF AGRICULTURAL SCIENCES

1. Computer: IBM 1130

Core memory: 8 K

- 2. Monitor Disk IBM 2315 (512.000 bytes)
- 3. Card Reader: IBM 1442 (300 c.p.m.)
- 4. Printer: IBM 1132 (120 lines/min.)

 $(-1)^{-1} C_{ij} = (-1)^{-1} C$

i de la composition La composition de la

v., data tire.

of the first of the second of

Quantum Held March Park (All Properties And All Propertie

The second secon

† The care punched of the Ut

CARD PUNCH GOOE

+ COLUMN

NIART BUJS ON TRAG

SRAPHIC

CHAIN, SLUG! PART NO.

NIART RO NIART RO NOITIZOS

CARD PUNCH GODE

† COLUMN

DIART BUJS ON TRAG

SRAPHIC

CHAIN SLUG Part no.

CHAIN OR TRAIN MOITIEON

Loom chain or train. (Prepare in Triplicate.) Number columns when designing a chain.

Lom of the Card Punch column for the more

fig state how many identical arrays are required, is 1—3 additional identical arrays.

| _ | | | _ | _ | | _ | | _ | _ | _ | _ | _ | _ | - | | _ | _ | _ | | _ | | _ | _ | _ | _ | |
|-----|-----------|-----------|-------------|----------|--------|-------------|-------------|-------------|--------|--------|----|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-------------|-------------|-------------|--------|-----|----------|---------------|
| | | ŀ | ł | | l | | - | | | | - | ∤. | - | - | 1 | - | | | | | ĺ | | | ŀ | - | |
| | 1 | - | ĺ | | 1 | | | | | ١. | ŀ | _ | İ | Ľ | L | Ì | | | | | | ĺ | İ | Ŀ | | |
| | | | l | | | | | | | | Ϊ. | |] | | Γ | ľ | I | | | | | | | Γ. | | |
| | | | | | | | | | | | - | t | | - | - | - | l | - | | l | | | | H | 1 | |
| | | | | | | | | | | | |]- | | F | - | Ι. | | | | 1 | | | į | - | | |
| - | | | | | | Ì | | | | | - | - | | - | 1 | | 1 | | | 1 | l | | | - | H | |
| | | | | | | | | | | | | | | - | 1 | | | | | İ | İ | | 1 | L | | |
| | | | | | | | ١. | | | | l | - | | 1 | | | + | | | | 1 | ł | - | ŀ | H | |
| 1 | £ | Ž | £ | 2 | ş | | 4 | 9 | 6 | 3 | 6 | 2 | 1 | 0 | 5 | 2 | Ž | ş | ž | 2 | 3 | 2 | I S | 0 | 6 | 4 |
| Г | | | | | | Г | - | 1. | ٦ | | | | | 1 | Ē | | | Τ | | | Γ | | ΤŸ | ۲ | 1-1 | <u>-</u> ا |
| 1 | λę | 00 | 9 | 9 | 9: | | | | l | 8 | 9 | | | | | 6 | ÐΛ | ٩q | 6 | Э | PS | 3 | | | | 1 |
| 1 | | | | | | | | | | | | | | | | | | l | | | | | | l | | 14 |
| E | _ | _ | | _ | _ | L | | > | L | | _ | _ | | _ | Ŀ | | | E | - | | Ŀ | | = | L | _ | |
| L | | | | L | | | L | L | | 1 | é | L | L | L | | L | L | L | L | L | | L | | L | Ц | - |
| | | | | | | | | | | | | | | | | l | | | | l | | | | | Ì | |
| | | | | | | | | | | | | | | | | | | | | l | | | | l | | |
| | | | | | | | | | | | | | | 1 | | | | | | l | | | | | | |
| 1 | ٤ | 7 | ī | c | 6 | R | 7 | 9 | G | - | 3 | Z | ī | 0 | 6 | 8 | 17 | 9 | S | 1 | ε | Z | ī | 0 | 6 | - |
| 204 | 202 | 202 | 2 0 1 | 000 | 6 1 | 8 6 1 | ر ا ا | 9 6 1 | 6 ₹ | 6 1 | £ | 5 6 1 | 1 6 T | 0 6 T | 8 6 | 1 8 8 | 1 8 7 | 9 8 1 | 8 1 | 8 | 1 8 3 | 2 8 1 | 8 | 8 0 | 6 | 7 |
| | | | | : Ot | _ | | | - | | _ | | k 81 | , | | _ | _ | _ | _ | _ | | | | | *0 | 9 | |
| - | | | * | | | | _ | | | _ | | | | | _ | | | _ | | _ | | | , | * | | - |
| | | - | + | - | - | | | | | | | - 1 | | | | | | | | | - | - | - | Н | \vdash | - |
| | \exists | | 1 | _ | 1 | | - | | | | | | | | | | | | | | | | | | | _ |
| + | - | - | | \dashv | | | | | | | | | | | | | | | | | | | - | - | | |
| | _1 | _ | | | | | | | | | 1 | | | | | | | | | | | - | | | | |
| + | 4 | + | - | | - | | _ | | | | | | | | | - | | - | | | | - | | Н | - | |
| | | \exists | -1 | _ | | | | | - | | | | | | | _ | - | | | | | | | | | |
| 7 | | - | - | | | | | | | | | | | | | | | | | | | | | | | |
| + | + | - | + | | • | | | | | - | | | - | - | | | | | | | | | | - | 1 | |
| 7 | 3 | 5 | Į V | 0 | 6 E | 8 | 3 | 9 | S | ψω | 33 | 7 | 1 | 0 | Ę | 8 | ź | 2 | ş | 3 | 2 | 2 | ļ | 9 = | 2 | Ţ |
| - | | | | | | | | | • | | _ | | | | | | | | | | | | | | II. | <u>,</u> |
| | | | • | Z tı | 9 | O | 95 | , | | | | • | 50 | L | | 61 | . L | | R | 14 | | Į. | L | • | ••• | مجد |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - | _ | | | _ | _ | ., | | _ | | | | _ | _ | | L | _ | _ | L | _ | | _ | | | | | 17 |
| | 4 | 2 | ક | 8 | \$ | : | : | ٤ |) | ٠ | ı | Z | 3 | × | M | ٨ | n | 3 | - | ;J | b | d | Þ | | | T |
| | - | | | | ı | | | | | | | | | | | | | | | | | | | | | |
| | - [| | 1 | | ı | | | | | | | | | | | | | | | | | | | | | |
| | - | | 1 | | | | | | | | | | | | | | | | | | | | | | | 1 |
| _ | 4 | | + | | 4 | | 4 | | _ | | _ | | 4 | | _ | _ | Н | _ | 4 | | _ | _ | Н | | _ | H |
| ; | 8 8 | 8 | 1 8 | 8 | 6 | 8 | 4 | 9 | 2 | 2 | 7 | 2 | Į | 0 | 9 | 9 | 9 | • | 9 | 9 | 3 | 2 9 | I 9 | 9 | 6 | 4 |
| | | _ | _ | | 'Ot | - | | - | | | | | _ | _ | _ | | | | | | | | _ | :09 | _ | - |

low to show characters requiring special design only. Sketch approxit use similar character or design a new one for best print legibility. C

And Data Processing Division

1. When designing a train, draw a horizontal line through the two Chain Slug Part Number columns. Take simil DIRECTIONS — Use SRL A24-3312 and the Catalog of Announced Chain and Train Slug Part Numbers (121

Complete all applicable blocks for the first array.

Each array must be identified. For your convenience, asterisks have been printed above the Chain or Train common arrays. Draw a vertical line in red pencil between the two asterisks to separate arrays.

If the remaining arrays are identical to the first array, draw the vertical line to separate the arrays and begin e.g., a 60 graphic. The following statement

If the remaining arrays differ greatly from the first array, each array must be laid out in its entirety. If the remaining arrays are basically the same as the first array, show only the slugs which differ. Show these s

8. Attach a memo if there are additional comments or instructions. 7. Digit one (1) must always be the graphic in chain or train position number 1.

SIZE/STYLE MODEL MODEL £566 2566 1666 0566 TYPE/ **09E/M3T2Y2** TYPE **XINTAM АВТ МОРК** 9U-T32 **XISTAM** ART WORK of the Utility Program Load cards. (IN bns & Igooxe slebom IIA) UNA E-EOPI) 3141 punched into these card columns 1404/1403 The card punch codes will be CODE CARD HONUA т согойн CARD see spove see gpone ON TRA9 อการ NIAAT 3/1 GRAPHIC ON TRA9 STUG **POSITION** CHAIN OR TRAIN CODE PUNCH † COLUMN 60L 989 807 100 90L 553 SOL 703 704 721 TOL .00L 669 SLUG PART NO. 958 / ST UV W XX Z, # L U KL MN O PO R -" :A BC D EF CH 1= 06 86 95 7 6 9 SRAPHIC SLUG PART NO. CHVIN POSITION Ę MIANT RO

00. 00. 00 00 00

1 & 2-With Drder DISTRIBUTION

| • | | | |
|---|--|--|--------|
| ٠ | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| • | | | |
| • | | | I i |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| • | | | |
| | | | |
| • | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| - | | | |
| | | | |
| | | | |

Appendix II: Proposed print train arrangement (modification of the TN-5 train)

IBM-characters (N n & & 1 & 0). Slug 25, 28, 29, 36, 39, 40, 48, 68, 69, 70, 79, and 80 are not IBM standard slugs. The first line indicates the printed character, the second line the slug number. It is possible that IBM exchanges the order of the slugs because of print speed considerations. Slug 25, 36, 39, 40, 48, 70, 79, and 80 contain non-

Character preference:

「**の**」#

0 to 9 ,6=./-":+'()?!;\$*\$Nna&16u <> []|

A to Z and a to z

three times

two times

once

:

?.

Appendix III.

Job Description

Title: Computer specialist for AGRINTER/AGRIS processing

Duty Station: Turrialba

Salary:

2 years contract

Description of duties:

In General: System Analysis and non-numeric computer programming

carried out on IBM/360 model 40 operating system OS, programming language PL/I and Assembler, to produce the Latin American agricultural information system (AGRINTER) and the input for the worldwide agricultural

information system (AGRIS)

In Detail: -to supervise the AGRINTER/AGRIS computer processing in

cooperation with the University of Costa Rica and the

staff of CIDIA

-to maintain the existing software for AGRIS, in cooperation

with AGRIS input unit in Vienna, and perform program

modifications as requested by staff of CIDIA

-to develop new programs for AGRINTER production to be

compatible with the AGRIS production flow

-to assist in the AGRINTER/AGRIS data preparation

-to study the possibilities of SDI services or other

computer oriented projects

-to cooperate and assist other Latin American input centers

in participating in the AGRINTER/AGRIS system

Qualifications:

University degree in information or computer sciences or other equivalent studies; 3 to 5 years experience in computer programming of at least medium size computers in high level languages and Assembler.

Knowledge of IBM/360 or/370 under operating system OS and with programming languages PL/I and Assembler preferred.

Working knowledge of Spanish and English required.

en la financia de la companya de la companya de la companya de la companya de la companya de la companya de la La companya de la companya de la companya de la companya de la companya de la companya de la companya de la co

Appendix IV

IICA-CIDIA

ORDEN DE TRABAJO PARA COMPUTADORA

- 1. Titulo:
- 2. Código de trabajo:
- 3. Fecha de envio:
- 4. Fecha de devolución:
- 5. Número aproximado de tarjetas:
- 6. Cinta sometida:
- 7. Número de volumen:
- 8. Responsable en Turrialba:

Tel.:

PARA USO DEL CENTRO DE COMPUTO

- 9. Fecha de proceso:
- 10. Backup Tape:
- 11. Responsable:


i e e

en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la companya de

and the state of t

. .: . .

Appendix V: Tape Index for tapes IF0001 to IF0025



•

1 × 1

and the second of the second o

2. Ben en la companya del companya del companya de la companya

Appendix VI: EBCDIC Table forINIS/AGRIS/AGRINTER/PLI character set

(arranged in column order)

| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | ς | A | В | С | D | E | F |
|---|----|---|---|---|----------|----|---|----|---|---|---|----------|---|---|---|---|
| 0 | FS | | | | SP | | - | 0 | | | i | Q | + | - | | 0 |
| 1 | | | | | | | / | 1 | a | j | | 1 | A | J | | 1 |
| 2 | | | | | | | á | 2 | b | k | s | 2 | В | ĸ | S | 2 |
| 3 | | | | | | | é | 3 | С | 1 | t | 3 | С | L | T | 3 |
| 4 | | | | | | 0 | រ | 4 | d | m | u | 4 | D | M | U | 4 |
| 5 | | | | | | Ñ | ð | 5 | е | n | v | 5 | E | N | V | 5 |
| 6 | | | | | | ñ | ú | 6 | f | 0 | W | 6 | F | 0 | W | 6 |
| 7 | | | | | | - | • | | g | p | x | 7 | G | P | X | 7 |
| 8 | | | | | → | 5 | 1 | 8 | h | q | у | 8 | Н | Q | Y | 8 |
| 9 | | | | | I | J | 8 | 9 | i | r | z | 9 | I | R | Z | 9 |
| A | | | | | | | ρ | : | d | ٧ | | <u> </u> | | | - | |
| В | | | | | • | \$ | , | # | β | 3 | | | | | | |
| С | | | | | | * | B | ဨ | 8 | W | | | | | | |
| D | | | | | (|) | • | • | ٥ | Σ | | | | | | |
| E | | | | | + | ; | | = | Λ | 4 | | | | | | |
| F | | | | | 3 | ٦ | ? | 11 | p | v | | | | | | |

FS ... field separator (end of text field)

SP ... space

• ... underscore (used for illegal characters)

• ... overscore (used for special encoding with INIS)

• ... underscore (used for special encoding with INIS)

• ... AGRINTER diacriticals

(x,y) = (x,y) + (y,y) = (x,y)

,

The second of th




Fig 1: AGRIS Checking Cycle

| | , | |
|--|---|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |





Fig 2: AGRINTER/AGRIS

| | | | , |
|--|--|--|---|
| | | | |
| | | | · |
| | | | |
| | | | |



Sort by alphabet





DOCUMENTO MICROFILMADO Fecha: 23 AGO 1982