


SMOKE CURING OF MSH (AS A HOUSEHOLD INDUSTRY IN RURAL JAMAICA)

= (X acx - (X mix E acx acx in the Contract of the Contract

alfalfalfalfalfalfalfalfalfa

P (10)



SMOKE CURING OF FISH (AS A HOUSEHOLD INDUSTRY IN RURAL JAMAICA)

1 42 1333

NORMA MUNGUIA
PERCY AITKEN-SOUX
ABDUL WAHAB
IRVING JOHNSON

January 1981.

AGRICULTURE IN JAMAICA

Collection of papers of the Office of IICA in Jamaica

1977 - 1978

- No. I 1 Fritz Andrew Sibbles, "Basic Agricultural Information on Jamaica Internal Document of Work", January 1977
- No. I 2 Yvonne Lake, "Agricultural Planning in Jamaica", June 1977
- No. I 3 Aston S. Wood, Ph.D., "Agricultural Education in Jamaica", September October 1977
- No I 4 Uli Locher, "The Marketing of Agricultural Produce in Jamaica", November 1977
- No. I 5 G. Barker, A. Wahab, L.A. Bell, "Agricultural Research in Jamaica", November 1977
- No. I 6 Irving Johnson, Marie Strachan, Joseph Johnson, "Land Settlement in Jamaica", December 1977
- No. I 7 Government of Jamaica, "Apricultural Government Policy Papers", February 1978
- No. I 8 Jose Emilio Araujo, "The Communal Enterprise", February 1978
- No. I 9 IICA and MOAJ, "Hillside Farming Technology Intensive Short Course", Vols. I and II, March 1978
- No. I 10 Jose Emilio Araujo, "The Theory Behind the Community Enterprise Seminar in Jamaica", March 1978
- No. I 11 Marie Strachan, "A National Programme for the Development of Hillside Farming in Jamaica", April 1978
- No. I 12 D.D. Henry, "Brief Overall Diagnosis of Hillside Farming in Jamaica", April 1978
- No. I 13 Neville Farquharson, "Production and Marketing of Yams in Allsides and Christiana", May 1978

refer tendes a lens and recent pages sellor

	The same and the s	
The second of th	:	• · * * ·
Company of the state of the sta	a + 3	• • • •
<u> Angelong of Angelog of Services of Angelong</u> (1997) and Angelong of Angelong (1997). An experience of Angelong (1997) and An		,c.f
order and the second of the se	· • X	Ož.
The state of the s		.ok
<u>jan</u> ja kalenti e n ere jange sa er en in in a en	5 - Î	. 43
The state of well and the first the state of		
Mily Common of at an interest topy of the common of the second of	$\epsilon \to \tau$, (ST4
The last and a property to the second state of the first and a second state of the sec	3 - 3,	No.
	Stat.	,c,**
The second secon	13 = 1°	, /t
The state of the s	\$1 - F	.5T
ing (Constitution) of the province of the constitution of the cons	() - i	$\cdot \gamma_1$

- No. I 14 R.C.E. McDonald, A.H. Wahab, "Fertility Assessment of Newly Terraced Hillside Soils Using the Microplot Technique The Allsides Case Study", 1978
- No. I 15 IICA IDB, "Course in Preparation and Evaluation of Agricultural Projects", Vols. I and II, November 1977
- No. I 16 Neville Farquaharson, "Production and Marketing of Dasheen in Allsides and Christiana", June 1978

1978 - 1979

- No. II 1 O. Arboleda-Sepulveda (IICA-CIDIA), "Apricultural Documentation and Information Network in Jamaica"
- No. II 2 Victor Quiroga, "National Agricultural Information System" (NAIS-Jamaica) Project Profile, September 1978
- No. II 3 Joseph Johnson, "A Review on Land Reform in Jamaica for the Period 1972 - 1978", September 1978
- No. II 4 Neville Farquharson, "ABC of Vegetable Farming", A Draft High School Textbook, Vols. I, II, III and IV, February
- No. II 5 Jerry La Gra, "Elements of an Agricultural Marketing Strategy for Jamaica", March 1979
- No. II 6 D.D. Henry, I.E. Johnson, "Agricultural Extension Service in Jamaica", March 1979

1979 - 1980

- No. III 1 H.R. Stennett, "Watersheds of Jamaica and Considerations for an Ordinal Scale of Their Development", July 1979
- No. III 2 IICA-MAJ, "Hillside Farming in Jamaica", A Training Seminar, December 1978
- No. III 3 A.L. Wright, A.H. Wahab, H. Murray, "Performance of Six Varieties of Red Peas (Phaseolus vulgaris L.) on a Newly Terraced Ultisol in Jamaica", September 1979
- No. III 4 IICA Jamaica Staff, "Agro-Socio-Economic Sample Survey of Allsides Trelawny, Jamaica", September 1979

- No. III 5 IICA-MOAJ, "An Approach to Agricultural Settlement of Hilly Lands", October 1979
- No. III 6 IICA-MOAJ, "Tree Crops of Economic Importance to Hillside Farms in Jamaica", October 1979
- No. III 7 Canute McLean, "Production and Marketing of Peanuts"
 November 1979

- No. IV 1 Joseph Johnson, "Production and Marketing of Red Peas in the Hilly Areas of Jamaica", January 1980
- No. IV 2 Lyn Snuffer, "Rural Women: An Annotated Caribbean Bibliography with special reference to Jamaica", January 1980
- No. IV 3 Vincent Campbell, Abdul Wahab, Howard Murray, "Response of Peanut (Arachis hypogaea L.) on a Newly Terraced Ultisol in Jamaica", January 1980
- No. IV 4 P. Aitken, A. Wahab, I. Johnson, A. Sahni, "Agro-Socio-Economic Survey - Pilot Hillside Agricultural Project "PHIAGRIP" Southern Trelawny, January", February 1980
- No. IV 5 Glenys H. Barker, "Bibliography of Literature relating to Research and Development in the Agricultural Sector of Jamaica 1959 1979," March 1980
- No. IV 6 Milton R. Wedderburn, "Allsides Farmers Pre-Co-operative A Socio-Economic Assessment", March 1980
- No. IV 7 Adele J. Wint, "The Role of Women in the Development Process", April 1980
- No. IV 8 Milton R. Wedderburn, "The Co-operative Input in the Development of the Pilot Hillside Agricultural Project (PHILAGRIP)", April 1980
- No. IV 9 MOJ/IICA/CARDI, "Fruit Trees Seminar Research & Development of Fruit Trees", June 1980
- No. IV 10 Henry Lancelot "Traditional Systems in Hillside Farming, Upper Trelawny, Jamaica", June 1980

•

, Janes 19 Marie 1977 - Marie 1980 - Marie 1984

- No. IV 11 IICA/Jamaica "Pilot Hillside Agricultural Project" (PHILAGRIP), Project Document. Vols. I, II and III. June 1980.
- No. IV 12

 A. Wahab, I. Johnson, P. Aitken, H. Murray and H. Stennett "Highlights of the Pilot Hillside Agricultural Project at Allsides", July 1980.
- No. IV 13

 I. Johnson, A. Wahab, P. Aitken, H. Payne "Benchmark for a Project Profile for Developing a Peanut Industry in Jamaica", July 1980.
- No. IV 14 P. Aitken, A. Wahab, I. Johnson "The Allsides Post Peasant", August 1980.
- No. IV 15 Norma Munguia, Percy Aitken-Soux, Irving E. Johnson "Salt Extraction by Solar Energy" A Mini-project, September 1980.
- No. IV 16 Abdul H. Wahab, Percy Aitken-Soux, Irving E. Johnson and Howard Murray, "The Allsides Project in Jamaica Developmental Potentials of Hillside Agriculture", September 1980.
- No. IV 17

 P. Aitken, A. Wahab, I. Johnson, A. Sahney and
 N. Munguia, "Rural Women Survey", Vols. I, II and III,
 October 1980.
- No. IV 18
 P. Aitken, I.E.Johnson, A. Wahab, "Assessment of Employment Among Small Hillside Farmers of Jamaica", November 1980.
- No. IV 19 IICA/Jamaica "Pilot Hillside Agricultural Project" (PHILAGRIP), Final Project Document. October 1980.
- No. IV 20
 P. Aitken, A. Wahab, I.E.Johnson, Bo-Myeong Woo,
 "IICA Evaluation of the First Phase FSB Allsides
 Project", (Internal Document of Work), November 1980.

No. V - 1

N. Munguia, P. Aitken, A. Wahab, I. Johnson, "Smoke Curing of Fish (as a household Industry in Rurel Jamaica)", January 1981.

FOREWORD

This is another in the series of publications prepared under the aegis of the Rural Women's Programme for IICA in Jamaica.

This contribution forms a part of the continuing effort of IICA/Jamaica to assist the country in meeting the government's objectives in relation to production, income and employment, particularly in rural areas.

The preparation of this publication is timely with respect to the national efforts being made towards the development of the country's fish industry. It underscores the necessity for adaptive research in refining measures for utilizing raw materials for meeting development objectives of the country.

It is hoped that the publication will be of material assistance to Home Economics Officer in developing a number of multi-disciplinary projects.

We welcome this addition to our list of publications.

Percy Aitken-Soux Director

 $\frac{\partial u}{\partial x} = \frac{\partial u}{\partial x} + \frac{\partial u}{\partial x} = \frac{\partial u}{\partial x} =$

** :

.

•

. :

: ,

· •

SMOKE-CURING OF FISH

BACKGROUND

Smoking has been used for many centuries, in many different parts of the world, as a method of preserving fish. Recently and especially in the industrialized countries where refrigeration, modern transport and distribution facilities exist, flavour has been accorded more importance than preservation in the smoking process. Nevertheless, in many developing countries smoke-curing is still one of the favoured methods pursued for conserving and flavouring fish.

In Jamaica, smoke-curing of fish is not as cultural and traditional a practice as it is in other countries. Nevertheless, Jamaicans through many generations of association with England have acquired a liking for "Red Herring", a smoked fish imported from abroad.

JUSTIFICATION OF A PEASANT TECHNOLOGY FOR SMOKE-CURING FISH

At the National level, efforts aimed at import substitution should include the potential for the extended use of smoke-curing processes. This is particularly relevant since it has direct implications vis a vis rural households. The reasons for this are as follows:

- although it might not be possible to produce the "Red Herring" which Jamaicans are fond of eating, s similar or an acceptable substitute can be locally produced;
- many rural homes do not have refrigeration facilities to store fresh foods, and some waste does occur because of natural spoilage;

•

. .

- smcke-curing is a simple and relatively cheap method of preserving fish in edible forms for a sustained period;
- smoked fish could be made available to small farmers as a "household product".

SMOKE-CURING OF FISH

There are different methods of smoke-curing fish, ranging from very traditional and primitive processes during which there is little control over the conditions, to very modern and sophisticated smoking units where the temperature, density of the smoke and humidity are continuously controlled.

As an activity of the Rural Women's Programme in Jamaica, a simple unsophisticated smoking unit was built and tested. This unit was constructed from an oil drum following removal of its base and lid, after which horizontal wooden rods were inserted through holes at the upper sides of the drum. The fish to be smoke-cured was then suspended from these rods thus hanging in the drum in a vertical position. A loose fitting lid was built to cover the top (Figure #1).

Initially, several different types of marine fishes were smoked. These included snapper, herring, parrot and jack. The products obtained were reported to have been of good taste and quality. However, due to the initial high cost of the fish (J\$5.00/lb) and the weight-loss caused during the smoking process the cost of the end product was considered to be too high and so African Perch, a fresh water fish produced in inland ponds, was purchased at J\$1.20 - J\$1.50 per pound, and used as an alternative source of raw material.

• :

. . .

.

;

DESCRIPTION OF THE PRE-SMOKING PROCEDURE

In all tests fresh fish was cleaned and chilled over ice in a refrigerator pending processing. Chilling was done to maintain the fish in a fresh state.

One sub-sample of the fish was left intact, another was kippered (split in two), while a third sub-sample consisting only of large and fatty units was filleted.

The fish was then immersed in a brine solution consisting of 10.5% Sodium Chloride (at which density an Irish Potato is bouyant). Immersion time varied from 14 to 25 minutes, depending on the size of the fish. Soaking in brine assists in the dehydration process. This procedure also assists in the inhibition of bacterial action and in imparting a characteristic flavour to the product. Curry powder and paprika were added to the brine solution to improve the flavour and colouring of the fish.

Upon removal from the brine solution, the fish was allowed to air-dry by hanging on open racks for one hour at ambient temperature, prior to initiating the smoke-drying process. This facilitates the smoke-drying process.

SMOKING TREATMENT

The fish was hung inside the oil drum as described earlier. The hooks were made of nails placed at three to five inch intervals on the rods near the top of the drum (Figure #1). Depending on size, the fish was fastened to the hooks through the eye, the mouth or jaw.

A fuel mound was made by placing shredded coconut husks, which were then covered with coconut coir and then firmly packed.

-:

٠. .

The coconut husks were ignited and following the emission of a steady flow of smoke, the drum was lifted and placed over the smoking mound. In one of the smoke-curing trials, pimento leaves were mixed with the coir dust to ascertain the effects of the pimento flavoured smoke.

The drum was maintained in a tilted position by means of a small stone placed at the bottom in order to allow some air to enter, thereby providing a draft for the smoking process.

Fish was left to smoke for approximately eight to 10 hours, depending on size of units. Additional coir dust had to be added every four to five hours, since the size of the drum does not permit the inclusion of enough smoking material to last for the entire period of the smoking process.

RESULTS AND DISCUSSION

As was mentioned previously, the sea water fish that were used initially provided good results. The African Perch also acquired a pleasant flavouring, but many comments were received about fish having too many bones and not enough flesh. In a second trial with African Perch, larger fishes were used and only a few negative comments were received in relation to the bones or the lack of flesh. When paprika was added to the brine solution, positive comments were received concerning the comparative flavour of the fish with that of the Red Herring, a popular food among Jamaicans.

Experimental data indicated that the final weight of the smoked fish was between 66% and 70% of the weight before the presmoking process, or between 52% and 58% of the original weight, before the fish were gutted and cleaned.

The results so far obtained from the trials suggest that a reasonably high quality of good flavoured smoked fish can be obtained through this smoking procedure, as reported by the Consumer Affairs

.

Unit (Appendix #1). More trials should be conducted to ascertain the following parameters:

- (1) optimal concentration of brine;
- (2) soaking and smoking time period;
- (3) amounts and types of flavouring to be added; and
- (4) adapting the product to satisfy the tastes and preferences of consumers.

Nevertheless, two important factors to consider are sale price and the demand for the product, both of which are inter-related.

Although the smoking process is a rather simple one and the cost of the initial investment is negligible, the smoked fish product has a considerably higher cost than the fresh fish.

The final weight of the smoked product was found to be approximately 55% of that of the original uncleaned and ungutted fish. This means a doubling of the cost, not considering the cost of labour and materials. The African Perch was purchased fresh at J\$1.20/lb. uncleaned and ungutted. Once smoked it would cost around J\$2.80/lb., labour cost not included.

When the above cost is compared to the current market price of "Red Herring" (J\$2.60 - 3.00 per lb), the smoked fish would only be preferred as a substitute to "Red Herring", if the latter is unavailable due to import restrictions. It would thus be necessary to conduct a market study to determine the demand for the locally smoked African Perch.

CONCLUSIONS AND RECOMMENDATIONS

Given the relatively high price of smoked fish and the local preferences for salted fish, smoking fish using our relatively

alle mouses and the second of the second of

the second

 $(x_1, \dots, x_{k+1}, \dots, x_{k+1})$

simple technology does not seem feasible at this time as an income generating activity. Nevertheless, consideration should be given to transmiting this processing technology as a means of preserving the storage life of fish, where refrigeration facilities are lacking. This technology is valuable as an import substitute because it can produce a local product that is being imported at present.

OTHER COMMENTARIES

An activity such as described above is compatible with the Home Economics Programme of the Ministry of Agriculture in its area of "Food for the Family". The purpose of this activity would be to transfer to the rural household, ways by which they can preserve fish and add variety to their diet.

The idea of using African Perch was pursued because of its low price in the market. In the process of obtaining the fish for the experiments, a flow of information was obtained; also a dialogue among IICA, Inland Fisheries, Ministry of Agriculture and Home Economics, Ministry of Agriculture Western Region developed. These dialogues found areas of common interests and possible collaboration.

Also, it should be mentioned that the Government of Jamaica, through the Ministry of Agriculture and with the assistance of USAID has been promoting the development of Inland Fisheries as a means of improving family diets and incomes. The Home Economics Officers, through their contacts with families and with Rural Women Programme's assistance, can participate in the promotion of the programme by explaining the benefits that a fish pend would provide to the family and by demonstrating the different ways in which the fish can be prepared and preserved.

At the present early stage of development of the Inland Fisheries programme, there is no evident need of providing the families with training in methods of conservation of fish because the fish are the state of the second

left in the pend until they attain maturity. Nevertheless, some fish farmers already find themselves having to remove the immature fish from the pend and market it because of experiences of "praedial larceny". As the programme expands and more families become involved in this programme, the participation of the Home Economics officers in the promotion as well as in the demonstration of methods of preparing and preserving fish to the beneficiaries will facilitate and assure a greater success of the programme.




Figure 1. Simple smoking oven (oil drum) used for smoke-curing of fish (IICA/Janaica).

MEMO

TO:

Director of Consumer Affairs

FROM:

Desna Robinson, Consumer Education Officer

DATE:

3.11.80

SUBJECT:

Smoked salted dried African Perch

APPEARANCE:

Grey. In the raw stage slightly resembles codfish

ODOUR:

Quite fishy more like that of red herring

COCKING:

Can be boiled for about 5-7 minutes but no longer because of the tenderness of the flesh of the product. If overboiled it tends to become seggy. However, the product performs very well when fried.

TEXTURE:

Quite firm when it is not overcooked. It resembles

that of a traditional salted mackerel. When fried

it performs like red herring.

TASTE:

Quite palatable with a unique flavour

RECOMMENDATIONS:


A very good substitute for any of the salted fish products on the market if they can be produced and sold at a reasonable price to the consumer. Larger size perches could be reared, slit in half down the center, salted, and the skin taken off for a better

appearence.

/s/ Desna Robinson Consumer Education Officer

_		
		1.
]
		<u> </u>
		i

.



DOCUMENTO MICROFILMADO

Fecha: