

Centro Interamericano de Documentación e Información Agricola

16 MAY 1984

IICA - CIDIA





# SUPPLEMENTARY REPORT ON THE APPLIED RESEARCH WORK CARRIED OUT WITH RED BEANS AT BRUMDEC BY THE GRAIN PRODUCTION SPECIALIST

IICA PM-365

IICA/JAMAICA
Miscellaneous Publication #365
Series ISSN-0534-5391

208 - Marie Marie




Centro Interamericano de Documentación e Información Agrícola

16 MAY 1984

IICA - CIDIA

# SUPPLEMENTARY REPORT ON THE APPLIED RESEARCH WORK CARRIED OUT WITH RED BEANS AT BRUMDEC BY THE GRAIN PRODUCTION SPECIALIST

BRUMDEC APRIL 1981-APRIL 1982



by

27 24343

VIVIAN CHIN

✓ CLAUDE GRAND-PIERRE

### 1. INTRODUCTION

During January/February 1982 five (5) experiments were started with red bean, two (2) on Four Paths Clay and three (3) on Morass Peat. On each soil type a basic fertilizer experiment and a relevance of production factors experiment were carried out. Additionally, on the Morass Peat soil a variety trial was done.

### 2. MATERIALS AND METHODS


### 2.1 Basic fertilizer trials with red bean

The objectives of these trials were to compare the yield responses due to four different fertilizers on Four Paths Clay and on Morass Peat, and to identify any significant interactions between fertilizers.

The treatments tested were combinations of four factors each at two levels:-

Leve1s	Rate on Cla	y Soil	Levels	Rate on	Peat Soil
N <sub>O</sub>	30 kg	;/ha	N <sub>O</sub>	20	kg/ha
N <sub>1</sub>	50 kg	;/ha	N	40	kg/ha
Po	50 kg	;/ha	$P_{0}$	40	kg/ha
	100 kg	;/ha		80	kg/ha
	50 kg	;/ha	_	40	kg/ha
_	100 kg	;/ha		80	kg/ha
_	0 kg	;/ha	-		-
Zn <sub>1</sub>	0.25 kg	;/ha	-		-
•			$Cu_0$	0.3	25 kg/ha
			Cu <sub>1</sub>	0.9	50 kg/ha
	N <sub>0</sub> N <sub>1</sub> P <sub>0</sub> P <sub>1</sub> K <sub>0</sub> K <sub>1</sub> Zn <sub>0</sub>	N <sub>0</sub> 30 kg N <sub>1</sub> 50 kg P <sub>0</sub> 50 kg P <sub>1</sub> 100 kg K <sub>0</sub> 50 kg X <sub>1</sub> 0 kg	N <sub>1</sub> 50 kg/ha P <sub>0</sub> 50 kg/ha P <sub>1</sub> 100 kg/ha K <sub>0</sub> 50 kg/ha K <sub>1</sub> 100 kg/ha Zn <sub>0</sub> 0 kg/ha	N <sub>0</sub> 30 kg/ha N <sub>0</sub> N <sub>1</sub> 50 kg/ha N P <sub>0</sub> 50 kg/ha P <sub>0</sub> P <sub>1</sub> 100 kg/ha P <sub>1</sub> K <sub>0</sub> 50 kg/ha K <sub>0</sub> K <sub>1</sub> 100 kg/ha K <sub>1</sub> Zn <sub>0</sub> 0 kg/ha - Zn <sub>1</sub> 0.25 kg/ha - Cu <sub>0</sub>	N <sub>0</sub> 30 kg/ha N <sub>0</sub> 20 N <sub>1</sub> 50 kg/ha N 40 P <sub>0</sub> 50 kg/ha P <sub>0</sub> 40 P <sub>1</sub> 100 kg/ha P <sub>1</sub> 80 K <sub>0</sub> 50 kg/ha K <sub>0</sub> 40 K <sub>1</sub> 100 kg/ha K <sub>1</sub> 80 Zn <sub>0</sub> 0 kg/ha - Zn <sub>1</sub> 0.25 kg/ha - Cu <sub>0</sub> 0.3

<sup>(1)</sup> This report was prepared by the IICA Rice Production Specialist, Mr. Vivian Chin, on behalf of the IICA Grain Production Specialist, Mr. Claude Grand-Pierre whose contract had expired prior to the completion of the experiments.



The experimental design was a 2<sup>4</sup> factorial with the four-factor interaction confounded with blocks in an incomplete block design. Plant population density was approximately 200,000 plants per hectare. All nitrogen, phosphate, and potash fertilizers were applied before sowing. On the clay soil, zinc chelate was mixed with Benlate and malathion and sprayed on to the plants at 23 days after sowing. On the peat soil Copper sulphate was mixed with Benlate and Malathion and sprayed on to the plants at 14 days after sowing.

Pest and disease control measures were carried out as and when necessary. Weeding was done manually at 14 days after sowing on the clay soil, and at 11 days after sowing on the Morass Peat.

### 2.2 Relevance of production factors experiment with red beans

The objectives of these trials was to identify the critical factors in red bean production on the two soil types. The treatments tested were:-

Treatment	Details of treatme	ent
Number	Clay Soil	Peat Soil
1	ВРР	BPP
2	BPP minus N	BPP minus N
3	BPP minus P	BPP minus P
4	BPP minus K	BPP minus K
5	BPP minus Insecticide	BPP minus Insecticide
6	BPP minus Fungicide	BPP minus Fungicide
7	BPP atmisewer plant density	BPP at lower plant density
8	Untreated (variety only)	Untreated (variety only)
9	-	BPP plus Manganese

In each case the experimental design used was a randomized complete block, with four replications on the clay site and three replications on the Morass Peat site.

The BPP (basic production package) on the clay soil was composed of: Improved variety (Miss Kelly) + 40 kg N/ha + 80 kg.

		•
		(
•		

P<sub>2</sub>O<sub>5</sub>/ha + 80 kg K<sub>2</sub>O/ha + density of 200,000 plants/ha+ Basudin at 2.5 kg/ha + Kocide at 2.5 kg/ha. The reduced plant population of treatment number 7 on both sites was 150,000 plants per hectare. On the Morass Peat the BPP differed from that used on the clay only in the amount of nitrogen applied-- 20 kg.N/ha. For treatment 9 on the peat site manganese was used at the rate of 0.5 kg.Mn/ha.

## 2.3 Variety trial with red bean

The objective of this experiment was to compare the performance of commercial and experimental varieties of red bean on the Morass Peat soil. Three varieties of red bean were tested for grain production. The varieties were:-

Miss Kelly
Line 23 from CIAT
Line 24 from CIAT

All varieties were fertilized at the rate of zero nitrogen,  $100 \text{ kg P}_2\text{O}_5/\text{ha}$ ,  $100 \text{ kg K}_2\text{O}/\text{ha}$ . Planting density was 200,000 plants per hectare. Pest and disease control were carried out as and when necessary. The experimental design was a randomized complete block with three replications.

### 3. RESULTS OF EXPERIMENTS WITH RED BEAN

### 3.1 Basic fertilizer trial on Four Paths Clay

The mean yields of the treatments are given in Appendix 1. The nitrogen x zinc interaction effect was found to be significant at the 5% level of probability. No other interactions or main effect was found to be significant. The value of the NxZn effect was - 559+220 kg/ha. The mean response to zinc, over all levels of phosphate and potash when nitrogen was applied at 30 kg/ha, was 920+220 kg/ha., whereas the mean response to nitrogen over all levels of phosphate and potash when no zinc was applied, was 240+220 kg/ha. In general, yield was depressed when both nitrogen and zinc were applied at their higher levels (50kg N/ha+0.25kg Zn/ha), or at their lower levels (30 kg N/ha + no zinc).

		1
	•	1

The treatments (in kg/ha):

30N: 50P: 100K: 0.25Zn (A) and

30N: 100P: 100K: 0.25Zn (B)

were not significantly different in yield, but treatment A was significantly higher yielding than all of the other treatments.

3.2 Relevance of production factors in red bean production on Four Paths Clay

The mean yields of the different treatments are given in Appendix 2. No significant differences between any pair of the treatments was observed.

3.3 Basic fertilizer trial with red bean on Morass Peat Soil

The mean yields of the different treatments are given in Appendix 3.

The main effect of potash was the only significant effect detected. The levels of potash tested were 40kg  $K_2$ 0/ha and 80kg  $K_2$ 0/ha (35.7 lbs  $K_2$ 0/acre and 71.4kg  $K_2$ 0/acre). The value of the main effect per kg of  $K_2$ 0 applied between 40kg/ha and 80kg/ha was 7.6 kg of grain.

No response to nitrogen, phosphate, and copper were detected, and there were no significant interactions between the different factors. Consequently, it appears that only potash fertilization is indicated for red bean grown on Morass Peat. However, a follow-up experiment to define the response curve for potash fertilization needs to be done to determine yield response at 0kg K<sub>2</sub>0/hectare and in order to determine whether or not the response to potash observed in this experiment is not the manifestation of a positive quadratic effect. The levels of potash recommended for follow-up testing are 0, 40, 80kg K<sub>2</sub>0 per hectare (0, 35.7, 71.4 lbs K<sub>2</sub>0 per acre), and should be combined with nitrogen at 0 and 20kg/hectare, phosphate at 0 and 40 kg/hectare, and Copper at 0 and 4.5kg/hectare.

. . \* · • · • • . 

3.4 Relevance of production factors in red bean production on Morass Peat

The mean yields of the different treatments are given in Appendix 4. No significant differences between treatments were observed. This study indicates that the Morass Peat when newly reclaimed has ample supplies of nutrients needed for the production of red beans.

These results do not conflict with those obtained in the basic fertilizer trial discussed in 3.3 above, since the zero level of potash was not tested in that study.

3.5 Variety trial with red bean on Morass Peat Soil

The mean yields of the three varieties compared in this trial are given in Appendix 5. No significant differences were observed between the yields of the three varieties tested. The 100-grain weight of these varieties, which is an indicator of grain size, were markedly different. Grain size was smallest with Miss Kelly at 353.7g per 1000-grains. Line 23 had a 1000-grain weight of 382.0g and Line 24--400.3g per 1000-grains. The small grained variety Miss Kelly would on average require approximately 12% less seed by weight to plant a given area.

### 4. Conclusions and Recommendations

4.1 On Four Paths Clay the fertilizer treatment which appears to be most suitable for red bean production is 30N: 50P: 100K: 0.25Zn (all rates in Kg/ha), equivalent to:

127 lbs Sulphate of Ammonia/acre

(or 58 lbs Urea/acre)

- + 97 lbs Triple Superphosphate/acte
- + 149 lbs Muriate of Potash/acre
- + 1.6 lbs Zinc Chelate (14.2%Zn)/acre
- 4.2 None of the factors included in the basic production package either separately or altogether had a significant effect on yield. This observation emphasizes the finding that zinc fertilization (as a foliar spray) at a low nitrogen level could be a critical factor in red bean production on Four Paths Clay.

•

- 4.3 The results suggest that no fertilizers are needed for red bean production on newly reclaimed Morass Peat.

  Definition of the response to potash in the range 0 to 80kg K<sub>2</sub>O/hectare is necessary.
- 4.4 The variety Miss Kelly performed as well as the introduced lines (Line 23 and Line 24) supplied by CIAT. This test should be followed-up by small scale semi-commercial trials to identify which of these varieties is easiest to manage.
- 4.5 Simple cropping systems on the Morass Peat need to be investigated, e.g.

November/December - March/April: Rice

April - June : Red Bean

June/July - October/November : Rice

•

APPENDIX I

Mean yields of treatments in the basic fertilizer trial with Red Bean on Four Paths Clay

Trea	tment kg/	ha		Mean Yi	eld
N	P <sub>2</sub> 0 <sub>5</sub>	к <sub>2</sub> 0	Zn	tonne/ha	Statistical group
30	50	100	0.25	3.595	a
30	100	100	0.25	2.825	<b>a</b> b
50	50	100	0	2.195	b
<b>50</b>	100	50	0	2.045	b
30	50	50	0.25	1.995	b
0	0	0	0	1.825	b
50	100	50	0.25	1.775	b
50	50	100	0.25	1.615	b
50	50	50	0.25	1.605	b
30	100	50	0.25	1.595	b
50	50	100	0	1.565	b
30	50	100	0	1.515	b
50	100	100	0.25	1.510	b
30	100	50	0	1.490	b
30	100	100	. 0	1.475	b
50	100	50	0	1.465	<b>b</b> ,
					•

Standard error of a treatment mean: ±0.439 tonne/ha. Statistical grouping determined using Duncan's Multiple Range Test (Error d.f. = 14).

APPENDIX 2

Mean yields of treatments in the relevance of production factors experiment with red bean on Four Paths Clay

Treatment	Mean Yield (tonne/ha)	Statistical Grouping
ВРР	1.98	a
BPP-N	1.95	<b>a</b>
BPP-P	2.08	a
BPP-K	1.83	a
BPP-Insecticide	2.17	a
BPP-Fungicide	1.85	<b>a</b> .
BPP at lower planting density	1.64	a
Untreated (variety only)	1,98	, , a

Standard error of a treatment mean =±0.22 tonne/ha. Statistical grouping determined by Duncan's Multiple Range Test (Error d.f.=21)

	•
	•
	!
	•
	`
	. :

APPENDIX 3

Mean yields of treatments in the basic fertilizer trial with Red Bean on Morass Peat Soil

Trea	tment kg	/ha		Mean Yield	Statistical grouping
N	P <sub>2</sub> 0 <sub>5</sub>	к <sub>2</sub> 0	Cu		
20	40	80	0.25	3.00	<b>a</b>
20	40	80	0.50	2.85	a b
40	80	80	0.25	2.68	a b
20	80	80	0.50	2.63	a b
40	80	40	0.25	2.62	a b
40	. 80	40	0.50	2.47	a b
20	80	80	0.25	2.46	a b
40	40	80	0.25	2.43	a b
40	80	80	0.50	2.40	a b
40	40	40	0.50	2.38	a b
40	40	80	0.50	2.28	a b
20	80	40	0.50	2.28	a b
20	80	40	0.25	2.23	a b
20	40	40	0.50	2.18	a b
20	40	40	0.25	2.11	a b
40	40	40 -	0.25	2.03	b

Standard error of a treatment mean: ±0.26 tonne/ha. Statistical grouping determined by Duncan's Multiple Range Test (Error d.f.=14).

1:

			-
			(
			,
			,
			!
			i

APPENDIX 4

Mean yields of treatments in the relevance of production factors experiment with red bean on Morass Peat soil

Treatment	Mean Yield (Tonne/ha)	Statistical Grouping
ВРР	2.54	<b>a</b> ·
BPP + Mn	2.62	a
BPP - N	2.56	a
BPP - P	2.52	a
BPP - K	2.88	a
BPP - Insecticide	3.01	a
BPP - Fungicide	2.71	a
BPP at lower planting		
density	2.38	a
Untreated (variety only)	30.4	a

Standard error of a treatment mean: ±0.18 tonne/ha. Statistical grouping determined by Duncan's Multiple Range Test (Error d.f: 16)

			•
			•
			•
			(
			(
			1
			•
			•
		•	

APPENDIX 5

Mean yields and duration of flowering of three red bean varieties grown on Morass Peat Soil

Variety	Period from sowing to Flowering (days)	Mean Yield (tonne/ha)	Statistical grouping	
Miss · Kelly	35	1.61	a	
Line 23	39	2.13	a	
Line 24	39	2.17	a	

Standard error of variety mean: ±0.16 tonne/ha. Statistical grouping determined using Duncan's Multiple Range Test (Error d.f.=14)

·:

	•		
			i
<u>.</u>			

# AGRICULTURE IN JAMAICA

# Collection of papers of the Office of IICA in Jamaica

1977	-19	<u>78</u>		
No.	I	-	1	Fritz Andrew Sibbles, "Basic Agricultural Information on Jamaica Internal Document of Work", January 1977
No.	I	-	2	Yvonne Lake, "Agricultural Planning in Jamaica", June 1977
No.	I	-	3	Aston S. Wood, Ph.D., "Agricultural Education in Jamaica", September - October 1977
No.	I	-	4	Uli Locher, "The Marketing of Agricultural Produce in Jamaica", November 1977
No.	I	-	5	G. Barker, A. Wahab, L.A. Bell, "Agricultural Research in Jamaica", November 1977
No.	I	-	6	Irving Johnson, Marie Strachan, Joseph Johnson. "Land Settlement in Jamaica", December 1977
No.	I	-	7	Government of Jamaica, "Agricultural Government Policy Papers", February 1978
No.	I	-	8	Jose Emilio Araujo, "The Communal Enterprise" February 1986
No.	I	-	ÿ	IICA and MOAJ, "Hillside Farming Technology - Intensive Short Course", Vols, I and II, March 1978
No.	I	-	10	Jose Emilio Araujo, "The Theory Behind the Community Enterprise - Seminar in Jamaica", March 1978
No.	I	-	11	Marie Strachan, "A National Programme for the Development of Hillside Farming in Jamaica", April 1978
No.	I	-	12	D.D. Henry, "Brief Overall Diagnosis of Hillside Farming in Jamaica", April 1978
No.	I	-	13	Neville Farquharson, "Production and Marketing of Yams in Allsides and Christiana", May 1978
No.	I	-	14	R.C.E. McDonald, A.H. Wahab, "Fertility Assessment of Newly Terraced Hillside Soils Using the Microplot Technique - the Allsides Case Study", 1978
No.	I	-	15	IICA - IDB "Course in Preparation and Evaluation of Agricultural Projects", Vols. I and II, November 1977
No.	I	<b>-</b>	16	Neville Farquaharson, "Production and Marketing of Dasheen in Allsides and Christiana", June 1978

. . i

### 1978 - 1879

- No. II 1 O. Arboleda-Sepulveda (IICA-CIDIA), "Agricultural Documentation and Information Network in Jamaica", September 1978
- No. II 2 Victor Quiroga, "National Agricultural Information System", (NAIS-Jamaica) Project Profile,
  September 1978
- No. II 3 Joseph Johnson, "A Review on Land Reform in Jamaica for the Period 1972 1973", September 1978
- No. II 4 Neville Farquharson, "ABC of Vegetable Farming", A Draft High School Textbook, Vols. I, II III, and IV, February 1979
- No. II 5 Jerry La Gra, "Elements of an Agricultural Marketing Strategy for Jamaica", March 1979
- No. II 6 D.D. Henry, I.E. Johnson, "Agricultural Extension Service in Jamaica", March 1979

### 1979 - 1980

١

- No. III 1

  H.R. Stennett, "Watersheds of Jamaica and Considerations for an Ordinal Scale of Their Development",

  July 1979
- No. III 2 IICA-MAJ "Hillside Farming in Jamaica", A Training Seminar, December 1978
- No. III 3

  A.L. Wright, A.H. Wahab, H. Murray, "Performance of Six Varieties of Red Peas (Phaseolus vulgaris L.) on a Newly Terraced Ultisol in Jamaica", September 1979
- No. III 4 IICA Jamaica Staff, "Agro-Socio-Economic Sample Survey of Allsides Trelawny, Jamaica", September 1979
- No. III 5 IICA-MOAJ, "An Approach to Agricultural Settlement of Hilly Lands", October 1979
- No. III 6 IICA-MOAJ, "Tree Crops of Economic Importance to Hillside Farms in Jamaica", October 1979
- No. III 7 Canute McLean, "Production and Marketing of Peanuts",
  November 1979

### 1980

- No. IV 1 Joseph Johnson, "Production and Marketing of Red Peas in the Hilly Areas of Jamaica", January 1980
- No. IV 2 Lyn Snuffer, "Rural Women" An Annotated Caribbean
  Bibliography with special reference to Jamaica",

  January 1980

. . 

- No. IV 3 Vincent Campbell, Abdul Wahab, Howard Murray,
  "Response of Peanut (Arachis hypogaea L.) on
  a Newly Terraced Ultisol in Jamaica", January 1980
- No. IV 4 P. Aitken, A. Wahab, I. Johnson, A. Sahni, "Agro-Socio-Economic Survey Pilot Hillside Agricultural
  Project 'PHILAGRIP' Southern Trelawny", February 1980
- No. IV 5 Glenys H. Barker, "Biblography of Literature relating to Research and Development in the Agricultural Sector of Jamaica 1959 1979", March 1980
- No. IV 6 Milton R. Wedderburn, "Allsides Farmers' Pre-Cooperative A Socio-Economic Assessment", March 1980
- No. IV 7 Adele J. Wint, "The Role of Women in the Development Process", April 1980
- No. IV 8 Milton R. Wedderburn, "The Co-operative Input in the Development of the Pilot Hillside Agricultural Project (PHILAGRIP)", April 1980
- No. IV 9 MOJ/IICA/CARDI, Fruit Trees Seminar "Research and Development of Fruit Trees", June 1980
- No. IV 10 Henry Lancelot, "Traditional Systems in Hillside Farming, Upper Trelawny, Jamaica", June 1980
- No. IV 11 IICA/Jamaica, "Pilot Hillside Agricultural Project", (PHILAGRIP), Project Document. Vols. I, II and III, June 1980
- No. IV 12 A. Wahab, I. Johnson, P. Aitken, H. Murray and H. Stennett, "Highlights of the Pilot Hillside Agricultural Project at Allsides", July 1980
- No. IV 13 I. Johnson, A. Wahab, P. Aitken, H. Payne, "Benchmark for a Project Profile for Developing a Peanut Industry in Jamaica", July 1980
- No. IV 14 P. Aitken, A. Wahab, I. Johnson, "The Allsides Post Peasant", August 1980
- No. IV 15 Norma Munguia, Percy Aitken, Abdul Wahab, Irving Johnson,
  "Salt Extraction by Solar Energy", A Mini-project,
  September 1980
- No. IV 16 Abdul H. Wahab, Percy Aitken-Soux, Irving E. Johnson and Howard Murray, "The Allsides Project in Jamaica Developmental Potentials of Hillside Agriculture", September 1980
- No. IV 17 P. Aitken, A. Wahab, I. Johnson, A. Sahney and N. Munguia, "Rural Women Survey", Vols. I, II, and III, October 1980

. 

- No. IV 18 P. Aitken, I. E. Johnson, A. Wahab, "Assessment of Employment Among Small Hillside Farmers of Jamaica", November 1980
- No. IV 19 IICA/Jamaica "Pilot Hillside Agricultural Project", (PHILAGRIP), Final Project Document. October 1980.
- No. IV 20 P. Aitken, A. Wahab, I.E. Johnson, Bo-Myeong Woo,
  "IICA Evaluation of the First Phase FSB Allsides
  Project", (Internal Document of Work), November 1980
- No. IV 21 MINAG/IICA/CARDI "Seminar on Multiple Cropping", December 1980

- No. V 1 Norma Munguia, P. Aitken, A. Wahab, I. Johnson, "Smoke Curing of Fish (as a household industry in Rural Jamaica)", January 1981
- No. V 2 P. Aitken, A. Wahab, I. Johnson, "Under-employment It's Relation to the Agricultural Sector and Considerations for its Management", January 1981
- No. V 3 D.D. Henry, J.R. Gayle, "The Culture of Grafted Pimento (as spice crop for Allsides, Jamaica)", January 1981
- No. V 4 Abdul H. Wahab, Noel Singh, "Agricultural Research in Jamaica", February 1981
- No. V 5 P. Aitken-Soux, A.H. Wahab, I.E. Johnson, "Country Level Action Plan (CLAP)", May 1981
- No. V 6 P. Aitken-Soux, A.H. Wahab, I.E. Johnson, "Overview of Agricultural Development in Jamaica", May 1981
- No. V 7 Samuel Thompson, I.E. Johnson, P. Aitken-Soux, Abdul Wahab, "The Land Development & Utilization Act 1966", July 1981
- No. V 8 Abdul Wahab, Percy Aitken-Soux, Irving Johnson,
  Bo-Myeong Woo, Howard Murray, Joseph Dehaney,
  "The Experiences of Jamaica in the Management of
  Agricultural Production on Hillsides", July 1981
- No. V 9 Dave Hutton, Abdul Wahab, Howard Murray, "Yield Response of Yellow Yam (Dioscorea Cayenensis)

  After Disinfesting Planting Material of Pratylenchus Coffeae", July 1981
- No. V 10 Elaine Montague-Gordon, Abdul H. Wahab, Joseph Dehaney and Audrey Wright, "Performance of Eleven Varieties of Dry Beans (Phaseolus vulgaris) Over Two Successive Seasons on the Hillside of Jamaica", August 1981

.

14.

No.	V	-	11	Dave G. Hutton, Abdul H. Wahab, "Position Paper on Root Crops in Jamaica", August 1981
No.	V	-	12	Percy Aitken-Soux, Abdul H. Wahab, Irving E. Johnson, "Technical Assistance for the English Speaking Caribbean (Considerations for an IICA Strategy)" (Internal Document of Work), September 1981
No.	V	•	13	Lo-Myeong Woo, Abdul H. Wahab, Joseph Dehaney, "Crop Production on Hillsides using non-Bench Terracing Alternative Measures for Soil Conserva- tion (first year's results of the Olive River Soil Conservation studies)", September 1981
No.	V	-	14	Abdul H. Wahab, Percy Aitken-Soux, Irving E. Johnson, Bo-Myeong Woo, Howard Murray and Joseph Dehaney, "Agricultural Production on Hillsides - the Allsides Project Case Study", September 1981
No.	V	•	15	D.G. Hutton, A.H. Wahab and J. Dehaney, "Investigating Critical Levels of Dry Rotting of Yellow Yam (Dioscore Cayenensis) Planting Material, the Benefits of Disinfesting the Heads of Pratylenchus Coffeae and of After Planting Nematicide Treatments", September 1981
No.	V	-	16	D.G. Hutton, A.H. Wahab, H. Murray and J. Dehaney, "Critical Levels of Dry Rotting of Yellow Yam (Dioscorea Cayenensis) Planting Material and Yield Responses After Disinfesting Heads of Pratylenchus Coffeae and After Post-Plant Nematicide Applications", September 1981
No.	V	-	17	E. Ayer and J. Reyes, "Seminar on Mediterranean Fruit Fly", September 30, 1981
No.	V	-	18	Bo-Myeong Woo, "Erosion Control Works in Korea", October 1981
No.	V	-	19	Irving E. Johnson and Percy Aitken-Soux, "Country Level Action Plan (CLAP)" (Third Revision - Internal Document of Work), October 1981
No.	V	-	20	Humberto Pizarro, "Programme of Work to Establish Guidelines for the Effective Administration, Operation and Maintenance of the Irrigation and Drainage District in the BRUMDEC Project", November 1981
No.	V	-	21	Humberto Pizarro, "The Operation of the Drainage System in the Black River Upper Morass Project" November 1981

Humberto Pizarro, "Recommendations for Land Use and Irrigation Needs in the BRUMDEC Project", November 1981

No. V - 22

÷·

No. V - 23 Humberto Pizarro, "Organization, Operations and Maintenance of the Irrigation System in the BRUMDEC Project", November 1981 No. V. - 24 Humberto Pizarro, "Basic Information for Planning Water Management in the BRUMDEC Project", November 1981 1982 No. VI - 1 Vivian Chin, "Rice Research and Production in the BRUMDEC Project State-of-the-Art Review, Identification of Constraints and Interim Recommendations and Budget for Establishing 405 Hectares (1,000 acres) of Rice on the Clay Soils at BRUMDEC", January 1982 No. VI - 2 Vivian Chin, "Programme of Work for the Short-Term Adaptive Production-Oriented Research on Rice in the BRUMDEC Project", January 1982 Claude Grand-Pierre, "Adaptive Research for Grain VI - 3 No. Production (BRUMDEC) - A Short-Term Programme", January 1982 Claude Grand-Pierre, "Experimental Procedures for VI - 4 No. Grain Crops Research in the BRUMDEC Project", January 1982 No. VI - 5 Charles Kennard, "Summary of the Proposed Programme of Work for Adaptive Production Oriented Research (Short-Term) in Vegetable Production in the BRUMDEC Project", January 1982 Charles Kennard, "Vegetable Production (BRUMDEC) -No. VI - 6 Review and Proposed Short-Term Adaptive Production Oriented Research Programme", January 1982 VI - 7 Bo-Myeong Woo, "Olive River Run-Off Plots - Description No. of the Experiment", January 1982 3 - IV Vivian Chin, "Fertilizer Experiments in ERUMDEC No. (Second Quarterly Report)", January 1982 Claude Grand-Pierre, "Third Quarterly Report of No. VI - 9 the Short Term Production Oriented Sorghum Research Programme", January 1982 No. VI - 10 Bo-Myeong Woo, Ministry of Agriculture, "Crop Production on Hillsides Using Non-Bench Terracing Alternative Measures for Soil Conservation", February 1982 Philemon Hoilett, Ina Pyne, Calvin Gray, Renford Baker, No. VI - 11

and Michel Eldin, "Workshop on Agroclimatic Zoning -

case study Kingston, Jamaica", April 1982

...

(

(


No. VI - 12	Charles Kennard, "Vegetable Production Programme - BRUMDEC Second Quarterly Report", Period December 19, 1981 - March 18, 1982, April 1982
No. VI - 13	Claude Grand-Pierre, "Final Report on Grain Experimental Work in BRUMDEC", (Contract I), May 1982
No. VI - 14	J. Y. Richmond, Ph.D., "Lab Safety Seminar - Animal Health - Conferences of Jonathan Richmond", June 1982
No. VI - 15	Michael Wiles, "Freshwater Prawn (Shrimp) Culture for Jamaica - An Exploratory Report", June 1982
No. VI - 16	Norma Munguia, Byron Lawrence, "Goat Revolving Scheme Project Model", Rural Women Project, July 1982
No. VI - 17	Franklin E. Rosales, Ministry of Agriculture et al "Experimental Designs for Cassava-Peanut Production Systems", July 1982
No. VI - 18	IICA/Jamaica, Samuel B. Bandara, "Institutions in the Agricultural Sector of Jamaica", (A Catalogue) Preliminary version, July 1982
No. VI - 19	Charles Percy Kennard, "Vegetable Production Programme - BRUMDEC Third Quarterly Report", Period March 19th to June 18th, 1982, July 1982
No. VI - 20	Swarna Bandara, "Mushroom Production" An Annotated Bibliography of Literature Available in Jamaica September 1982
No. VI - 21	Charles Percy Kennard, Final Report, "Adaptive Production Oriented Research Programme on Vegetables - BRUMDEC", September 1982
No. VI - 22	Bo-Myeong Woo, Franklin E. Rosales, 'Making Compost' A Non-Technical Guide for Agricultural Personnel, September 1982
No. VI - 23	Vivian Chin, "Short-Term Production Oriented Rice Research Programme, Third Quarterly Report", September 1982
No. VI - 24	Vivian Chin, "Final Report of the Short-Term Production Oriented Research Programme in Rice at the BRUMDEC Project in Jamaica", November 1982
No. VI - 25	Vivian Chin, Claude Grand-Pierre, "Supplementary Report on the Applied Research Work Carried Out With Red Beans at BRUMDEC by the Grain Production Specialist", BRUMDEC April 1981-April 1982; November 1982


	FECHA DE DEVOLUCION					
·						
		~			1	
					•	
·						

x + x

.

.





DOCUMENTO MICROFILMADO

22 SET 1983

Fecha:

