
M 389, 2C.

INTER-AMERICAN INSTITUTE OF AGRICULTURAL SCIENCES OF THE OAS

131. 45 1c - 3 cons.

A METHOD OF SOIL AND WATER CONSERVATION ANALYSIS



San José, Costa Rica 1965

m 1965

COSTA RICA 631.41 I 61144m 1965

Inter-American Institute of Agricultural Sciences of the OAS

A METHOD OF SOIL AND WATER

· CONSERVATION ANALYSIS

By Dr. Jose Marull

"This is a Ph.D. Thesis presented to Cornell University September 1952"

San Jose, Costa Rica 1965



en sammin format et la troit et mode et dagi

ACKNOWLEDGMENTS

Numerous individuals have made this work possible and to all of them the author wishes to express his thanks.

Special acknowledgment is made to Professor

Paul J. Zwerman for his unfailing guidance, training, and
encouragement received. To Dr. Richard Bradfield, Head of the
Agronomy Department, for his advise and financial help.

Other members of the same Department also contributed, particularly Professor H. G. Hartwig, whose helpful sugestions
are deeply appreciated.

Among the many of the Cornell staff that gave their time and advise, the author is specially indebted to Professors Howard Conklin, H. F. DeGraff, O. A. Larson, and F. E. Winch.

Messrs. Rodman Fellows and George Free, of the United States Department of Agriculture, Soil Conservation Service, have the author under greatest obligation. They supplied liberally maps, files and, foremost, their invaluable experience.

The Directors of the Tompkins County Soils Conservation District approved of this research and fostered it.

A great deal of credit is due to the farmers in the Cayuga Inlet Valley for their straightforward cooperation.

See the first of the second of

The species of the state of the

Control of the Same Same

• In the second of the seco

The matter of the second of th

A transfer of the second of the sec

CONTENTS

			Page
I.	INTRODU	CTION	1
	1. 2.	Purpose of this study Importance of conservation	1
	3•	Review of approaches to conservation evaluation	4 5
		B) Before-after	5 6 8 9
		E) Merit	10 10 11
	4.	H) Farm case	12 13
	5•	method	14 15
II.	METHODS	• • • • • • • • • • • • •	16
	1.	Conservation status test	16 16 21 44
	2. 3. 4.	Sampling	51 55 56
	5. 6. 7. 8.	Analysis of practices	58 59 60 62
	9•	Critical rates	63
III.	MATERIA	ALS	65
	1.	Description of the Cayuga Inlet Watershed	66
	2.	stration Project N.V2	70

IV.	RESULTS		•	•		•	•	•	•	•	•	•	•	•	•	•	Page 72
	1.	Cor															
	2		ate								LS.	L .	cs	•	•	•	72
	2. 3.	Goo									•	•	•	•	•	•	73
	J•	Ado	ecc.														74
	4.		rac											•	•	•	74
	. •		ffi											va	_		
			ion														
			ng:			J											
			lop					•	•	•		•	•	•	•	•	7 5
			oil					•	•	•	•	•	•	•	•	•	75
			oil						•	•	•	•	•	•	•	•	76
		S T	oil	aı	alı	nag	;e	•	•	•	•	•	•	•	•	•	77
			ime and			ent	. 0	I	sc)1.		•	•	٠	•	•	7 7
			and			•	•	•	•	•	۰	•	•	•	•	•	78 79
			rod				-	-	• VO7	·k	111	• วริร	• ts	•	•	•	79 79
			han										•	•	•	•	79
			ood			•	•	•	•	•	. 0 1	•	•	•		•	80
		G	rou	nd	ba	ce	•	•	•	•	•	•		•	•	•	81
			raz			•	•	•	•	•	•	•	•	•	•	•	81
			${ m tr}_{\mathbb{Q}^5}$		and	it	con	15	-	•	•	•	•	•	•		82
			ro		• •		٠	•	•	•	•	•	•	•	•	•	3 3
			tri							•	•	•	•	•	•	•	83 84
		IV.	lisc	ет.	Lan	eou	ıs	וב	tei	ns	•	•	•	•	٠	•	04
	5•	Cay	ານຊາລ	Tr	176	r s	oi	7	٣,	mc		0 TF 1	•••	. •	· -	-	
	,		roj					_	-	,110	. 61	. V c	1 6.	LO.	11		84
			0			200	•	•	•	•	•	•	•	•	•	•	04
		L	and	us	se	•	•	•	•		•		•	•	•		84
			and				•	•	•	•	•	•	•	•	•	•	85
		F	arm	οŗ	era	ato	r	ch	ıar	ge	s	•	•	•	•	•	85
			oil				•	•	•	•	•	•	•	•	•	•	86
			ros			•	•	•	•	•	•	•	•	•	•	•	87
			lop oil			•	•	•	•	•	•	•	•	•	•	•	87
			oil					• on	•	•	•	•	•	•	•	•	88 88
			ime										•	•	•	•	89
			rig									•	•	•	•	•	89
			tri						•	•	•	:	•	•	•	•	90
			orr						s	•	•	•				•	90
		D:	ive	rsi	on	di	tc	he				•	•	•	•	•	90
			ile						•	•	•	•	•	•	•	•	91
		M:	isc	ell	.an e	ou	s	•	•	•	•	•	•	•	•	•	91
٧.	CONCLUSI	ONS	•	• •	•	•	•	•	•	•	•	•	•	•	•	•	92
	SUMMARY	• •	•		•	•	•	•	•	•	•	•	•	•	•	•	95
	REFERENC	ES	•		•	•	•	•	•	•	•	•	•	•	•	•	96
	APPENDIC	ES					_	_		_	_						100

```
40.3
                                                      : ....
                                                                                                                                          . . . . . . guingous sitts
                                                                                           Note that the second se
```

INTRODUCTION

1. Purpose of This Study

The main purpose of this work is to develop a method that will make possible a soil and water conservation analysis both by areas and by practices. No such research tool is available at present in spite of the national and world wide importance of conservation (6, 8).

2. Importance of Conservation

Ever since the United States public became soil conscious in the early 1930's, there has been a steady flow of literature on soil and water conservation. (9, 41, 114, 115).

Publications on soil and water conservation are more than twice as numerous as those for the average of all agricultural subjects judging from Bibliography of Agriculture (109), Table 1.

A stream of appropirations has also evidenced high activity in conservation. According to Reports of the Director of Finance, one-fourth of all expenditures of the United States Department of Agriculture are made for soil conservation.

Here we will be a first that the second of t

and the second of the second o

In the second of the second of

The last of the second of the

And the state of t

TABLE 1

NUMBER OF ENTRIES IN BIBLIOGRAPHY OF AGRICULTURE, SEVEN YEARS (1945-1951)

Subject heading	Total	Average per heading
Soil erosion	4,585	655
All 268 subject headings	534,259	285

Under the Agricultural Conservation Program alone, federal payments made to assist farmers carrying out conservation practices have reached the 2.6 billion dolar mark for 1936-1950 (108).

In the last 15 years, all 48 states have passed enabling legislation setting up soil conservation districts. At present, 2,330 Districts include 83 percent of the farms in the United States, Table 2.

Underlying all conservation activities is the basic assumption that the huge damage prevented amply justifies effort and expenses involved. Even though, this assumption is probably right, it has not been completely tested because the lack of numerical expression of conservation status has thus far precluded research.

Need for such information becomes more acute in view of the following facts:

**************************************		The state of the s	en a commente de la commente del commente del commente de la commente del commente del commente de la commente del commente del commente de la commente de l	The second secon
		Committee of a second of a	e de la companya del companya de la companya del companya de la co	and the second second second
	.*	W.		in the
		ee.	1.1 :	
to the term of the second of t	a company days a day		and the control of th	** ** ***

- a. In 1933, a 20-year goal to treat all United States land for conservation was set.
- b. Experimental data available has to be analyzed and interpreted.
- c. Appropriations have to be voted wisely by legislators.
- d. Administrators must justify their activities.
- e. Creditors want a sound basis for their loans.
- f. Farmers, as managers, have to make decisions.
- g. Taxpayers demand to know whether expenses have been paid out or not.

TABLE 2

SELECTED DATA ON SOIL CONSERVATION
CUMULATIVE TO DECEMBER 31, 1950 (108)

	United States New York
Districts organized: Number Total area, acres Number of farms	2,330 38 1,278,397,538 18,868,480 4,828,993 106,637
Active plans, number , acres Acres treated	831,146 15,043 234,211,055 2,078,956 131,332,692 852,301
Surveys	360,864,583 7,294,910

- entre de la companya La companya de la co
- and the contract of the contra
- en de la companya de

 - $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$ $(-1)^{2}$
 - And Company to Machine Land Company to the Machine Lan
 - and the subfigure of th

. . .

A.			and the state of t
		· ·	et de la grande de la companya de l La companya de la co
			e de la companya de l La companya de la companya de
	*		to the second se
4 - 4 To 1		£ [*]	CAC CONTRACT



3. Review of Approaches to Conservation Evaluation

Soil and water conservation has been approached from various angles by philosophers, economists, politicians sociologists, agronomists, foresters, civil engineers, hydrologists, and others.

Most of them made philosophical analyses of fundamentals and of the relationships to the theories prevailing in their respective fields. This treatment of the subject does not lead in itself to an immediate numerical characterization of conservation and, as such, is beyond the scope of the present study. Nevertheless, it has contributed substantially to our understanding of conservation in national life and of its role for the generations to come.

Out of the numerous studies available, perhaps the most comprehensive ones are those of Bunce (13, 14, 15, 16, 17,) and Salter (91). Some authors have explored relationships to aspects such as society (31, 34, 35, 48, 123), economic systems (23, 86, 88), public policies (38, 46, 49, 52, 53, 64, 81, 85), business(22, 55, 61, 68, 118), credit (11, 19, 39), costs and returns (7, 21, 24, 44, 47, 73, 126), economic theory (36, 37, 51, 54, 57, 65, 69, 75), and research programs (63, 66, 90, 103, 124).

- en de la companya de la co

- and the second s

Their legacy is by no means limited to supply and ideological background for conservation's place in social, economical, and political thinking. They have pointed out the problems blocking the road to evaluation of conservation. Those difficulties are summarized in the list below:

- 1. Semantic problems. Words such as "conservation" and "resources" have many meanings, escaping precise definition.
- 2. Confounding of conservation effects with farm management and ordinary farm practice.
- 3. Confounding with individual differences in managerial ability.
- 4. Confounding with variability in capital outlay.
- 5. Confounding with space, i.e., place to place, variability.
- 6. Confounding with variability in time.
- 7. Uncertainty of projecting into the future.
- 8. Need to assume unwarranted cause-effect relationships.

A few approaches have numerical values as their goal. They attempt an analysis of conservation in terms of erosion, production, profit or attitudes. Their highlights are pointed out below.

A. Erosion index

a. Criterion: Degree of erosion.

- The second sec
 - A subsection of the following state of the first state of

 - - · The second of the second of

 - - And the second second second second



b. Procedure: Erosion ratings are recorded along with economic data, such as farming system, farm acreage, tenancy status, and mortgage.

Relationships of erosion index to economic data are brought about through tabulation.

- c. Advantages:
 - 1. Uses numerical values.
 - 2. Makes no cause-effect assumptions.
- d. Disadvantage: Oversimplifies conservation into negative erosion.
- 3. References: Schickele, et al. (98, 99, 100).
- f. Remarks: Iowa Bul. 333 (98), published in 1935, represents the earliest attempt to relate conservation and economic figures.

Besides showing connection of degree of erosion and type of farming, these papers have also contributed to focus attention on importance of relief from financial pressure to improve conservation,

- B. Before-after
- a. Criterion: Profit
- b. Procedure: Business analysis before and after adopting conservation practices are compared.
- c. Advantages (124):
 - 1. Same physical unit followed throughout.

- - - The state of the s
 - o ki sa kagedi sa karangan kanangan kanangan ka
- on in the world the grown is the large force of the second and the second and second an
 - California (1980) in the California (1980) in the California (1980) in the California (1980) in the California
 - Adv. State of the State of the
 - · Commence of the commence of
 - and the second of the second o
 - And the second of the second o
 - - - •
 - er tre i jarotzeta tiko olazok 🕞
- gualdo en la filo de la compania del compania del compania de la compania de la compania de la compania de la compania del compania del
 - CAST A COST SERVED A CONTRACT
 - The Boundary of the model of the control of the contr



- 2. Some insight into changes through time and on effects upon management may be gained if cost accounts are available.
- d. Disadvantages (26):
 - Assumes correlation of conservation and income.
 - 2. Effect, of conservation cannot be isolated from that of uncontrolled variables, such as weather, prices, costs, marketing conditions, changes in management, type of farming, size, etc.
 - 3. Long time is required to accumulate data.
- e. References: Collier (26), Cornell (30), Dwyer (33),

 Peterson (87), Johnson (63), Taylor (103),

 Weitzell (122, 124).
- f. Remarks: This approach was started in 1936 by Ecomomic Research Division of the Soil Conservation Service in cooperation with the Bureau of Agricultural Economics, and also with 17 state agricultural experiment stations.

Even though some progress was made, their originators, discouraged by weaknesses of this method as well as pressed for more rapid results, largely abandoned it for the "Budget" approach (See D below).

THE CONTRACTOR OF BUILDING STATES

The second of the second of the second of the second $\frac{1}{2}$ for the contract of All and the first of the first

And the first of the world the second of the en la companya di mangantan di m

The second of th Additional to the second of th

the first of the second second and the months of the control of the

- C. With-without:
- a. Criterion: Profit
- b. Procedure: Incomes of farms having a conservation plan are compared to those of farms with no plan.
- c. Advantages: Data may be gathered in short time.
- d. Disadvantages;
 - Difficulty in finding pairs of farms of comparable physical, economical, and managerial conditions.
 - 2. There are additional sources of distortion of income by uncontrolled variables other than conservation, besides those already mentioned under B. d. 1 and 2.
- e. References: Anderson (5), Bunce (12), Collier (26)

 Dwyer (33), Sauer (94, 95, 96, 97,), Walter

 (117), Weitzell (120, 121, 122).
- f. Remarks: Method originated by the same group that started the "before-after" approach, with which it has been combined at times (122). It has also been used together with farmer's polls (12), and with a system of weights for soil protection (26) resembling somewhat the productivity balance calculation (10, 92).

The work of Sauer has shown that farms

- All the control of th
- $(x,y) \stackrel{d}{=} (x,y) = (x,y) \quad (x,y) = (x,y) \quad (x,y) = (x,y) \quad (x,y) \in \mathcal{X}_{p_{x}}(x,y) \quad (x,y) \in \mathcal{X}_{p_{x}}(x,y)$
 - .
- and the state of t
 - and the second of the second o
- - in 🚅 New York Artis
- and the second of the second o
- 电磁性 化氯化物 化铁矿 医铁铁矿 医二甲基酚
- ingen in the state of the state
- - Application of the second secon
- in seed to be experienced by the contract of t
- and the second of the second o

 - and the second of the second o
- in the second of the second second
 - . Comment of the state of the s
 - The second secon



having conservation plans also are higher in: yields, income, and capital investment.

- D. Budget
- a. Criterion: Profit
- b. Procedure: Compares present to future income, once a conservation plan is operating on the farm.
- c. Advantages:
 - 1. Short time is required to figure budget.
 - 2. Is a good planning tool. In fact, the only one available to project conservation into the future.
 - 3. Follows the same physical unit throughout.
 - 4. Is adapted to sampling.

d. Disadvantages:

- Sufficient information to calculate budget is not always available.
- 2. Idealization, exaggeration, and bias towards effect of conservation has been observed in practice.
- 3. Assumes conservation-income correlation.
- e. References: Johnson (63), and Weitzell (124).
- f. Remarks: Created by the originators of methods B. and C.

 Is very useful in experienced hands, particularly as orientation for farm planners in both extension work and conservation districts.

- in the second of the second of
- The Article Control of Article Co
 - True to the second
- The state of the second second
- i provincia de la compansión de la compa
- with the first the second state of the second secon
 - - and the second of the second o

- Additional of the state of the



- E. Merit
- a. Criterion: Profit
- b. Procedure: Analogous to method C, except for a point score intended to reflect the extent to which needed. Conservation has been applied on the land.
- c. Advantages: Eliminates need of pairing farms.
- d. Disadvantages:
 - Assumes that conservation and income are correlated.
 - 2. Unsuited for large areas.
 - 3. Inadequate to study individual practices.
 - 4. Cumbersome sampling requirements.
- e. References: Collier (26), Taylor and Baker (104), and Weitzell (124).
- f. Remarks: Originated by Collier in 1945. In the Palouse wheat-pea region of Washington and Idaho, no correlation between amount of conservation and farm income was found in a 6-year period (104).
- F. Experimental
- a. Criterion: Profit.
- b. Procedure: Comparisons are to be made of incomes resulting from experimental farms where conservation factors have been allowed to vary systematically.

- .

- in the state of t

 - - 🗸 statuts at kommunitya. Hataba ett 🔒
- in the second of the second of
- internative in the control of the co
- ning a second on the first and the second of the second of

Only those practices influencing soil,
nutrient and/or water losses are to be considered as affecting conservation. Flow data
are to be changed, first into crop yield and
livestock production equivalents, which, in turn,
are to be converted into incomes.

Results will be subsequently generalized for larger areas by means of correlation with soil groupings.

- c. Advantages: Factor interactions could be measured.
- d. Disadvantages:
 - 1. Lacks practicability. Is too complex to handle by present experimental methods.
 - 2. Conversions would have to be on a largely arbitrary basis.
 - 3. Conservation assumed equivalent to erosion plus water loss, plus fertility depletion.
- e. References: Taylor (103), Weitzell (124).
- f. Remarks: Advanced by Weitzell in 1947, the idea has not been carried into practice as yet.
- G. Specific practices
- a. Criterion: Soil and water losses, or crop yield, or both.
- b. Procedure: Effect of a single practice is measured against a check.

- But the second of the second of
- - State of the state
 - in service of the ser
 - The state of the second of the seco

 - en de la companya de la co
 - Albania de la composición del composición de la composición del composición de la co
 - entre and the second of the contract of the co



c. Advantages:

- Accurate simple data gathered for specific conditions.
- 2. Individual practices tested.
- 3. Objective.

d. Disadvantages:

- 1. Slow piecemeal accumulation of data.
- 2. No composite picture of conservation is obtained.
- 3. Area studies are difficult.
- e. References: Anderson (5), Bennett (8), Gaines. et.al.,

 (41), Lamb, et.al., (67), Moore (76), Mosher and

 Case (80), Stallings (101, 102), Tom (105).
- f. Remarks: The bulk of research results listed in bibliographies as well as digested in book form has come from this approach. It has served as the basis for practically all of conservation practices put on the land in the last twenty years.

H. Farm case

- a. Criterion: Profit
- b. Procedure: Similar to methods B and C, with more detail, and special emphasis on the farm in relation to prevailing farming system in the area.

- and the transfer of the control of t
 - - Section 1995 the section of the se
 - e de la companya del companya de la companya del companya de la co

 - Contract to the second of the
 - •
 - Carrier State of the Control of the
- - Control of participation (Advisor Applications)
 - and the second of the second o

 - The state of the first of the second constant \mathbf{x}_{i}
 - e en tropia de la companya de la co
 - - - 1, 196

 - ing the state of t
 - •

- c. Advantage: Same physical unit followed throughout.
- d. Disadvantage: Not adapted to large areas.
- e. References: Anderson (5), Bunce (12, 18), Coddington and Derr (25), Gibson (42, 43), Morison and Falconer (78), and Pubols, et al., (89)
- I. Adopters
- a. Criterion: Farmer's social attitude.
- b. Prodedure: Sociological data for farmers adopting recommended practices is compared to figures for non-adopters.

Information is gathered by personal interview.

- c. Advantage: Supplies a type of information not available by other methods.
- d. Disadvantage: Only a part of a complex picture is obtained.
- e. References: Cummings (32), Illionis Agr. Exp. Sta. (60).
- f. Remarks: This approach has not yet been tried for conservation studies. However, certain soil conserving practices -- like liming, fertilizing and mowing pastures -- were not significantly related to physical resources, e.g., soils, or economic environment, e.g., land class, but they did show correlation to social and cultural traits of individuals engaged in farming.

- And the second of the second o
- The Mark Control of the Control of t
- $(H_{ij}, M_{ij}, M_{$

. :...

- en de la companya de la co
- - Section 1996 and a contract of the end of the contract of the
 - en de la companya de la co
 - the first of the control of the cont
 - But the state of the control of the state of

4. Characteristics of a Desirable Method

None of the approaches reviewed above seems entirely satisfactory. But, in spite of their disadvantages, they have contributed important bits of information. Examined collectively, they seem to suggest that conservation, in order to be properly evaluated, has to include elements pertaining to areas as diverse as the physical setup, the farm business, and the psychology of the individual.

It will be highly desirable to combine the advantages of different approaches without retaining their shortcomings.

An ideal method will satisfy fully the following requirements (2):

- 1. Measure soil and water conservation status numerically and directly from its varied expressions, physical, economical, and social.
- 2. Have representative coverage, i.e., sample all elements and in proportion to their relative magnitudes.
- 3. Allow mathematical manipulation of data as well as statistical testing of method itself for validity (i.e., measuring what it is supposed to measure), and reliability (giving consistent reproduceable results).
- 4. Be as objective as possible.

 $M_{\rm eff} = 1.7 \pm 0.0$

en al servición de la companya de l La companya de la co

to the second state of the second second

- 5. Free from unwarranted assumptions such as homogeinity of farm unite, cause-effect relationships, etc.
- 6. Operate without requiring previous isolation of conservation from management, definition of resources, or exact definition of conservation.
- 7. Be flexible enough to handle variability as to: acreage, space (place to place), time, research developments, amount of information available, practices.
- 8. Provide analysis of individual practices, as well as by areas, along with their correlations.
- 9. Be acceptable to all concerned and practical to handle, i.e., not too time-consuming, costly, cumbersome or irritating.

5. Hypothesis

The hypothesis is here formulated that it is possible to develop a method closely approximating these ideal requirements set forth in the previous section.

- and and the second of the seco
- - ente de la companya del companya de la companya de la companya del companya de la companya de la
- The state of the s

All and the first of the property of the property

METHODS

1. Conservation status Test

A. Construction

A test for soil and water conservation status was devised specifically for this study. It is based on statistical principles analogous to those used in measuring achievement in the United States Civil Service Commission (2) and at educational institutions (50, 106, 107).

Materials to develop the test came mostly from two sources:

- a. Cooperation of experienced specialists from both the U.S.D.A Soil Conservation Service and Cornell University. Most noteworthy contributions were made by Mr. Rodman Fellows, Tompkins County Soil Conservation District, and Cornell Professors Howard Conklin, Herbert B. Hartwig, Fred E. Winch, and Paul J. Zwerman.
- b. Research results available, particularly those for nearby areas such as the Cohocton River Demonstration Project (76) and the Arnot Experiment Station (67).

Ranking of present-day situation both by areas and by practices was the primary purpose in designing the

And the second

in the control of the

"我们在这里的一个女人,我们们就是这样的。""我们就是我们的。""我们就是我们的。""我们就是我们的一个人,我们就是我们的一个人,我们就是我们的一个人,我们就是

test. It may also yield useful predictions in estimating needed conservation. However, no special attempt was made to develop this test as a planning tool, for which purpose labor income budgeting in function of land use capabilities has proved satisfactory.

The test itself was a coordinated aggregate of 165 items covering a wide range of farm practices, as well as business data and farmer's individual experience and thinking. Progress towards defining items was done first by dividing the test into broad outlines of information need: a) to identify areas; b) to measure conservation, c) to interpret findings, and also by d) farms; e)fields; and f) operators. As a result, certain items referred to the farm as a unit, while others were recorded separately for each field. Some of them -- 37 -- were known to have conservation significance (Tables 3 and 4), a few were doubtful as conservation indicators, the rest were added mainly for interpretation purposes, i.e., to enable an unravelling of relationships.

An effort was made to attain the greatest accuracy by thorough coverage of subject matter, limiting the length at the largest number of items that would be practical to handle in a one-day visit to each farm. That should make the most effective use of time and money.

en en la filonomia de la companya d Companya de la compa

TABLE 3

LOCATION OF THE CONSURVATION SIGNIFICANT ITEMS IN THE CARD PUNCHING OUTLINES

Item	Card	Column
Attitude toward conservation	1	32
Attitude toward tree planting	1	64
Contour farming	2	69
Contour furrows	1	58
Cover crop	2	66
Cover, vegetation	2	30
Crop	2	63
Drainage, open	2	38
Drainage, stone or tile	2	3.9
Diversion ditch	2	75 -0
Fence removal	1	38
Fence, permanent	1	43
Forest see Woodlot	-	
Grazing intensity	2	31
Grazing method	1	66
Green manure. Legume turned under	2	65 67
Green manure, summer	2	67
Gully control	2	73
Hedgerow removal	1	38 60
Irrigation	1	60 35
Land use changes	2	25 46
Lime status	2	
Manuring	2	40 68
Mulching	2	
Nitrogen status	2 2	51
Pasture type	2	32 56
Phosporus status Ponds	1	56
Potassium status	2	59 61
Rotation	2	62
Streambank control	1	53
Strips	2	70
Strips correction	2	70 71
Terrace see Diversion	_	
Waterways, grassed	2	72
Windbreaks	2	74
Woodlot. Improvement cutting	2	29
Woodlot. Planting	2	28
Woodlot. Stand	2 2 2 2 2	27
	_	-1

the transfer of the	2.4	
ZIZIVEN TU	\$ ⁷⁷ .	
	e e desentación de la companya de desentación de la companya de la serie de la companya del companya de la companya del companya de la compan	and the second control of the second control
	14	
		n marija karat
* .		
		and the second s
·.		
		And the second s
		e e e e e e e e e e e e e e e e e e e
	Ä.	
* **		
÷		.
		er (1. <mark>1. 2.)</mark> Territoria
	•	
		·A·*
		$(a_1, \ldots, a_n) = (a_n, \ldots, a_n)^{-1}$
÷		
*** ***	····	
# # # # # # # # # # # # # # # # # # #	•	
		in an in a state of the state

TABLE 4

CORRELATION OF 1952 AGRICULTURAL CONSERVATION PROGRAM
FOR NEW YORK (110) WITH CARD PUNCHING OUTLINES

Practices receiving PMA payments	Card	Column
1 Liming materials	2	46
2. Phosphate	2	56
3. Potash	2	61
4. Rye, annual ryegrass or wheat cover crop	2	66
5. Small grain, millet, or Sudan grass	_	
cover crop	2	66
6. Turning under seetclover, red clover,		
alsike clover of alfalfa	2	65
7. Summer green manure crops	2	67
8. Mulching commercial orchards or vineyards	2	68
9. Mulching strawberries and perennial		
vegetables	2	68
10. Clearing land suitable for improved		
permanent pasture	1	38
11. Removing stone walls and hedgerows	1	53
12. Installing tile drainage systems	2	39
13. Constructing permanent open drainage ditches	2	38
14. Constructing diversions	2	75
15. Establishing a contour stripcropping system	2	70
16. Controlling stream banks	1	53
17. Planting forest trees	2	28
18. Improving woodlands	2	29
19. Excluding livestock from woodlots	2	31

All items were prepared first as to subject matter, then revised as to fitness for testing purposes. They were all of the limited response objective type, which minimizes distortions due to spacial heterogeneity, poor definition of practices, and bias.

By further breakdown, a list of mutually exclusive alternatives was set for each item. Both desirable and

en de Maria de La Carlo de Ca Carlo de Ca

	****	Medical Control of the Section of th
1.90		
at the same, when		en en la companya de
* * * * :		
		and the second section of the second second section is a second second section of the second section is a second section of the second section
		e de la composition della comp
		en de la companya de La companya de la companya del companya de la companya del companya de la c
1 - 4 111 1		en e
		and the control of the second of the control of the

The Market Control of the Control of

undesirable situations were included among the answers.

Flexibility and adaptability of multiple-choice approach allowed handling of all cases. Most conservation significant items (Table 3) were taken care of through the uniform set of coded choices listed below:

- O. Practice neither recommended nor present.
- 1. Not recommended but carried out.
- 2. Recommended and carried out as recommended.
- 3. Recommended, carried out changed into an acceptable form.
- 4. to 7. Recommended, carried out unsatisfactorily modified.
- 8. Recommended, absent. Carried out but later destroyed.
- 9. Recommended, never done.

Unfavorable or unsatisfactory choices from the conservation standpoint -- 4 to 9 in most cases -- were termed "foils".

Arrengement of items was by subject matter to facilitate field work. Also, in order to permit mechanical precessing of data, they were organized into four groups, one of each kind of IBM card to be punched.

After assembling the test in a tentative way, a tryout was run during the fall of 1951 on farms representing a wide variety of conditions. Each time gained experience was incorporated.

- - a flat Arthurs
 - $\mathcal{L}^{(n)}(\mathcal{L}^{(n)}(\mathcal{L}^{(n)}))$. The section $\mathcal{L}^{(n)}(\mathcal{L}^{(n)}(\mathcal{L}^{(n)}))$. The section $\mathcal{L}^{(n)}(\mathcal{L}^{(n)}(\mathcal{L}^{(n)}))$
- in the second control of the second control
- Medical Constitution of the Const
- and the second of the second o
- tion of the state of the state
- $\phi_{ij} = \phi_{ij} + \phi$
- with the state of the state of
- - (x,y) = (x,y) + (x,y
- and the second of the second o

B. Test forms

Data for items grouped in card 1, were recorded in the blank form to be found on next page. Those for cards 3 and 4 were recorded in the enclosed forms used by Cornell Agricultural Economics Department for land classification surveys. Information was then coded according to the card outlined and registered in special IBM coding sheets, from which, in turn, punching was made.

Card 2 data by individual fields was coded in the field and recorded directly in a coding sheet, with considerable time saving.

Cayuga Inlet Soil Conservation Project

DATA FOR CARD OUTLINE No. 1

Col. 2-3	Farm number: Project Code
	Airphoto number Date
Col. 30	Operator at Project time
	Present operator
	Same family: Yes No
	Owner
Col. 4-6	Same farm: Yes No
& 24 - 29	If not, acres sold bought
Col. 31	Records available:
	Cash account, years
	Inventory, years
	Dairy production, years
	Poultry production, years
Col. 32	Do you think conservation pays? Yes No
	I don't know If yes, why?
Col. 33	Would you have gone further in soil conservation
	if technical help had continued after District was established? YesNoNo opinion
Col. 34	If you had a son, would you like him to farm
	this farm,, a nearby farm, a farm
	elsewhere, no farm I don't know

And the second s

The second of th

Cayue	ga Ir	let a	Soil	Cons	serva	ation	Project,
DATA	FOR	CARD	OUTI	INE	No.	1	

Col. 35	What changes have you made in this farm since
	the Project started? None Shifting to:
	dairy, sheep, beef, poultry,
	grain, vegetables, several shifts
Col. 64	Would plant more trees. Yes No
	No opinion
Col. 36	Manure is stored,, hauled daily to field,
	Reinforced with superphosphate. Yes No
Col. 37	Manure is applied to meadow, grain, row
	crop
Col. 66	Grazing of pastures is: continous,
	rotational; mowed: Yes No
Col. 67	Water in pasture is : adequate, inadequate
Col. 68	Midsummer pasture shortage: Yes, No
	There is: emergency crop, aftermath
	grass silage
Col. 69	Assistance received in woodlots, other than SCS:
	none, in planting, in management
Col.	Conservation practices: Code:
Col.38-42	Hedgerow removalft.
Col.43-47	Fence removalft.
Col.48-52	New fenceft.
Col.53-57	Stream bank controlft.
Col. 58	Contour furrows

which is the state of the section of the $m_{
m e}$, which is the section of $m_{
m e}$. The $m_{
m e}$

and the first of t

Control of the second of the s

<u>ing nganggang sa kabupatèn kanggang dalah banggan banggan banggan banggan banggan banggan banggan banggan bang</u>

of the National Alexander (National Control of the National Control of Control

rate of the second of the seco

· Land of the second of the se

A Marie Control

Control of the second s

e de la companya del companya de la companya de la companya del companya de la co

How is a supplied to the control of the supplied to the control of t

in the state of th

	Inlet Soil Conservation R CARD OUTLINE No. 1	Project,	
Col. 59	Pond		acres
Col. 60	Irrigation		acres
	Remarks:		

						2004	
 alani i ii a	e						
 	· · • •		1,000	s. •	 ne mengan selatik velativi et sa		
 · · · · · · · · · · · · · · · · · · ·		*** *** ** .					*******

CARD OUTLINE BY FARMS

CAYUGA INLET SOIL CONSERVATION PROJECT, Card No. 1

Column	<u>Item</u>	Tabulation Code
1	Study	1
2-3	Farm number	(As given in Appendix A)
4-5-6-7	Acres operated	To the nearest unit
8-9-10-11	Total foils	
12-13-14-15	Farm foils	
16-17-18-19-	Field foils	
20	Land economics Class number	
21-22-23	Productivity balance	Nearest hundredth, plus ten
24-25-26	Acres bought since Project started	Nearest unit
27-28-29	Acres sold	Nearest unit
30	Operator changes	2. None3. New operator but same family4. New operator, no kin
31	Records available	 Cash account only Inventory only Dairy production only Poultry production only Cash acc't & Inventory Cash, Invent., Dairy ", ", Poultry ", " ", Dairy None
32	Does conservation pay	?2. Yes 3. No X. No opinion

And the state of t				*
The state of the second state of the second				. •
t e		**		144
				Car. (
			•••	
				Carlos Carlos Carlos
		 9 · ·	and in the	
y in the first of the second o	ta di salah sa Salah salah sa	2.85.2		er ⁱ ere _{n i}
先 张 .				Mark John M
				•··
		4 % L+	1. ·	e.
		4		:
4 A.1	· · · · · · · · · · · · · · · · · · ·		730	a Å

Card 1

Column	Item	Tabulation Code
33	Would you have gone further in SC with more help	(Same Code as for Col. 32)
34	Would like son to farm	 This farm A nearby farm A farm elsewhere No farm Don't know
35	Farming type changes made or being made	 None Shift to dairy Shift to sheep Shift to beef Shift to poultry Shift to grain Shift to vegetable Shift to other Several shifts
36	Hanure handling	 Reinforced, hauled daily ", stored covered ", " unprotected Not reinforced, hauled daily Not reinforced, stored covered Not reinforced stored unprotected
37	Crop manured	 Meadow Grain Row crop
38	Hedgerow removal	O. None 1. Not recommended, carried out 2. Recommended, carried out as recommended 3. Recommended, carried out, changed but acceptable 4. Recommended, carried out detrimentally modified 9. Recommended, not carried out

Card 1

Column	<u>Item</u>	Tabulation Code
39-40-41-42	Length of hedgerow in Project	Nearest foot
43	Fence removal	(Same Code as for Col. 38)
44-45-46-47	Length of fence	Nearest foot
48	Permanent fence	(Same Code as for Col.38)
49-50-51-52	Length of permanent fence in Project	Nearest foot
53	Streambank control	(Same Code as for Col.38)
54 - 55 - 56 - 57	Length of streambank	Nearest foot
58	Contour furrows	Same Code as for Col.38)
59 6	Pond	(Same Code as for Col.38)
60	Irrigation	(Same Code as for Col.38)
61-62-63	Acres irrigated	Nearest unit
64	Attitude towards more tree planting	2. In favor9. AgainstX. No opinion
65	woodlots, other than	O. None received 1. Assisted in planting 2. Assisted in management 3. Assisted in both
66	Grazing method in pastures	 Rotational, mowing, scatter of droppings. Rotational, mowing Rotational Continuous, mowing, scatter Continuous, mowing. Continuous
67	Water in pasture	2. Adequate for livestock4. Not adequate9. No water

- enter de la companya de la companya
- - - the second of the second of the second

Card 1

Column	<u>Item</u>	Tabulation Code
68	Hidsummer pasture	 Shortage met by emergency crop No shortage Shortage met by aftermath Shortage met by grass silage Shortage, nothing done about it
69	Type of road	 Hard Gravel Dirt
70	Years lived at this residence	1. Born here 2. 0-2 years 3. 3-5 " 4. 6-10 " 5. 11-20 " 6. Over 20 "
71	Last previous residence	1. Urban 10,000 or more 2. Urban under 10,000 3. Open country
72 to 79	Blank	
80	Card number	1

CARD OUTLINE BY FIELDS

CAYUGA INLET SOIL COMSERVATION PROJECT, Card No. 2

Column	Item	Tabulation Oode
1	Study number	1
2-3	Farm number	(As given in Appendix A)
4-5	Field number	
6	Sector number	
7-8-9-10	Acres	To the nearest tenth
11-12	Total foils per acre	
13	Farm foils per acre	
14 - 15	Field foils	
16-17	Soil type number	(As given in Appendix E) (99. No type dominant)
18	Slope class	1. A 2. B 3. BB 4. C 5. D
19–20	Soil erosion	00. None. Recent deposition 01. 1 02. 2 03. 3 04. 4 05. 5 06. 6 07. 7 77. 7 08. 8 88. 8 09. 9 99. 9
21	Land capability	

class number

and the second s

en de transporte de la companya de la co La companya de la co

Card 2

Column	<u>Item</u>	Tabulation Code
22	Land economics class number	
23	Land use recommended in SCS Project	 None Forest Pasture, permanent and native Cropland, including rotation pasture Orchard Vineyard Wildlife Farmstead Miscellaneous Idle
24	Present land use	(Same Code as for Column 23).
25	Land use change	2. No change3. Non-detrimental change4. Detrimental change

4 4			٠.,
	,		

and the second of the second o

en de la companya de la co

Myster to the second of the se

F'O R E S T Card 2

Column	<u>Item</u>	Tabulation Code
26	Type	1. Natural weed-trees 2. Old field hardwoods 3. Northern " 4. Pine " 5. Oak " 6. Black locust " 7. One-species plantation 8. Two-species plantation 9. Three-species plantation
27	Stand	1. Uneven age, brush growth 2. Uneven age, young growth 3. Uneven age, merchantable growth 4. Uneven age, old " 5. Uneven " mixed" 6. Uneven " brush " 7. " " young " 8. " " merchantable growth 9. Uneven age, old growth
28	Planting	O. None recommended, none found 1. Not recommended, carried out 2. Recommended, carried out as recommended 3. Recommended, carried out changed but acceptable 4. Recommended, carried out, detrimentally modified 9. Recommended, not carried out
29•	Improvement cutting	(Same Code as for Codumn 28)

		• • • •	1
in the 28 ft in the second of			
		, . Jack	v.*
erel la cite i especie	e grant tage	the street page	3 60 S

F O R E S T C a r d 2

Column	<u>Item</u>	Tabulation Code
30	Ground bare	1. None or less than 1/4 2. About 1/4 bare 4. About 1/2 bare 6. About 3/4 bare 8. More than 3/4 bare
31	Grazing intensity	O. In forest: little or none 2. In pasture: moderate 4. In forest: moderate 5. "heavy, open park 6. "very heavy, final 8. In pasture: overgrazed 9. "little or none

PASTURE Card 2

Column	<u>Item</u>	Tabulation Code
32	Туре	Grasses: Legumes: O. Less than 1/4 More than 3/4 1. About 1/4 About 3/4 2. About 1/2 About 1/2 3. About 3/4 About 1/4 4. More than 3/4 Less than 1/4 8. Weeds predominant 9. Brush encroachments
33-34	Legume species	O. Not identified 1. Alfalfa 2. Ladino clover 3. Alsike clover 4. Medium red clover 5. Wild white clover 6. Birdsfoot trefoil 7. 8. 9. Others
		Code also Col. 34 - same Code as for Col. 33 - when more than one legume species is abundant.
35 - 36	Grass species	O. Unidentified 1. Bromegrass 2. Timothy 3. Orchard grass 4. Kentucky bluegrass 5. Redtop 6. Reed canary grass 7. Ryegrass 8. 9. Others
		Code also Col. 36 - same Code as for Col. 35 - if more than one grass species is abundant.
37	Natural drainage	First digit of profile number, Appendix F.
38	Open drainage	(Same Code as for Col. 28)
39	Artificial drainage tile or stone	(Same Code as for Col. 28)

The first section of the section of

Column	<u>Item</u>	Tabulation Code
40-41	Manure applied per acre	Nearest ton
42-43	Lime content of soil profile	Second digit of soil profile number, Appendix F
44-45	Lime applied	Nearest tenth of ton/acre/year
46	Lime status	Same Code as for Col. 28)
47-48	Nitrogen need	Nearest pound per acre
49-50	Nitrogen applied in fertilizers	Nearest pound per acre
51	Mitrogen status	Same Code as for Col. 28)
52-53	Phosphoric acid need	Nearest pound per acre
54-55	Phosphoric acid applied	Nearest pound per acre
56	Phosphoric acid status	(Same Code as for Col. 28)
57 - 58	Potash need	Nearest pound per acre
59-60	Potash applied	Nearest pound per acre
61	Potash status	(Same Code as for Col. 28)

A.

	• •	The same of the sa
		-
		. · · · · ·
article Victoria de la companya della companya della companya de la companya della companya dell		1 4 A
		: · · · · .
	en e	
		· .
	and the second second	
	t i	V.
	at a second	e t ^o e c
	and the second	e la

C R O P L A ND Card 2

Colume	<u>Item</u>	Tabulation Code
62	Rotation type	O. G-H-H-H-H 1. G-H-H-H 2. G-H-H 3. R-G-H-H 4. R-G-H-H 5. R-G-H 6. R-R-G-H
63	Crop class	O. No crop. Idle or plewed 1. Meadow. Pasture or hay 2. Grain crop 7. Row crop
64	Crop plant	If meadow (Col. 63, choice 1): 1. Meadow, first year 2. Meadow, second year 3. Meadow, third year 4. Meadow, fourth year etc.
		If grain (Col. 63, choice 2): 1. Barley 2. Oats and barley 3. Oats 4. Wheat 5. Rye 6. 7. 8.
		9. Other If row crop (Col. 63, 7): 1. Corn 2. Potatoes 3. Buckwheat 4. Cabbage 5. Beans 6. Peas 7. Tomatoes 8. Other vegetables 9. Others
		If crop is unidentified.

If crop is unidentified, Code zero

С	R	0	Ρ	\mathbf{L}	Α	ND
Ca	\mathbf{r}	1 2	2			

Column	Item	Tabulation Code
65	Legume turned under	(Same Code as for Col. 28)
66	Cover crop	(Same Code as for Col. 28)
67	Summer green manure crop	Same Code as for Col. 28)
68	Mulched crop	(Same Code as for Col. 28)
69	Contour farming	(S_{Ω} me Code as for Col. 28)
70	Strips	O. None recommended, none found 1. Not recommended but present 2. Recommended, present, as recommended 3. Recommended, present, changed either to forest or to pasture Recommended, present, modified with no detri- ment into strips. 4wider 5straighter 6wider and straighter 7. Recommended, present, out of contour or other wise detrimentally modified 8. Recommended, absent, carried out but plowed up later 9. Recommended, absent, never started
71	Correction strips	(Same Code as for Col. 28)
72	Grassed waterways	(Same Code as for Col. 28)
73	Gully control	(Same Code as for Col. 28)
75	Windbreaks	(Same Code as for Col. 28)

18.4					
	# 12				
			*		
a	e transport)	•	3	

en e	$(x,y) \in \mathcal{Y}$	to Company of the	
Proceedings of the Process		. , 5	
and the second second	•		

· # • · · · · · .			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	10 mg/s	and the second of	12.1
Villa 👡 🚊 🗆 🗆	gradient state		



C R O P L A N. D Card 2

Column	<u>Item</u>	Tabulation Code
75	Diversion terrace	 None recommended, none found Not recommended but present Recommended, present as recommended Recommended, present, modified without detriment Recommended, present, no buffer strip Recommended, present, silted Recommended, present, out of grade Recommended, present, unsatisfactory Recommended, absent, carried out but plowed up later Recommended, never done
76-77-78-79	Length of diversion recommended	Nearest foot
80	Card number	2

CARD OUTLING BY FARMS

CARUGA HHERT SOIL CO. SERVATION PROJECT, Card No. 3

Column	<u>Item</u>	Tabulation Code				
1	Study number	1				
2-3	Farm number	(As given in Appendix A)				
4-5-6-7	Acrus operated	To the nearest unit				
8-9-10-11	Total foils					
12-13	Elevation of property	Nearest hundred feet				
14	Tenure	 Full owner Part owner Full tenent Life estate 				
15	Farming status	 Farm (Full time commercial → 2. Part time & subsistance farm 3. Rural residence Seasonal residence House vacant House gone 				
20-21-22-23 24-25-26-27	Acres owned Acres rented in Acres rented out Total acres of crops					
31-32-33	Acres of idle croplan	d " "				
34-35-36	Acres of woods not pa	stured Noarost unit				
37-38-39	Acres of woods pastur	red Nearest unit				
40-41-42	Acres of permanent pa	sture Nearest unit				
43-44-45	Acres of season pastu	re Nearest unit				
46-47	Acres of farmstead an	d wastc Nearest unit				
48-49	Acres of corn for gra	in Nearest unit				

en de la companya de la co

general de la companya de la company General de la companya de la company

en de la companya de

Card 3

Column	<u>Item</u>	Tabulation Code	
50 .	Acres of corn for silage	Nearest unit	
52 - 53	Acres of corn fodder	Nearest unit	
54-55-56	Acres of cats	Neatest unit	
57 - 58 - 59	Acres of oats and barley	Nearcst unit	
60-61-62	Acres of other mixed grains	Nearest unit	
63-64	Acres of buckwheat	Nearest unit	
65-66	Acres of wheat	Nearest unit	
67-68-69	Acres of alfalfa	Nearest unit	
70-71-72	Acres of clover and mixed hay	Nearest unit	
73-74-75	Acres of other hay	Nearest unit	
76-77	Acres of hay cut on others	Nearest unit	
78-79	Acres of hay cut by others	Nearest unit	
80	Card number	3	

CARD OUTLINE BY FARMS

CAYUGA INLET SOIL CONSTRUACION PROJECT, Card No. 4

Column	Item	Tabulation Code
1	Study number	1
2-3	Farm number	(As given in Appendix A)
4-5-6-7	Acres operated	Nearest Unit
8-9-10-11	Total foils	
13-14	Acres of grass silage cut	Nearest unit
15-16	Acres of sudan grass and millet	Nearest unit
17- 18	Acres of potatoes	Nearest unit
19-20	Acres of other crops	Nearest unit
21-22-23	Number of cows	
24 - 25	Number of heifers	
26 - 27	Number of calves	
28-29	Number of bulls	
29 - 30	Number of sheep	
31	Number of brood sows	
32-3 3	Mumber of other pigs or hogs	
34-35-36-37	Number of hens. estimate average for year	
38-39-40	Pullets raised sexed	
41-42-43	Pullets raised straight run	
44-45-46	Number of broilers	
47-48-49	Other poultry	Nearest hundred

Digitized by Google

Card 4

Column	Item	Tabulation Code			
50-51-52-53	Gallons of maple syrup				
54-55-56	Cords of wood cut for all pruposes				
57 - 58 - 59	Timber and lumber cut	Nearest thousand feet			
60-61	Number of people in household				
62	Number of tractors				
63	Size of tractors	1. 1 plow 2. 2 plow 3. 3 plow 4. over 3 plow			
64	Number of trucks				
65	Size of trucks	1. Under 1 ton 2. 1 to 2 tons 3. Over 2 tons			
66	Basement barn	1. Yes 2. No			
67	Number of silos				
68-69-70	Number of stantions in barn or barns				
71	Electricity in house	1. Yes 2. No			
72	Telephone	1. Yes 2. No			
73	Running water	1. Yes 2. No			
74	Furnace	1. Yes 2. No			
75-76-77	Owner's estimate of value of farm with stock and tools	Nearest thousand dollars			
78-79	Owner's estimate of value of real estate	Nearest thousand dollars			
80	Card number	4			

. .

uni in <mark>inal</mark> puksi		
.4.4	$\mathbb{E}^{\frac{1}{2}} = \mathbb{E}^{\frac{1}{2}} = \mathbb{E}$	•
American Company		
	Historia (Control Control Cont	e cast ce
	the stay of the st	٠.
	HUNY THE ROY OF	
	toler in the control of	• .
	n eget i salah	克 奇
1 .	STATE OF THE STATE	
1 d v		
	in the second of	
. A · V	A STATE OF THE STA	
	in the second of	78 11951
Both the property of the second	A British Carlos Company (1997) and the second company of the seco	e meng

 \mathcal{A}_{i} and \mathcal{A}_{i} and \mathcal{A}_{i} and \mathcal{A}_{i}

C. Administration of Test

This test was applied to farms cooperating in the Cayuga Inlet Soil Consevation Project, New York.

Data was gathered in a uniform way and personally by inspection of the fields and through interviewing the farmers. Details about information recorded may be found below.

1. Card 1

Study number, Column 1

A number -- one -- was assigned to this study in order to make possible the utilization of the same IBM cards in an analysis where information from other areas might also be included.

Data was collected in the fall of 1951 and spring of 1952 and corresponds to the crop year ending in the fall of 1951.

Farm number, Columns 2 and 3

In the original Project, farms were numbered by the clock system (4), first letters designating a community, followed by a chack direction where 12 o'clock points to the north, a zone number in miles from the community, and a letter for the house. Thus N-4-1-R means: near Newfield, in direction four o'clock, one mile away, house R.

.

the second of the first time and the second of the

guestia de la composición de la compos La composición de la

and the second s

Farms were coded according to the list included as Appendix A. For convenience, an index by cooperators, and one by airphotos are added as Appendixes B and C.

For a research including a large number of farms, more columns should be left aside under this heading.

Acres operated, Columns 4 to 7

Acres rented in and operated as one unit with main farm are included, but acres owned and rented out are not considered.

 $\label{eq:more columns} \mbox{More columns should be used in areas where} \\ \mbox{farms are very large.}$

Total foils, Columns 8 to 11

These represent the product of a conservation deficit rating multiplied by the number of acres. They result from adding farm (Columns 12 to 15) and field (Columns 16 to 19) foils.

Farm: foils, Columns 12 to 15

Are the product of farm acres (Columns 4 to 7) times the number of unfavorable conservation items for the farm taken as a whole.

Choices numbered 4 to 9 were considered unfavorable for conservation in the following ten columns: 32, 38, 43, 48, 53, 58, 59, 60, 64, and 66.

The state of the second of the second section of the section of the second section of the section of the second section of the se

in the second of the second

Garaga Arekana arekan karen bilarriar bilarria

 $-\Psi$. The first Ψ is the Ψ -density Ψ is the Ψ

The same of the second of the same second of the second of

Market services and the services of the servic

And the second s

and the common of the common o

 $(\mathbf{w}, \mathbf{v}) = \{v_1, \dots, v_n\} \in \mathcal{B}_{\mathbf{v}} : \{v_1, \dots, v_n\} \in \mathcal{A}_{\mathbf{v}} : v_n \in \mathcal{A$

Field foils, Columns 16 to 19

Represent unfavorable conservation situations in significant items, when fields were considered individually.

They are the sum of products of fieled acres (Card 2, Columns 7-10) times field foils (Card 2, Columns 14-15).

Land Class, Column 20

Economic class number was recorded as read from map for Tompkins County. (71)

Productivity balance, Columns 21 to 23

Even though it was not intended to calculate productivity balances as part of this study, it is realized that this might be advisable later on or convenient in similar studies. Space left will allow easy subsequent punching of productivity balance data if so desired.

Calculations may be made using blank included as Appendix D, which is an adaptation for New York State of the procedure deviced at Ohio Experiment Station (92), c.f. (10). In order to handle negative values, cards may be either double-punched in position "y" or single-punched adding ten units to every value.

Changes in acreage, Columns 24 to 29

Acres bought and acres sold since the Project was established have usually not interfered with information

.

and the second second

• • • • •

and the second s

The state of the s

i de la filipio de la companya de l La companya de la co

 $(-4) \cdot (-4) \cdot$

en de la composition della com

the control of the co

recorded in Cards 1 and 2, but they did prevent analysis of business data (Cards 3 and 4) by confounding areas inside and outside the original Project.

Records available, Column 31

Intends to locate forms suitable for further study, including years for which data is available.

Farmer's opinions, Columns 32, 33, 34, 64

Questions relative to his attitude towards conservation were worded as follows: Do you think conservation practices pay? Do you have a specific fact in mind?

Column 34 aims at finding which is the attitude of the farmer to his community.

2. Card 2

Study number and farm number., Columns 1 to 3

Correspond to identical columns in Card 1 already considered.

Field numbers, Columns 4and 5

Fields numbers are those shown on revised land use plans of the original project.

Sector number, Column 6

When an area marked as a single field on the original project plans appeared to be managed in more than one way, it was subdivided into as many sectors as were necessary to properly describe the field.

...

Constant of the second of the

and the second of the following section is as

n til 🗼

grand the second second

 $(\mathcal{L}^{\mathcal{H}})^{-1}(\mathcal{L}_{\mathcal{H$

and the second of the second o

Acres, Columns 7 to 10

Acreage was recorded to the nearest tenth of an acre because of the small areas found, especially in stripcroped land, where each strip was treated as an independent field in the original project.

Total foils per acre, Columns 11 and 12

They result from adding columns 13 and 14-15.

Farm foils per acre, Column 13

They are the sum of foils in the following ten columns of Card 1: 32, 38, 43, 48, 53, 58, 59, 60, 64, and 66.

Field foils per acre, Columns 14 and 15

They are the sum of foils in the following 27 columns of Card 2: 25, 27, 28, 29, 30, 31, 32, 38, 39, 40, 46, 51, 56, 61, 62, 63, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75,

Soil type number, Columns 16 and 17

Type numbers refer to those in use at the establishment of the Cayuga Inlet Project and are given in Appendix E. The Tompkins County District has since adopted a new numbering; its basis and correlation to the old notation are included as Appendix F.

Slope class, Column 18

Percent of slope for the various classes was taken as originally mapped; namely:

• V1 · 1

oran suur ole puud ole <u>Maad</u>

The state of the s

grand of the second of the sec

un variable <u>en en mendeleksisk e</u>n

(x,y) = (x,y) + (x,y

and the state of the second of

 $(a_{12}, a_{12}, a_{13}, a_{$

The Book of the Control of the Contr

oli olika yalat olika dake bara bara di

On	w e	ell	drair	ıed	an	d	mс	dera	tely
we]	Ll	$d\mathbf{r}$	ained	til	Ll	ar	ıd	outw	ash
soi	118	3							

A 0 to 5% B 5 to 15% BB 15 to 25% C 25 to 35% D 35% and over On poorly and imperfectly drained till and all lacustrine

A 0 to 2%
B 2 to 8%
BB 8 to 15%
C 15 to 30%
D 30% and over

They correspond to the groupings included

in the soil legend below (58).

SOIL LEGEND

Upland -- non-calcareous till, well drained

- 1 Lordstown stony loan and silt loam
- 7 Wooster and Bath
- 27 Wooster stony silt loam (a poorer soil, than other members of the Wooster series)

Upland -- non-calcareous till, imperfectly drained

8 Canfield Although these soils are imperfectly 28 Mardin drained, the mottling or hard pan occurs below 24 inches and they take the same slope groups as do the well drained till soils.

Upland -- non-calcarcous till, poorly drained.

- 2 Volusia stony silt loam
- 63 Volusia stony silt loam, deep phase
- 23 Fremont
- 43 Fremont, deep phase
- 34 Allis stony silt loam (if desirable to separate from Volusia)

(In the deep phases of the above soils the mottling or hard pan occurs between 10 and 24 inches from the suface)

- 4 Chippewa
- 11 Hornell

a to de la présidencia de la compansión de la compa

and the state of t

ti o oblika i stra o estro de la compositione de la

i Ar Gilly Color with with a recollect a re- configer

The second of th

in the figure of the second of

- Upland slightly calcareous till, well drained
 - 17 Alkaline subsoil Wooster
- Upland slightly calcareous till, imperfectly drained
 - 18 Langford although this soil is imperfectly drained, the mottling or hard pan occurs below 24 inches and it takes the same slope group as the well drained till soil.
- Upland slightly calacareous till, poorly drained.
 - 13 Erie
 - 53 Erie, deep phase, mottling between 10 and 24 inches.

Terrace and outwash

- 12 Chenango fine sand loam
- 21 Howard fine sand loam
- 22 Chenango gravelly loam and gravelly silt loam
- 26 Otisville
- 36 Groton gravelly loam
- 24 Braceville
- 32 Palmyra gravelly silt loam
- 37 Groton fine sandy loam
- 31 Howard gravelly loam and gravelly silt loam

Lacustrine

- 25 Dunkirk silt loam
- 29 Canadea silt loam
- 35 Arkport of Dunkirk fine sandy loam
- 39 Granby

Bottom lands

- 5. Tiqga
- 6 Eel and Middlebury
- 9 Muck
- 14 Holly and Wayland (too poorly drained to be cultivated)
- 15 Chagrin
- 16 Small bottom, unclassified as to soil type, but well enough drained to be used for pasture, at least.
- 19 Well drained muck

e de la composition La composition de la

in the control of the

to the second of the second of

in the second of the second of

Recent deposition

- 3 Gravel deposits
- 33 Silt depostis
- 46 Mixed patches

Gravelly and stony areas

Soil Erosion, Columns 19 and 20

As used ordinarily in erosion surveys (59, 84):

- + Recent deposition
- 1 No apparent erosion
- 2 Slight sheet crosion. Less than 25% topsoil removed
- 3 Moderate to serious sheet erosion 25-75% of topsoil removed
- 4 Severe sheet erosion. Over 75% of topsoil removed
- 5 Very severe sheet erosion.

 Topsoil and subsoil removed, with erosion of parent material
- 6.Land slips, mapped on areas exposed by slips
- 7 Occasional shallow gullies, 3 gullies or less per acre.
- 8 Frequent shallow gullies, more than 3 gullies per acre.
- 9 Destroyed by gullying. Encircling of gully symbols 7, 8 or 9 shows gullies too deep to be crossed by farm implements. Stabilized erosion is indicated by underlining erosion symbol.

Land use capability class number, Column 21

Numbered as done by the United States Soil Conservation Service (8, 84, 113). Not available in this case.

Land economics class number, Column 22

Recorded as read from map of Tompkins County (71).

Land use, Columns 23 to 25

Recommended use was read from maps in file at

(Conjugation of Approximation of the Conjugation of the Conjugation

kan Marian Baran Bar Baran Ba

and the second of the second o

 $\label{eq:continuous} \phi = \frac{1}{2} \left(\frac{1}{$

A second of the s

AND THE RESERVE OF THE PROPERTY OF THE PARTY.

 $(\mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}) = (\mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}) + (\mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}) + (\mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}}, \mathcal{H}_{\mathcal{H}})$

State of the American State of the State of

After the second and the second second second and the second

of the Alfred Angle of the Commence of the Alfred States

the Tompkins County Soil Conservation District. These maps were drawn at the scale of one inch to five hundred feet.

For present use mapping, land was classified following the definitions of United States Department of Agriculture, Handbook 18, page 276 (111).

Woodlots, Columns 26 to 31

These items were prepared with the help of Professor Fred \mathbb{Z} . Winch.

Species were identified using the keys given in Cornell 4-H Club Bulletin 85 (27), classified according to Cornell Extension Bulletins 716 and 722 (28, 29). Stages of growth terms described a large proportion of trees having, at breast height, a diameter of: under 4 inches, was called brush; 4 to 12 inches, was called young; and over 12 inches, was called merchantable.

Pastures, Columns 30 to 36

Species were identified following the keys prepared by Professor H. B. Hartwig for his course on Production of Field Crops, at Cornell University.

Drainage, Column 37

Natural drainage was recorded by means of the first digit of the soil profile number now in use for Tompkins County and listed as Appendix F (93).

en de la companya del companya del companya de la companya del companya de la companya de la companya della com

Lime content of soil profile, Column 42

Second digit of present soil number, Appendix F, was used to record lime in the profile.

Lime and fertilizers, Columns 42 to 61

An estimate was made for each individual field, based on rotation, crop, soil and recommendations of Cornell extension agronomists (3).

Rotation type, Column 62

In the choices, G stands for a grain crop; H, for hay; R, for a row or intertilled crop.

Columns 65 to 79

These practices are judged according to specifications of the New York Agricultural Conservation Program for 1952 (110).

Card 3 and Card 4

They are essentially the coding outlines in use for land economics surveys, and are self-explanatory.

Productive work units were taken from the most recent revision done by Professor Stanly Waren, which is given below:

WORK UNITS FOR LIVESTOCK AND CROPS

Livestock	Work units			
	per head			
Cows	13			
Heifers	2			
Bulls	5			
Hens	0.16			

n de la companya de la co

o karakan di mengerangan di mengerangan pengerangan pengerangan pengerangan pengerangan pengerangan pengerang Pengerangan pengerangan pengerangan pengerangan pengerangan pengerangan pengerangan pengerangan pengerangan pe

To the second second

Livestock	Work units per head
Pullets raised Broilers raised Brood sows Hogs raised Ewes and rams	0.05 0.01 3 1 0.5
Crops	Work units per acre
Hay - 1st cutting 2nd and 3rd cuttings Corn silage Corn for grain Oats Barney Oats and Barley Wheat Buckwheat	0.7 0.7 2.5 1.5 1 1 1
Dry beans Potatoes Cabbage Peas for canning Tomatoes for canning Apples, commercial Home orchard Fruit not of bearing age	3 9 2 12 12 3 2
Miscellaneous	4
Work off farm, days	1

2. Sampling

The original Cayuga Inlet Project included 103 cooperating farms, which constituted a statistical "universe" for the purposes of this work. Data on some of the farms became lost in a fire but all 70 remaining were used.



These farms having available data were considered as a representative sample of all farms included in the Project for the following reasons:

- a. A large share of the statistical universe is represented, both in farm numbers and in acreage. Therefore, they are very likely to duplicate the characteristics of the complete group.
- b. Fire destruction of data was at random.
- c. Part of each one of the watershed airphotos is included in the sample.

Except for those cases dealing with a universe, all others will require a representative sample secured by either one of these alternatives: random sampling of individual farms, cluster of farms, purposive or stratified sample (45, 62, 125).

3. Processing of Data

Data gathered in the form detailed in previous sections was coded as indicated in the card outlines and registered in IBM coding sheets. These have 80 columns and 40 lines, but there is no limit to the combinations possible (127).

From the sheets, data were transmuted into holes punched on IBM standard cards (20, 128). Cards

- of the state of th
- en de la companya de la co

and the second of the second o

and the second of the second o

are 3 1/4 by 7 3/8 inches and of a thickness of 150 cards to one inch.

Punching was done mechanically at a rate that varied from 20 to 100 cards per hour, 80 on the average.

Accuracy of punching was checked by means of another machine, the verifier,

Each of the 80 vertical columns in the card is divided into 12 punching positions, including the numerals 0 through 9.

Sorting of the cards was mechanically done as punched holes caused electrical contacts in the various pieces of equipment -- sorter, collator, and tabulator -- the operations proceeding at some 400 cards per minute.

4. Goodness of the Test

It was deemed desirable to ascertain the degree of reliability, validity and discrimination that this conservation status test could afford.

Reliability

The extent to which results of the test were verifiable, <u>i.e.</u>, its reliability was measured as follows:

- 1. One conservation significant item was climinated at random, in order to have an even number.
- 2. The remaining 36 were split into two groups, taking alternate items.

The state of the s

3. Reliability was calculated by means of the Spearman-Brown formula (2):

$$r_t = \frac{2r_{12}}{1 + r_{12}}$$

where r_t is reliability coefficient of the complete test r_{12} is correlation between the foils in the two halves of the test.

Validity

The extent to which the test measures what it is supposed to measure, called its validity, is merely another way of looking at the correlation between conservation and significant items, referred to later as itemanalysis.

Discrimination

Diagnostic value was judged on an item basis, by means of the expression:

$$D = R \cdot F$$

where

D is discriminating power

R is percent of acres without foil

F is percent of acres showing foil

Modifications

Even though reliability and validity are not fixed properties of any test in as much as they vary with the material tested, they can be set at an approximately desired level by using the formulas below (2):

<u>an</u>ka yan in n

navida

en de la companya de la co

 $(x \in \mathcal{Y}) = \mathbb{Z}[x \in \mathcal{Y}] \times \mathbb{Z}[x \in \mathcal{Y}] \times \mathbb{Z}[x \in \mathcal{Y}] \times \mathbb{Z}[x \in \mathcal{Y}] \times \mathbb{Z}[x \in \mathcal{Y}]$

$$n_{r} = \frac{r_{nn} (1 - r_{xx})}{r_{xx} (1 - r_{nn})}$$

$$n_{v} = \frac{1 - r_{xx}}{r_{xy}^{2} - r_{xx}}$$

$$r_{(nx)y}$$

where

n_r = length of test required for a given reliability,
 i.e., number of times by which the test has to be
 lengthened

 n_{v} = length of test required for a given validity

 r_{nn} = reliability desired

r(nx)y = validity desired

 r_{xx} = reliability of original test

 r_{xy} = correlation between criterion (Y) and original test (X).

5. Analysis of Practices

In order to analyze individual conservation practices, indexes of adoption and of persistence were coined.

Index of adoption was taken as the ratio of units where the practice was carried out to those where recommended. For most items, it was the sum of units in choices 1 to 8, divided by those from 2 to 9.

Index of persistence was the ratio of units

.

and the first of the participation of the specific participation of the specific participation of the specific

enter de la financia de la compansión de l

retaining the practice in satisfactory conditions to number of units in which the practice was recommended. It usually included choices 2 and 3 in the numerator, and the sum of 2 thru 9 as denominator.

For most practices, an acre was taken as one unit, but for a few one foot was used.

6. Analysis of Items

Value of the various items as indicators of conservation status of an area was determined by validity coefficients, i.e., estimates of the item criterion correlation.

Tetrachoric "r" was selected as the most suitable expression for this type of work (40, 79). It was obtained as follows:

- Cards corresponding to the highest ratings were sorted out.
- 2. A group of the same acreage having the lowest ratings was also picked.
- 3. Foils were counted for the items in both groups and arranged in tabular form.
- 4. Frequencies were converted into percentages of total acreage included in both groups.
- 5. Tetrachoric " r " was computed from Mosier and McQuitty (79) charts.

e Sala

- ing and the second of the seco

- en de la primeira de la compansión de l



6. Significance was determined by comparison with Snedecor's table, entered at degrees of freedom equal to total acres minus two.

7. Conservation Ratings

It was mentioned before that unsatisfactory situations from the conservation standpoint were named "foils". If foil numbers are added up on unit acre basis, a rating is thus obtained which directly ranks conservation status. Its calculation may be conveniently represented by the following formula:

$$R = \underbrace{\mathbf{x}}_{\mathbf{A}} (\mathbf{F} \mathbf{x} \mathbf{A})$$

where:

R, is conservation rating per acre

F, is Number of foils of individual piece

A, is Acreage of individual piece

These ratings are simple and suitable for statistical analyses restricted to one set of data, as is the case here with one Project. But, for comparisons with another group of data, these ratings would require adjustment. Perhaps in most cases it will be enough to correct for number of significant items and, in so doing, arrive at a sort of coefficient, that could be represented as follows:

- en en grande de la companya de la c La companya de la com La companya de la co

$$B = \frac{R}{I}$$

where

B, is a Conservation coefficient

R, is Conservation rating per acre

I, is Number of conservation significant items tested

Obviously, the values of B will fall within
the limits O and 1.

Sometimes, it will be desirable to eliminate the units involved. Then, a transmutation into common units of standard deviation would be advisable, i.e., \underline{x} or $\underline{x} - \underline{M}$, or into a D-score.

if negative and decimal values are to be avoided (2).

At present, there is no experimental evidence on which relative weights could be assigned to the items and even less to the choices, but a refinement in that direction is not at all impssible. For the time being weighing by acreages seems to be the only justifiable thing to do. On the other hand, in educational research, both theoretical calculations and empirical data have shown no significant effect when items were weighed for validity.

By mechanical sorting within the group of cards number four, it was possible to select land of specified characteristics, calculate a statistical norm of central tendency, and test the significance of the differences found.

. . .

All the second of the second o

of the William State of the Sta

and the Albert of the Charles of the Charles of the State of the State

lever the same problem is a contract

and the second s

• Marin Comment of the Comment of th

in the first of the control of the c

6 - 1 - 1 - 1 - 1

8. Other Correlations

Besides those pertinent relationships considered in previous sections, it is also possible to take advantage of information gathered by this method and analyze it beyond the needs of this research which is merely only of helping to interpret conservation items.

The simplest approach would be to apply
a technique identical to the one already described for
conservation items. This could be carried one step
further by dealing with individual choices within items.
The number of correlations to be calculated may be obtained
from the following formulas:

$$M = \frac{n^1}{p^1 (n-p)^1}$$

and

$$n^1 = e^{-n}n$$
 2 \overline{II} n, approximately

where

M, is number of correlations

n, is number of items to be correlated

p is number of items considered at a time

For example, disregarding choices and taking 2 items at a time will require the dalculation of some 27,000 correlations.

 $\frac{1}{2} \left(\mathbf{w}_{i} + \mathbf{w}_{i}$

Commence of the commence of th

9. Critical Rates

This section defines what values have been taken as critical.

Choices in conservation significant items have been selected so that numbers of 4 or larger represent foils, i.e., unfavorable situations. This holds true for Card 1, Columns 32, 38, 43, 48, 53, 58, 59, 60, 64, and 66; Card 2 columns 25, 28, 29, 30, 31, 38, 39, 46, 51, 56, 61, 62, 63, 65, 66, 67, 68, 69, 70, 72, 73, 74, and 75. Columns 27 and 70, Card 2, show foils only in choices 7 through 9. Column 32, Card 2, shows foils in 0, and 4 through 9. Column 40, Card 2, shows foils only in zero.

Means for the various groups were taken as reference values within the Project.

No absolute figures are available to compare outside of the Project but it was felt that an indication of differential adoption of practices could be gained from the contents of Table 5, calculated on data for United States, cumulative for the period 1936-1950 (108)

1. 1. 1. 1. 1. 1.

After the control of the control of

TABLE 5

PERCENT OF PLANNED PRACTICES APPLIED ON
THE LAND, UNITED STATES, CUMULATIVE 1936 TO DEC. 31, 1950

Practice	Percent
Contour farming, acres	65
Cover cropping, acres	64
Diversions, miles	53
Drainage, acres	60
Irrigation, acres	53
Ponds, number	75
Range and pasture improvement, acres	60
Seeding range and pasture, acres	44
Strip cropping, acres	57
Stubble mulching, acres	81
Terraces, miles	47
Tree planting, acres	49
Woodland management, acres	62

	 * .,		4.4°		
The second second			- 1	 £	

 The second secon	
1	
 and the second of the second o	and the second of the second o
	e de estado de e
	and the state of t
	i 1 m., m. ≥ As milita
(Mark	The second secon
# 200	en e
	en la gradia de la composición dela composición de la composición de la composición dela composición del composición dela composición de la composición del composición dela composic
	n negative still such
	garantan s
1	nor ypatár

III

MATERIALS

The Cayuga Inlet Soil Consevation Demonstration
Project was used as a source of experience while this
method was being developed. It provided also a testing
ground for the finished tool.

Selection of this area was based on several good reasons listed below.

- a) More than decade had elapsed since the Project was established and during all that period there had been no further attempts to foster conservation. In other words, after an initial push in the late 1930's the farmers were left to themselves with no assistance other than that available to all farmers in the Tompkins County District (82, 83, 110).
- b) Present District Conservationist, Mr.
 Rodman Fellows, had been a key man in the original Project and was willing to contribute invaluable information and his experience to this research.
- c) Records were available in the District Office, including farm plans and a soil conservation survey done on airphotos at one inch to 500 feet, during 1935-36.
 - d) The area was of moderate size.

- 1 - A T. . .

AMERICAN CONTRACTOR OF THE PROPERTY OF THE PRO

military (Augustus) (Augustus)

and the second of the second o

Property Control of the Control of t

e) Field work could be easily carried from nearby Ithaca.

1. Description of the Cayuga Inlet Watershed (112)

Location: In New York State, on the southwest corner of
Tompkins County, centered about the Newfield=
West Danby axis, at approximately 42°20' N
and 76°35' W.

Nearly two-thirds of the watershed fall within the town of Newfield, the remainder, in Danby, except for very small portions in Ithaca and in Tioga County.

Shape: Roughly triangular, one side paralleling New York route 13.

Area 23,639 acres

Drainage: As shown in figure 1, the systems empties into the southern tip of Cayuga Lake. It drains all the area above Enfiled Glen, thru two main streams, one on the east and one on the west side.

Elevation: Ranges from 460 to over 1900 feet above sea level (Mean level of Cayuga Lake, 381 feet)

Figure 2 shows 100 ft. contour intervals.

> en de la company de la comp La company de la company d

with a war and a war a war


April 1986 Property (Property Property Prope


to the first of the second of

en de la companya de

 $\mathcal{L}(x,y) = \mathcal{L}(x,y)$. The $\mathcal{L}(x,y) = \mathcal{L}(x,y)$ is the set of $\mathcal{L}(x,y) = \mathcal{L}(x,y)$

the first the Archive to the Archive the Archive to Archive the Archiv





Topography and Physiography: The watershed in part of
the Allegheny Plateau, which rises to some
1900 feet above sea level. Only small areas
of the plateau remain intact, the bulk showing
a markedly rolling topography.

Two main valleys bisect the plateau, as shown in Fig. 3, where the solid line represents the 1300-ft. contour. In addition, there are a number of lateral narrow ravines, descending from the steep upper slopes, through gentler lower sides, and into rolling valley bottom with morainic deposits.

Climate: Climate is that of the New York Central Lakes
region (77), resembling closer the one of Ithaca.

Observations of 66-86 years show the following mean annual figures:

Temperature 47°F

Precipitation 30-40 ih.

Relative humidity 77%

Data for the growing season is found below:

Length 157 days

Temperature 60-65°F

Precipitation 15-18 in.

Sunshine 57% of possible

and the second of the second o

Frank Commence of the State of

· Carlan, Santa

The second of the sec

Service of the servic



Soils: Out of the 30 units mapped in the area, only eighteen of them occupied more than 1% of the total acreage. Those having more than 5% are listed below:

Soil type	Percent area
Lordstown stony silt loam	26.1
Langford silt loam	11.8
Palmyra gravelly loam	10.6
Dunkirk silty clay and silt loam	s 9.7
Wooster gravelly silt loam	7.6
Erie gravelly silt loam	7.1
Fremont gravelly silt loam	5.6

Lordstown is dominant on the hilltops, while Wooster is common at 1600-1200 feet, with Dunkirk and Palmyra further down (58).

About 70% of the area has soils derived from glacial till, 14% are lacustrine, 11% outwash, and 5% alluvial.

Nearly one-fourth of the land is poorly drained and is imperfect on another one-third, c.f. Appendix E and figure 4.

Productivity is generally low, except for the valley bottoms.

Slopes: B slope dominates, including some 40% of the area.

BB, comes second with 24%, the remainder being about equally distributed with 12% for each A,

C, and D slopes.

 $\mathbf{r} = \{\mathbf{r} \in \mathcal{R} : \mathbf{r}^{\mathsf{m}} \in \mathcal{R} : \mathbf{r}^{\mathsf{m}} \in \mathcal{R} \}$

parameter for the first of the second second

gradicija signas se kara i se kara se k Para se kara s

of potential of the second second of the second

 $(\mathbf{x}_{i}, \mathbf{y}_{i}) \in \mathbb{R}^{n} \times \mathbb{R}^{n}$


Erosion: When the conservation survey was done in the mid 1930's, erosion was not found serious on the steep forested upper valley walls, but on the irregular slopes farther down, moderate to severe sheet erosion occurred. Severe sheet erosion was found at the top of the plateau as well as near the bottom of the valley. Occasional gullies appeared on the upland (59, 67).


A breakdown of the area follows:

Erosion Class	Percent
1. No apparent erosion	13.6
2. Slight sheet erosion	22.1
3 Moderate sheet erosion	51.8
4. Severe sheet erosion	9.8
Land cut by gullies	1.9

Water is the only erosive agent and causes the greatest damage in the summer.

Land use: At the time of the survey, the water shed was about equally divided among woodlots, cropland, and pastures, with 17% idel and 2% urban lands interspersed. Half of the cultivated area was harvested for hay. The most important cash crops were beans and buckwheat, occupying 4% of the land. Spring grains and rye covered 5%.





A four-year rotation of corn, oats and 2 years of hay was prevalent.

Farming system: Dairy farming was the main enterprise, with poultry gaining importance through the years (56, 70, 71, 72, 74, 116, 119).

Land classes: As shown in figure 5, slightly more than one-half of the watershed lays in economic land class III, 28% in II, 15% in I, and less than 6% in IV (71).

Farms Included in the watershed were 263 farms, ranging in size from 5 to 450 acres, the median being 94. (See figure 6).

A little over 10% of the farms were operated by tenants, mostly on a 50-50 basis.

2. Soil Conservation Service Demonstration Project, N.Y.-2

Based on a survey of the watershed plus data from several sources, such as the Cohocton River Demonstration Project and the Arnot Experiment Station, the Cayuga Inlet Demonstration Project N.Y.-2, was set along the following main objectives (112).

- 1. Include in cooperation contracts one-half of the water-shed 12,000 acres by June 1, 1937.
- 2. Put 5,000 acres -- 20% of Project area -- under contour tillage. Out of these, strip crop 2,000.

- 3. Remove from cultivation 2000 acres of slopes over 35% slope and plant them to trees.
- 4. Retire from cultivation and put in permanent sod, 1000 acres of land on poorly drained soils with slopes over 15% plus all above 25% slopes on other soils.

Since the establishment of the Tompkins County
District in 1940, the policy has been of no interference
with the area as explained earlier.

I V

RESULTS

a; s

TABLE 6

CORRELATION OF PROJECT AND WATERSHED CHARACTERISTICS,

CAYUGA INLET VALLEY

Percent of area

	Project	Watershed
Soils:		
Lordstown Langford Palmyra Dunkirk Wooster Erie Fremont	21.2 8.4 0.4 5.5 10.4 19.2 10.4	26.1 11.8 10.6 9.7 7.6 7.1 5.6
Slope Class:		
A B BB C D	5.8 41.8 27.2 14.5 10.6	11.8 39.7 23.9 12.6 12.0
Sheet Erosion:		
None Slight Moderate Severe	9.5 19.3 63.0 8.9	13.6 22.1 51.8 9.8
Land Class:		
I II IV	4.2 28.6 51.2 16. 0	14.7 27.7 50.9 5.7

^{*}Based on 6,478.3 acres for the Project, and 22,316

for the watershed

r = 0.86, significant at 1% point.

TABLE 7

GOODNESS OF THIS SOIL CONSERVATION STATUS TEST

Average diagnostic value	1924
Correlation coefficient between two halves of test	0.82
Spearman-Brown reliability coefficient	0.9
Validity coefficients of selected in- dividual items:	
Conservation pays Conservation doesn't pay Recommended hedgerow removal carrie	0.01 0.99#
out Recommended fence removal carried of Recommended new fence constructed Stream bank control Against more tree planting Grazing methods	0.30 0.15 0.30 0.82 -0.88 0.99#
No change in land use Detrimental change in land use Woodlots of even age stand and	-0.18 -0.62
young growth Recommended improvement cutting of woodlot carried out Vegetation cover of 75-100% Little or no grazing in forest Moderate grazing in pastures Botanical composition of grassland Artificial drainage Lime status of soil Crop Strip cropping	-0.96 0.55 -0.80 0.99# -0.47 -0.90 0.34 0.01 -0.01
Grassed waterways	-0.99#

[#] Low discriminating power

se trust	
	est of the second of the secon
•	HAN STATE OF THE S
	n de de la companya d La companya de la co
•	
A STATE OF THE STA	
•	
•	

Something the state of the stat

TABLE 8

ADOPTION AND PERSISTANCE OF RECOMMENDED PRACTICES
CAYUGA INLET SOIL CONSERVATION PROJECT

	Adoption	Persistence
Land use	0.88	
Tree planting	1.48	0.40
Improvement cutting	1.00	0.77
Grazing	0.65	0.29
Open drainage	1.00	0.00
Tile drainage	1.10	0.67
Strip cropping	1.00	0.61
Correction strips	1.00	0.70
Grassed waterways	1.00	0.77
Gully control	1.00	1.00
Diversion ditches	1.00	0.91
Stream bank control	1.00	0.97
Hedgerow removal	1.00	0.98
Fence removal	1.00	0.90
New Fence	1.00	0.97

TABLE 9

TETRACHORIC CORRELATION COEFFICIENTS OF SLOPE CLASS TO CONSERVATION RATINGS

	r
A	0.73**
B :	0.26
ВВ	-0.26
c	-0.13
D	-0.60

TABLE 10

TETRACHORIC CORRELATION COEFFICIENTS OF SOIL EROSION TO

CONSERVATION RATING

	r
No apparent erosion	-0.01
Slight sheet erosion	0.03
Moderate to serious sheet erosion	0.00
Severe sheet erosion	0.03
All kinds of sheet erosion	0.01
Occasional shallow gullies	-0.60
Frequent shallow gullies	0.76**

^{**} Significant at 1% point



TABLE 11

TETRACHORIC CORRELATION COEFFICIENTS OF SOIL TYPES TO CONSERVATION RATING CAYUGA INLET SOIL CONSERVATION PROJECT

	r
Lordstown	-0.32
Gravel deposits	0.65
Chippewa	0.90**
Wooster	0.09
Muck	0.99#
Erie	0.61
Holly, Wayland and Maumee	0.97**
Small bottoms	- 0.99#
Alklaine subsoil Wooster	-0.01
Langford	-0.47**
Howard	0.99#
Fremont	0.26
Bracoville	0.99#
Dunkirk	-0.99**
Mardin	- 0.99#
Canaedea	0.01
Howard gravelly loam	0.26
Arkport	- 0.99#
Groton gravelly loam	0.14
Groton	0.997/
Deep Lordstown	-0.40
Fremont, deep phase	0.00
Erie, deep phase	-0.14
Mixed, no type predominant	-0.38

^{**} Significant at 1%

[#] One of the rating graphs showed zero acreage

TABLE 12

TETRACHORIC CORRELAT ON COEFFICIENTS OF SOIL DRAINAGE

AND CONSERVATION RATING

	r
Natural Crainage:	
Well drained	-0.18
Imperfectly drained	-0.30
Poorly drained, impervious layer deep below	0.97**
Poorly drained, impervious layer near surface	0.47
Very poorly drained	0.90**
Tile drainage:	
Satisfactory	0.34
Unsatisfactory	- 0 . 55

TABLE 13

TETRACHORIC CORRELATION COEFFICIENTS OF LIME CONTENT IN SOIL PROFILE AND CONSERVATION RATING

	${f r}$
Very low	0.00
Low	0.06
Medium	0.01
High	-0.33

^{**} Significant at 1% point

TABLE 14

TETRACHORIC CORRELATION COEFFICIENTS OF LAND USE AND

CONSERVATION RATING

	Recommended	Present
	r	r
Forest	-0.09	-0.30
Pasture	0.14	-0.07
Cropland	-0.09	-0.40
Orchard	-0.30	0.59
Wildlife	0.45	0.45
Farmstead	0.30	0.24
Miscellaneous	0.59	-0.03
Idle	0.96	-0.45
None	-0.997.	- 0.99#

TABLE 15

TETRACHORIC CORRELATION CONFFICIENTS OF CHANGES IN LAND USE AND CONSERVATION RATING

	r
No change	-0.18
Harmless change	-0.50
Harmful change	-0.62

[#] one of the rating graphs showed zero acreage

and the state of t

TABLE 16

TETRACHORIC CORRELATION COEFFICIENTS OF LAND CLASS
TO CONSERVATION RATING

	r
Land Class II	0.14
Land ClassIII	-0.44
Land Class IV	0.78**

TABLE 17

TETRACHORIC CORRELATION COEFFICIENTS OF PRODUCTIVE-MAN-WORK UNITS TO CONSERVATION RATING

	r
PMWU in crops	-0.18
PM/U in livestock	-0.59
PMWU in crops and livestock	-0.47
PMWU per man	-0.60

TABLE 18

TETRACHORIC CORRELATION COEFFICIENTS BETWEEN CHANGES IN FARMING TYPE AND CONSERVATION RATING

No change	-0.85**
Shift towards poultry	0.85**
Other shifts	0.45

^{**} Significant at 1% point

TABLE 19

TETRACHORIC CORRELATION COEFFICIENTS OF WOODLOT ITEMS AND CONSERVATION RATING

	r
Type:	
Natural wood-tree Northern hardwoods One-species plantation Three-species plantation	-0.99# -0.96** 0.99# 0.99#
Stand:	
Uneven age, young growth Uneven age, merchantable growth Uneven age, mixed growth Even age, young growth	-0.45 -0.99# -0.03 -0.96**
Planting:	
As recommended Satisfactorily modified Unsatisfactory Not recommended but carried out	0•99# =0•99# =0•99# 0•99#
Improvement cutting:	
Satisfactory U:ns:atisfactory	0.55 -0.99#

^{**} Significant at 1% point
One of the rating graphs showed zero acreage

n	
· · ·	-4A + 4A + 2A + 4A + 4A + 4A + 4A + 4A +
	and the second second second
* *	

a *·	er.	
en e	•	
V - ""	•	
ing of the second of the seco		. *

			•	
•			en in Programme	
The state of the s		* * * * * * * * * * * * * * * * * * *		: 41
and the property of the second				5 4 4 1 1
• "	* .			

(x,y) = (x,y) + (x,y
2. 1881 J. 4892 E. 1284

	· · · · · · · · · · · · · · · · · · ·

ing section of the se

TABLE 20

TETRACHORIC CORRELATION COEFFICIENTS OF GROUND BARE AND CONSERVATION RATING

None or less than one-fourth	-0.80
About one-fourth	0.30
About three-fourth	-0.99

TABLE 21

TETRACHORIC CORRELATION COEFFICIENTS OF GRAZING AND CONSERVATION RATING

Forest:

Little or no grazing	0.38
Moderate grazing	-0.99 %
Pasture:	
Little or no grazing	-0.96**
Moderate grazing	-0.47**

^{**} Significant at 1% point

[#] One of the rating graphs showed zero acreage

(x,y) = (x,y) + (x,y

 $I_{ij} = I_{ij} + I$

n telephone i de la companya de la c

·

and the second of the second o

in the second of the second of

TABLE 22 TETRACHORIC CORRELATION COEFFICIENTS BETWEEN GRASSLAND ITEMS AND CONSERVATION RATING

		r
Grass-legume	ratio.:	
Less than	1:3	-0.55
About	1:3	-0.83**
About	1:1	-0.86**
About	3:1	-0.90**
More than	3:1	-0.62
Weeds predomin	- 0.99#	
Brush encroac	hments	0.97**
Presence of:	Alfalfa	-0.45
	Red Clover	-0.45**
	Timothy	-0.55
	Kentucky Bluegrass	-0.39
Adequate water	r in pasture	-0.76**
No shortage in	n midsummer pasture	-0.59**

^{**} Significant at 1% point # One of the rating graphs showed zero acreage

		:	i i kan di manda da kan ka
e de la companya de		• 1.	er in sil
· · · · · · · · · · · · · · · · · · ·		• 1	A state of the sta
		<i>;</i>	eraç",
The Control of			
1. (1) - (1)		# 15 T	
, 1 - .		;	the grade of the
Mary.			en de la Sylla de Sylla de Sylla
. j . j . j . .			
of State of the	•		
i.e.			d.
1 m - 11	* · ••		
		12 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +	motor electrical
,	v 15	general constant	and the date of
			Marine the second of the secon

n describition of the state of

TABLE 23

TETRACHORIC CORRELATION COEFFICIENTS BETWEEN CROP CLASS AND CONSERVATION RATING

Meadow	0.30
Grain	0.00
Row crop	-0.93**

TABLE 24

TETRACHORIC CORRELATION COEFFICIENTS BETWEEN STRIP CROPPING AND CONSERVATION RATING

Strips recommended:

:Present as recommended	0.30
Modified without harm: Removed from cultivation Made wider Made straighter Made wider and straighter	0.03 -0.82** 0.69**
Modified with damage	-0.72**
Plowed up Never laid on the land	-0.76** -0.14
Strips not recommended but present	0.55
Correction strips, as recommended	0.65

^{**} Significant at 1% point

en de la companya de la co

•

TRANSPORT OF LEED TO SEE LEADING

TABLE 25 TETRACHORIC CORRELATION COEFFICIENTS BETWEEN MISCELLANEOUS ITEMS AND CONSERVATION RATING

	r
Attitude in favor of conservation Attitude in favor of more technical	0.01
help	0.30
Attitude against tree planting	-0.88**
Unsatisfactory grassed waterways	0.71
Hedgerow removed	0.30
Fence removed	0.15
Fence built	0.30
Stream bank control satisfactory	0.82**
Want son to farm same farm	-0.15
Crop manured	0.15
Way in which manure is handled	0.14

TABLE 26 LAND USE

CAYUGA INLET SOIL CONSERVATION PROJECT

	Recommended, 1935-40		Present, 1951 , 52	
	Acres	Percent	Acres	Percent
Pasture Cropland Forest Farmstead Wildlife Orchard Miscellaneous Idle None	2,498 2,164 1,647 107 30 26 23 2	38,4 33.4 25.2 1.7 0.5 0.4 0.4	2,279 1,642 1,154 91 13 8 9 556 5	39.6 28.6 20.0 1.6 0.2 0.1 0.2 9.7
	6,499	100.0	5,756	100.0

^{**}Significant at 1%point
* less than 0.1%

CONTINUE DE LA CONTIN

The state of the s	# 1 ## 126 # 1 ## 1 ## 1 # 1 # 1 # 1 # 1
	i dise Si sunti di Sensiti de Sili di Sensiti di Se Si sunti di Sensiti di
	The first of the f
e en	er i de la companya del companya de la companya del companya de la
48 To 1 To 1	

	1.5		
100		£.	

	s Kaling	. Av. ta Light		
			atol"	
Total Sub- Total Pos	性.			
	**************************************	Part Torre		

n ingelija in die 1900 eeu na 1900 eeu Taloo ka 1900 eeu na 1900 e

TABLE 27

LAND CLASS
CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres	Percent
Class I	277.2	4.2
Class II	1,849.8	28.6
Class III	3,331.9	51.2
Class IV	1,039.7	16.0
	6,498.6	100.0

TABLE 28

FARM OPERATOR CHANGES, 1940 to 1952
CAYUGA INLET SOIL CONSERVATION PROJECT

Same operator	24
New operator, same family	20
New operator, no kin	20
No operator	<u>2</u> 66

1.7

TABLE 29

SOIL TYPES, OLD AND NEW CLASSIFICATIONS CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres		Perc	Percent	
	Old	New	Old	New	
Arkport (now Dunkirk)	62.0	1.0	1.0	0.0*	
Braceville	9.3	9.3	0.1	0.1	
Canaedea	186.1	186.1	2.9	2.9	
Cazenovia	4.9	4.9	*	*	
Chagrin and Genesee	15.6	15.6	0.2	0.2	
Chippewa	76.6	76.6	1.2	1.2	
Dinkirk	356.0	418.0	5•5	6.4	
Eel and Middlebury	25.8	25.8	0.4	0.4	
Erie	762	762.9	11.7	11.7	
Erie, deep phase (now					
Langford)	485.0	0.0	7.5	0.0	
Fremont	431.4	431.4	6.6	6.6	
Gravel deposits	25.3	25.3	0.4		
Granby	10.5	10.5	0.2	0.2	
Groton gravelly loam					
(now Palmyra)	478.2	0.0	3.5	0.0	
Groton	109.9	109.9	1.7	1.7	
Fremont, deep phase					
(now Mardin)	241.0	0.0	3•5	0.0	
Holly, Mayland and					
Maumee	91.7	91.7	1.4	1.4	
Howard	63.3	63.3	1.0	1.0	
Langford	548.1	1,033.1	8.4	15.9	
Lorstown	1,012,4	1,373.5	15.5	21.1	
Lordstown, deep phase	361.1	0.0	5.6	0.0	
Mardin	14.1	255.1	0.2	3.9	
Muck	30.2	30.2	0.5	_	
Palmyra	29.7	507.9	0.5	0.5	
Small bottoms	24.8	24.8	0.4	0.4	
Valois	0.0	202.9	0.0	3.1	
Volusia	89.4		1.4	1.4	
Wooster	472.8	472.8	7•3	7.3	
Alkaline subsoil Wooste	r	0 0	7 4	0.0	
(Now Valois)	202.9	0.0	3.1	0.0	
	0,479.4	6,479.4	100.0	100.0	

^{*} Less than 0.1%

V.	E.	+ **	<	
* *				
	1	. •	e • ***	
	•			
				and the second s
			•	
		* 12 * 12 * 28		
•		• 13		
	•	, 24		1.61 to 20
,	•		****	
-	•		4	
1	• •			
1	•			
	•			
	•			
f	* * * * * * * * * * * * * * * * * * *			
		•		
				in the second
· e	, A			
1 t				and the second s
1		:	1.0	ranka izinga ya
			· • • · · · · · ·	awa. Haji
• **.				The second of the first
, a	As exist		•	
	a. ·			j. gesta
		, .	- 1	i desta 1980 i li 1981 i li 1982
	•	÷		
•		No.	•	
	÷.		. 14. 4	
N. J. Commission	•			
				Million de la propieta de la companya del companya della companya
		7 + . f		Miller Berkert in der Schaller Kalendar
***************************************			20. 10.000 pr	
		•	•	

Committee of the second of the second



TABLE 30

SOIL EROSION
CAYUGA INLET SOIL CONSERVATION PROJECT, 1934-1940

	Acres	Percent
Recent deposition	0.3	*
No apparent erosion	615.1	9.4
Slight sheet erosion	1,250.5	19•2
Moderate to serious sheet erosion	4,072.0	62.4
Severe sheet erosion	576.6	8.8
Very severe sheet erosion	3.0	*
Land slides	0.2	*
Occasional shallow gullies rossable	1.0	•
Occasional gullies, not crossable	157•2	2.4
Frequent gullies, not crossable	25.0	0.4

TABLE

SLOPE CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres	Percent
A	377•8	11.8
В	2,710.4	39.7
BB	1,763.5	23.9
C	938.8	12.6
D	<u>687.8</u>	12.0
	6 , 478 . 3	100.0

^{*} Less than 0.1% based on 6,518.7 acres

TABLE 31

SOIL DRAINAGE
CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres	Percent
Well drained	3,262.8	50.4
Imperfectly drained	1639.9	25.3
Poorly drained	1,575.6	24.3
	6,478.3	100.0

TABLE 32

SOIL PROFILE CONDITIONS
CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres	Percent
Friable thruout	3,257.9	50.3
Hardpan present	1,417.0	21.8
Impervious layer near the surface	1,400.2	21.6

in the state of th

TABLE 33

LIME CONTENT OF SOIL PROFILE
CAYUGA INLET SOIL CONSERVATION PROJECT

Lime in soil material	Subsoil Reaction	Acres	Percent
Very low	Acid	2,947.9	47.6
Low	Aci d	2,109.6	34.0
Moder ate	Slightly acid	92.5	1.5
High	Neutral or slightly acid	1,044.8 6,194.8	16.9 100.0

TABLE 34

ORIGIN OF SOILS
CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres	Percent
Bottom lands	188.1	2.8
Lacustrine	614.6	9•5
Terrace and outwash	690.4	10.6
Upland till, acid	2,702.3	41.4
Upland till, slightly calcareous	1,998.9	30.9
Complex	285.1	4.4
	6,479.4	100.0

TABLE 35

STRIP CROPPING
CAYUGA INLET SOIL CONSERVATION PROJECT

	Acres	Percent
Strips recommended:		
Present as recommended Modified without damage:	578.8	46.6
Removed from cultivation	131.2	10.6
Strips made wider	160.9	12.9
Strips made straighter	59•9	4.8
Wider and straighter	80.7	6.5
Modified with damage	27.8	2.2
Plowed up	147.2	11.9
Never laid on the land	23.0	1.9
Strips not recommended but		
Present	22.4	1.8
	1,237.7	100.0

TABLE 36

DIVERSION DITCHES BULLT
CAYUGA INLET SOIL CONSERVATION PROJECT, 1951-52

	Feet	Percent
Working satisfactorily	31 , 350	91.0
Silted	2,280	6.6
Inadequate buffer strip	830.	.2.4
	34,460	100.0

Correction Strips -- Out of only 4 correction strips surveyed, one had been plowed up, one removed from cultivation, and two remained as recommended. Their average size was 1.6 acres.

	And the second section of

	<u> </u>	
	* (F)	
*	the state of the s	
• "		e in the entropy of the sequence of
	•	
₩.,		
•	,	

 	and the second of the second o

	Jan Carlon (1997) Professor (1997)

•	e e e e e e e e e e e e e e e e e e e	i es
÷ •		

Harris (H. 12), St. C. St. St. St. St. St. St. St. St. St. St		4.		and the second s
and the second	******		+ 14	en ereker ereker Kanada in Sangaran ereker Kanada in Sangaran ereker

TABLE 37

TILE DRAINS INSTALLED CAYUGA INLET CONSERVATION PROJECT

Farms, number	22
Fields affected, number	49
Fields affected, acreage	189.6
Length of tile, feet	20,043
Acres of fields where: Recommended and working Not-recommended and working Recommended and not operating	123 . 1 15 . 5
satisfactorily	51.4

TABLE 38

MISCELLANEOUS DATA

CAYUGA INLET SOIL CONSERVATION PROJECT

Number of farms	70
Number of fields	1,617
Project recommendations on: Hedgerow removal Fence removal Fence building Stream bank control	90,005 feet 266,730 feet 132,925 f eet 6,400 feet
Fields with satisfactory waterway	ys 32
Field with satisfactory gully con	ntrol 13
Acres in fields with unsatisfactor open drainage	ory 44.1
Acres in non-cropland cultivated	224

and the second of the second o

17 6

and the second of the second o

CONCLUSIONS

It is felt that data presented under part IV supports the following conclusions.

A) On the Method

- 1. This approach constitutes a sufficiently reliable tool to analyze soil and water conservation, though there is room for considerable improvement towards the theoretial maximum diagnostic value.
- Validity of individual items as indicators of conservation varies widely. It is not considered advisable to reduce the number of items until more is learned about their behaviour when applied to other areas.

B) On the Cayuga Inlet Project

- 3. Farms included in the Project are a representative sample of the whole watershed.
- 4. There has been high adoption of conservation practices, reflecting the large ex-
- were carried out by Soil Conservation Service personnel.



- 5. Persistence of practices is generally good, except for those where the farmers encountered particularly difficult problems.
- 6. Conservation status appeared to be significantly related to the following items:
 - A) Presence of level land
 - b) Presence of frequent gullies
 - c) Presence of a few soil types,
 namely, Chippewa, Langford, Dunkirk
 - d) Very poor drainage and also poor one when impervious layer was deep in the profile
 - e) Presence of land of the best economic class (Class IV) in the area
 - f) Presence of woodlots of northern hardwoods, of even age and young growth
 - g) Shift to poultry or no change in farming type
 - h) Grazing intensity of pastures and completeness of vegetation cover, as well as botanical make-up
 - i) Adequate supply of midsummer forage and of water in pastures
 - j) Existence of row crops

- en de la companya della companya della companya della companya de la companya della companya del
- ta de la composition de la composition
- en en tratago de la companya del companya de la companya del companya de la compa
- - e de la capación de l La capación de la cap
 - to saw in section .

- k) All modifications of strips except for turning them into meadow
- 1) Control of streambanks
- m) Farmer's attitude towards tree planting
- 7. Even though idle land has been reduced from 17% of the area in 1935 to 9.7% at present, it is still far from being eliminated.
- 8. There has been an increase in pasture with reduction of cropland.
- 9. Two-thirds of the farms have new owners.
- 10. Drainage problem areas include one-half
 of the acreage. Diversion ditches have
 proved very effective and about two-thirds
- 11. Over 70% of the soils are of glacial origin and 80% of them low in lime.
- 12. Almost one-half of the strips laid on the land have been altered to fit changing farming needs but, fortunately, most modifications do not appear to have been harmful.
- 13, The Cayuga Inlet Project, taken as a whole, has been a clear success and a credit to

those that planned and carried it out.

SUMMARY

In spite of the national importance of soil conservation, research on it has been handicapped by the lack of adequate instruments, either to measure conservation status over a given area or to appraise individual practices.

A method to analyze soil and water conservation is proposed here and the kind of information obtainable is illustrated with data from its application to the Cayuga Inlet Soil Conservation Project, New York. This approach is essentially based on the concepts of achievement testing and the findings of soil conservation research.

BIBLIOGRAPHY

- Ableiter, J. K.
 1937. Productivity ratings in the soil survey report.
 Soil Sci. Soc. Amer. Proc. 2:415-422.
- 2. Adkins, Dorothy C. 1947. Construction and analysis of achievement tests. U. S. Government Printing Office, Washington, D. C.
- 3. Aldrich, Samuel R.
 1952. Fertilizers for Field Crops, 1952.
 (N. Y.) Cornell Ext. Bul. 780 Revised.
- 4. American Rural Index Corporation
 1920. "Clock System" Rural Index.

 Danby and Newfield Towns
 Issued by Tompkins County Farm Bureau, Ithaca,
 N. Y.
- 5. Anderson, H. O. 1947.48. Soil Conservation Pays.
 - I. Effect on farm production and income.
 - II. Effects of specific soil conserving practices on yields and costs.
 - III. Larger incomes from complete farm conservation plans.
 - 30 p. La Crosse, Wis. U.S. Soil Conservation Service
- 6. Aull, G. H., Gabbard, L. P., and Timmons, John F. 1950. United Nations Scientific Conference on the Conservation and Utilization of Resources. <u>Jour. Farm Econ</u>. 32:95-111
- 7. Baker, V. W.
 1950. The economic implications of conservation.
 Western Farm Econ. Assoc. Proc. 23:141-143.
- 8. Bennet, H. H.
 1939. Soil Conservation. Pp. 993
 McGraw-Hill Book Co., New York.
- 9. Benton, Mildred
 1941. Economic and social aspects of soil conservation. Pp. 24.
 U. S. Dept. Agr., Soil Conservation Service,
 Library Hist. 2.

e de <u>interpretarior de la company de la com</u>

- 10. Berger, K. C., Hole, F. D., Beardsley, J. M.
 1951. The Wisconsin soil productivity score card.
 Amer. Soc. Agron. and Soil Sci. Soc. Amer.
 1951. Meetings. Abstracta: 75.
- 11. Black, J. D.
 1946. Tailored credit for land improvements.
 J. Farm Econ. 28:596-604
- 12. Bunce, A. C.
 1939. The farmer looks at soil conservation in southern Iowa.

 <u>Iowa Agr. Expt. Sta. Bul. 381.</u>
- 13. Bunce, A. C.
 1941. Time preference and conservation.
 Jour. Farm Econ. 22:533-543
- 14. Bunce, A. C.
 1941. Society and conservation
 Land Policy Review 4(6):13-22.
- 15. Bunce, Arthur Cyril
 1942. Economics of soil conservation. Pp. 227
 Towa State College Press, Ames, Towa.
- 16. Bunce, A. C.
 1942. Public policy and action for conservation

 Jour. Farm Econ. 24:97-108

 Reviews in p. 361.
- 17. Bunce, A. C.
 1942. War and Soil Conservation.

 Jour. Land and Public Utility Economics
 18 (2):121-133.
- 18. Bunce, A. C.
 1942. A method of estimating the economic effects of planned conservation on an individual farm 28 p. U. S. Dept. Agric. Misc. Pub. 463
- 19. Campbell, W. W.
 1947. Our part in soil conservation.

 <u>Miss. Banker</u> 32(2):18, 38, 40, 42.
- 20. Casey, R. S., and Perry, J. W. editors
 1951. Punched Cards. Their applications to science
 And industry. Pp. 506.
 Reinhold Publishing Corp., New York.

- 21. Ciriacy-Wantrup, S. Von
 1938. Economic aspects of land conservation
 Jour. Farm Econ. 20:462-473
- 22. Ciriacy-Wantrup, S. Von
 1941. Economics of joint costs in agriculture.
 J. Farm Econ. 23:771-818
- 23. Ciriacy-Wantrup, S. Von
 1942. Private enterprise and conservation
 J. Farm Econ. 24:75-96
- 24. Ciriacy-Wantrup, S. Von
 1947. Capital returns from soil-conservation
 practices.

 J. Farm Econ. 29:1181-1196.

 Discussion 1196-1202.
- 25. Coddington, J. W., and Derr, D. E.
 1939. An economic study of land utilization in the
 tobacco area of southern Maryland.
 Md. Agr. Exp. Sta. Bul. 424.
- 26. Collier, George W.
 1945. Procedures for studying the returns from conservation farming.

 J. Farm Econ. 27:686-688
- 27. Cope, J. A., and Winch, Fred E.
 1948. Know Your Trees.
 N.Y. Cornell 4-H Club Bul. 85
- 28. Cope, J. A.
 1948. Trees and products of farm woodland
 N.Y. Cornell Ext. Bul. 722.
- 29. Cope, J. A.
 1950. Care and culture of farm woodlots
 N.Y. Cornell Ext. Bul. 716.
- 30. Cornell, Jr., F.D.
 1936. A social and economic survey of the Spencer soil conservation area.
 West Va. Agr. Expt. Sta. Bul. 269.
- 31. Crikman, C. W.
 1949. Interregional economic and social aspects of
 of an objective evaluation of soil conservation.
 J. Farm Econ. Proc. 31:660-663.

- - and Angeles an Angeles and Ang Angeles and Angeles and
- - - s de la proposición de la proposición de la composición del composición de la compos
 - e de la composition La composition de la La composition de la
- A section of the control of the contro

- 32. Cummings. Gordon J.
 1950. The differential adoption of recommended
 farm practices among dairymen in a New York
 community. Typewritten. pp. 144.
 Cornell Univ. Master's Thesis, Ithaca, N. Y.
- 33. Dwyer, C. H.
 1950. A method of computing conservation benefits of a range program.
 J₂ Soil and Water Conserv. 5:115-124,126
- 34. Duncan, O. D.
 1940. A sociclogical view of soil conservation
 Soil Conservation 5 (11):
- 35. Ely, Richard T., Hess, Raolph H., Leith, Charles K., and Carver, Thomas N.
 1913. The foundations of national prosperity p. 378.
 Macmillan, New York.
- 36. Ely, Richard Theodore.
 1916. Conservation and economic theory Amer. Institute of Mining Engineers. Bul. 109:211-226
- 37. Ely, R. T. and Wehrwein, G. S. 1940. Land economics. Pp. 363 Macmillan Co., New York.
- 38. Foster, E. A., and Vogel, H. A.
 1940. Cooperative land use planning -- a new development in democracy,
 U. S. Dept. Agr. Yearbook, Farmers in a changing World, 1940:1138-1156
- 39. Francis D. R.

 1946. Bank credit by soil conservation
 Federal Reserve Bank of St. Louis.
- 40. Frear, D. E. H.
 1951. Correlation of research data and establishment of cause and effect relationships.

 In Punched Cards, edited by Casey and Perry,
 pp. 305-310
- 41. Gaines, S. H., Vincent, F., Bloom, M., Carter, J. F. 1938. Bibliography on soil erosion and soil and water conservation.
 U.S.D.A., Misc. Pub. 312

- 42. Gibson, Jr., W. L.
 1937. An economic study of farming in Appomattox
 County, Virginia.
 Va. Agr. Exp. Sta. Bul. 311
- 43. Gibson, Jr. W. L.
 1940. Farm management aspects of soil conservation
 on flue-cured tobacco farms in Virginia.
 Va. Agr. Exp. Sta. Bul. 327
- 44. Gray, L. C.
 1913. The economic possibilities of conservation.
 Quarterly Jour. Economics 27:497-519
- 45. Grayson, P. E.

 1952. The sampling significance of physical variability among New York farms. Pp. 298

 Cornell Univ. Ph.D. Thesis, Ithaca, N.Y.
- 46. Grimes, W. E.
 1938. Goals in conservation policy.
 Jour. Farm Econ. 20:247-256
- 47. Hammar, C. H.
 1931. Economic aspects of conservation.

 Jour. Land And Public Utility Econ.
 7:282-290.
- 48. Hammar, C. H.
 1942. Society and conservation.

 Jour. Farm, Econ. 24:109-123
- 49. Hastings, W. G.
 1900. The development of law as illustrated by the decisions relating to the police power of the state. Amer. Philosophical So., Proc.
 39 (163):359-554.
- 50. Hawkes, H. E., Lindquist, E. F., and Mann, C. R. 1936. The construction and use of achievement examinations pp. 496
 Houghton Mifflin Co., Boston.
- 51. Heady, Earl O.
 1949. Cooperating in objective soil conservation research. J. Farm Econ., Proc. 31:664-667/
- 52. Heady, E. O.
 1951. Efficiency in public soil conservation program.
 Jour. Political Econ.

en de la companya de An en la companya de la companya de

- 53. Heady, Earl O.
 1950. Some fundamentals of conservation economics and policy. Jour. Farm Econ. 32:1182-1195
- 54. Heady, Earl O., and Scoville, O. J.
 1951. Principles of conservation economics and policy.
 Iowa Agr. Exp. Sta. Res. Bul. 382.
- 55. Hedge, A. M.
 1949. Soil conservation puts cash in the Treasury.
 Soil Conserv. 14:195-196
- 56. Henderson, Philip A.
 1940. An economic study of farming in Tompkins
 County, New York, 1937.
 N Y. (Cornell) Agr. Exp. Sta. Bul. 728.
- 57. Hotelling, H.
 1931. The edonomics of exhaustible resources.
 Jour. Political Econ. 39:137-175
- 58. Howe, F. B., Buckman, H. O., and Lewis, H. G. 1924. Soil survey of Tompkins County, New York. U. S. Dept. Agric, Bur. Soils.
- 59. Howe, F. B., and Adams, H. R.
 1936. Soil erosion in New York.
 N. Y. (Cornell) Ext. Bul. 347.
- 60. Illinois Agricultural Experiment Station
 1951. Research on Economics of Soil Conservation,
 in Cooperation with U.S.D.A., S.C.S.
 Mimeographed.
- 61. James, H. G.
 1949. What John Smith needs to know about the benefits and costs of soil conservation.

 J. Farm Econ. Proc. 31:651-654
- 62. Johnson, N. W.
 1939. Sorting and sampling farms for soil conservation research.

U. S. Dept. Agric.

63. Johnson, N. W.
1940. Analysis of the present program of research in the economics of soil conservation and suggestions for its improvement.
U. S. Dept. Agric.

Digitized by Google

- 64. Johnson, M. W.
 1941. Conservation -- An objective or an ideal?

 <u>Jour. Farm Econ.</u> 23:819-832
- 65. Johnson, N. W.
 1942. Needed developments in the evaluation of soil
 conservation benefits.

 Jour. Farm Econ. 24:193-156.
 - Johnson, Neil W.
 1943. Analysis of the present program of research in the economics of soil conservation, and suggestions for its improvement.
 U. S. Dept. Agric., Bur. Agric. Econ. Mar. 1943. pp. 14-15.
- 67. Lamb, Jr. John., Andrews, J. S., and Gustafson, A. F. 1944. Experiments in the control of soil erosion in southern New York.

 N. Y. (Cornell) Agr. Expt. Sta. Bul. 811.
- 68, Landis, L.
 1945. It pays to farm well
 Banking 37 (12):55
- 69. Lange, G.
 1941. A neglected point in soil conservation.

 Jour. Farm. Econom. 23:467-474.
- 70. Lewis, A. B.
 1933, (Methods used in an economic study of land utilization in Tompkins County, N. Y.)
 Pp. 25. Mimeographed. Ithaca.
- 71. Lewis. A. B.
 1934. An economic study of land utilization in
 Tompkins County, New York.
 N. Y. (Cornell) Agr. Expl Sta. Bul. 590
- 72. McGurk, John Leo
 1951. Farm Management Adjustments in Tompkins County,
 1907 to 1947. Cornell Univ. Ph.D. Thesis
 Pp. 167., Ithaca, N. Y.
- 73. McNall, P. E.
 1940. Economic phases in soil erosion control
 Jour. Farm Econ. 22:613-620
- 74. Misner, E. G.
 1942. Thirty years of farming in Tompkins County,
 New York.
 N. Y. (Cornell) Agr. Exp. Sta. Bul. 782.

		-		
				•
	•	* .		
ing and the				
• •		eng salah di Salah	19 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
A			* a,	
		e e e	tur i fil	1.* •
	en e		•	

			· · · · · · · · · · · · · · · · · · ·	
€ Company	¥		÷	
<pre>*####################################</pre>				tanan salah sa Salah salah sa

- 75. Moody, R. E.
 1941. Mr. Bunce on time preference and conservation.
 Jour. Farm Econ. 23:645-649.
- 76. Moore, George C.

 n.d. A study of the influence of strip cropping
 on the average length of fields.

 Bath, N. Y.
- 77. Mordoff. R. A.
 1949. The climate of New York State
 N. Y. (Cornell) Ext. Bul. 764.
- 7. Morison, F. L., and Falconer, J. I.
 1939. The relationship between soil maintenance and profitable farming.
 Ohio Agr. Exp. Sta. Bul. 604
- 79. Mosier, C. I., and McQuitty, J. V.
 1940. Nathods of item validation and abaca for itemtest correlation and critical ratio of upperlower difference,
 Psychometrika 5(1):57-65.
- 80. Mosher, M. L., and Case, H. C. M.
 1938. Farm practices and their effects on farm earnings.
 Illinois Agr. Expt. Sta. Bul.444.
- 81. Nelson, A. Z.
 1942. Conservation expenditures on federal lands.

 Jour. Farm Econ. 24:611-620
- 82. New York (Cornell) College of Agriculture
 1950. Conservation services available to New York
 farmers....
 N. Y. (Cornell) Ext. Bul. 788.
- 83. New York State Soil Conservation Committee
 1951(?)New York State Soil Conservation Districts.
 10 Years of Progress (1940-1950) Report.
- 84. Norton, E. A.
 1939 Soil conservation survey handbook.
 U. S. Dept. Agr. Misc. Pub. 352.
- 85. Osgood, O. T.

 1941. Some observations on the relation of farm land tenure to soil erosion and depletion.

 Jour. Land and Public Utility Economics
 vol. 17 (4):413-414.

- 86. Peterson, G. M.
 1937. Diminishing returns and planned economy
 Pp. 254, Ronald Press, New York.
- 87. Peterson, M. J.

 1940. An economic study of agriculture in the
 Little Beaverdam Creek area, Anderson County,
 South Carolina.

 South Carolina Agr. Expt. Sta. Bul. 332.
- 88. Pigout, A. C.
 1932. The economics of welfare 4th ed., pp. 976.
 Macmillan Co., London.
- 89. Pubols, B. H., Orr, A. H., and Heisig, C. P.
 1939. Farming systems and practices and their relationship to soil conservation and farm income in the wheat region of Washington.
 Wash. Agr. Exp. Sta. Bul. 374
- 90. Regan, M. M., and Weitzell, E. C.
 1947. Economic evaluation of soil and water conservation measures and programs.
 J. Farm Econ. 29:1275-1294.
- 91. Salter, Leonard A.
 1948. A critical review of research in Land Economics
 Pp. 258. Univ. of Minnesota Press, Minneapolis.
- 92. Salter, R. M., Lewis, R. D., and Slipher, J. A. 1936. Our heritage -- the soil.

 Ohio Agr. Exp. Sta. Bul. 175
- 93. Saltonstall, Jr., Leverett, Comp.
 1952. Hay and pasture seedings for '52.
 (N. Y.) Cornell Ext. Bul. 781 Revised.
- 94. Sauer, Elmer Louis
 1947. Economics of soil and water conservation:
 Effects of practices followed on farms in
 selected Illinois areas.
 Univ. of Illinois Ph.D. Thesis, Abstract.
 Urbana, Ill.
- 95. Sauer, E. L.
 1947. Long time benefits of conservation.
 Ill. Farm Economics No. 145:533-536.

Digitized by Google

- 96. Sauer, E. L.
 1949. Methods of evaluating soil conservation measures
 J. Farm Economics Proc. 31:655-659
- 97. Sauer, E. L., McGurk, J. R., and Norton, L. J.
 1950. Costs and benefits from soil conservation in
 northeastern Illinois.

 Ill. Agr. Exp. Sta. Bul. 540:561-596
- 98. Schickele, Rainer, Himmel, J. P., and Hurd, R. M.
 1935. Economic phases of erosion control in southern
 Iowa and northern Missouri. Iowa Agr. Expt.
 Sta. Bul. 333.
- 99. Schickele, Rainer
 1937. Economics of agricultural land use adjustments.
 I. Methodology in soil conservation and agricultural adjustment research.
 Iowa Agr. Exp. Sta. Res. Bul. 209
- 100. Schickele, Rainer, and Himmel, J. P.
 1938. Socio-economic phases of soil conservation
 in the Tarkis Creek area.

 <u>Iowa Agr. Expt. Sta. Res. Bul.</u> 221
- 101. Stallings, J. H.
 1950. Abstracts of recent published material on soil and water conservation IV.
 U.S.D.A. PA 143.
- 102. Stallings, J. H.
 1951. Abstracts of recent published material on soil and water conservation. V.
 U.S.D.A. PA 173, 66p.
- 103. Taylor, M. C.
 1947. An evaluation of "Evaluating Soil Conservation".
 Rejoinder by Weitzell, E. C. pp. 974-976
 J. Farm. Econ. 29:966-973
- 104. Taylor, M. C., and Baker, V. W.
 1947. Soil conservation and farm income in the
 Palouse wheat-pea area.
 Wash. Agr. Expt. Sta. Pop. B. 186.
- 105. Tom, C. A.
 1940. Time requirements and costs of farm operation
 on strip-cropped and non-strip-cropped fields.
 N. Y. State College of Agric. A. E. 329.

our Areron out of the second o

- 106. Tyler, Ralph W.
 1949. The road to better appraisal
 Nat'l. Education Assoc. Journal 38:336-337
- 107. Umstattd, J. G.
 1947. Instructional procedures at the college level.
 Pp. 195. University of Texas, Austin, Tex.
- 108. United States Department of Agriculture
 1951. Agricultural Statistics
 Pp. 742.
 U. S. Government Printing Office, Washington, D.C.
- 109. United States Department of Agriculture Library
 1942-- Bibliography of Agriculture
 U. S. Government Printing Office,
 Washington, D. C.
- 110. U. S. Department of Agriculture, Production and Marketing Administration.

 1951. New York Agricultural Conservation Program.

 Handbook for 1952.

 U. S. Dept. Agric.
- 111. United States Department of Agriculture, Soil Survey Staff
 1951. Soil survey manual. Pp. 503
 U. S. Dept. Agr. Handbook 18.
- U. S. Soil Conservation Service Files
 1935. Project work program of the Cayuga Inlet
 Soil Conservation Project, N. Y., 2. Pp. 27.
 1939. Soil Conservation Survey Report, Cayuga Inlet
 Watershed, Ithaca, N. Y., by J. W. Roehl
 and H. C. Knoblauch, P. J. Cladwin, and
 E. J. Kahabka. Pp. 67.
 Typewritten.
- 113. United States Soil Conservation Service
 1946. Land Capability legend: land use symbols,
- 114. U. S. Soil Conservation Service
 1950. Summaries of annual reports of research project
 supervisors for calendar year 1949, by G. R. Stewart
 122 p., Washington, D. C.
- 115. U. S. Soil Conservation Service
 1951. Books, booklets and bulletins on soil and water conservation. P. 15.
 Washington, D. C.

Digitized by Google

- 116. Vaughan, Lawrence M.
 1928. Abandoned farm areas in southern New York.
 pp. 345. Typewritten
 Cornell Univ. Ph. D. Thesis, Itaca.
- 117. Walter, D. H.
 1938. An economic study of farming in the Crooked Creek
 area, Indiana and Armstrong Counties, Pennsylvania.
 Penna. Agr. Expt. Sta. Bul. 369.
- 118. Wantrup, S. V.
 1951. Dollars and sense in conservation.
 Calif. Agr. Expt. Sta. C. 402.
- 119. Warren, G. F., and Livermore, K. C.
 1911. An agricultural survey. Townships of Ithaca,
 Dryden, Danby, Lansing, Tompkins County,
 New York.
 N. Y. (Cornell) Agr. Exp. Sta. Bul. 295.
- 120. Weitzell, E. C.
 1939. Economic implications of soil conservation
 in Marshall County,
 West Va. Agr. Expt. Sta. Bul. 293
- 121. Weitzel, E. C.
 1941. Farm management for soil conservation in the
 Harrison area.
 West Va. Agr. Expt. Sta. Bul. 301
- 122. Weitzel, E. C.
 1942. Economics of soil conservation in West Virginia.
 West Va. Agr. Expt. Sta. Bul. 305.
- 123. Weitzell, E. C.
 1943. Economics of soil conservation I.
 Individual and social considerations.
 Jour. Land and Pub. Util. Econ. 19:339-353.
- 124. Weitzell, E. C.
 1947. Evaluating scil conservation.
 J. Farm Econ. 29:475-494.
- 125. West, Quentin M.
 1951. The results of applying a simple random sampling process to farm management data.

 N. Y. Cornell University, Dept. of Agricultural Economics 743.

- 126. Wilcox, 4. W.
 1938. Economic Aspects of soil conservation.

 Jour. Political Econ. 46:702-713
- 127. Wise, C. S.
 1951. Mathematical analysis of coding systems, in
 Punched Cards, edited by Casey and Perry.
 pp. 276-302.
- 128. Zeisig, H. C., and Martin, P. T.

 1951. Commercially available punched-card systems, equipment, and supplies.

 In <u>Punched Cards</u>, edited by Casey and Perry, pp. 39.75.

APPENDICES

Cayuga Inlet Soil Conservation Project Farms

- A. Index by communities
- B. Index by cooperators
- C. Index by airphotos
- D. Soil productivity balance blank
- E. Cayuga Inlet Project: Soil type numbers
- F. Cayuga Inlet Project: Correlation of soil type numbers with those now in use for Tompkins County

APPENDIX A

CAYUGA INLET SOIL CONSERVATION PROJECT FARMS

INDEX BY COMMUNITIES

Community	Farm No.	Name	Code Number
Danby	D- 6-1-Y	Emery, Charles	01
	D- 6-1-X	Emery, Charles	02
Ithaca	I- 6-5-D	Layen, Fred	03
	I- 7-3-X	Babcock, H. E,	04
	I- 7-4-U	Gaien ski, Joseph	05
	I- 7-4-X	Felock, Anthony	06
Newfield	N- 1-1-A	Stepan, Frank	07
	N- 1-2-F	Millard, Henry	08
	N- 2-0-Z	Taber, Carl	09
	N- 2-1-D	Payne, Fred	10
	N- 2-1-X	Albright, Mrs. R.C.	11
	N- 2-1-X	Poelvoorde, Albert	11
	N- 2-2-M	Babcock H. E.	12, 13
	N- 3-1-I	Payne, Fred	14
	N- 4-O-T	Estabrook, E. T.	15
	N- 4-1-K	Payne, Bert	16
	N- 4-1-K	Payne, Bert	17
	N- 4-1-R	Seely, Lenford	18
	N- 4-1-Z	Kippols, Lydia	19
	N- 4-2-D	Kent, Paul	20
	N- 4-2-R	Cutter, Paul	21
	N- 4-2-V	Pipper, Simeon	22
	N- 4-3-B	Bowers, Mrs. Alice N	1. 23

Cayuga Inlet S. C. Project Farms

	T 77	M	0 - 3 -
Community	Farm Ho.	<u>Name</u>	Code <u>Number</u>
New field	N- 4-3-J	Pakkala, Wilfred	24
	N- 4-3-L	Rajala, Jacob	25
	N- 4-3-L	Tichenor, Richard	26
	N- 4-3-D	Knuuttila, Waind	27
	N- 4-4-C	Patana, William	28
	N- 5-0-M	Hine, Amelia	29
	N- 5-1-B	Payne, Glenn	30
	N- 5-1-Z	Makki, Eugene	31
	N- 5-1-R	Payne, Will	32
	N- 5-2-H	Joki, Matt	33
	N- 5-2-Hb	Joki, Matt	34
	N- 5-3-M	Lintala, Emil	<i>3</i> 5
	N- 5-3-T	Laine, Oscar	36
	N- 5-3-Z	Ruuspakka, George	37
	N- 6-1-Z	Heliseva, John	38
	N- 6-2-P	Parsons, Roy	39
	N- 6-3-Н	Lummuka, John	40
	N- 6-7-Q	Hine, Wilbur	41
	N- 7-1-S	Korbell, Joseph	42
	N- 7-2-B	Krejca, Otto	43
	N- 7-3-A	Mazourck, Rudolf	44
	N- 7-3-P	Korbell, William	45
	N- 8-1-A	Blovsky, Frank	46
	N- 8-1-B	Greene, H. E.	47
	N- 8-2-B	Blovsky, Henry	48
	N- 8-2-L	Leonard, Purl	4 9
	N-11-2-C	Button, George	50 Google

		i wasan a sana	
12			
	ik in to purify		
	Pair policy		
e."	. 48	-	
14	the second of th		
		** ***	
	•		
	3 · · ·	and the second second	
	:		
\$ - \$		and the same	
1. <u>2</u> 1	and the second second		
		* <u>.</u>	
11.		ar a Wes	
ā	e e e e e e e e e e e e e e e e e e e		
	• • • • • • • • • • • • • • • • • • • •	A Company of the Comp	
			

Cayuga Inlet S. C. Project Farms

Community	Farm No.	Name	Code
Newfield	N- 12-1-B	Seely, Leslie	Number 51
	N- 12-1-F	Makela, Howard	52
	N- 12-1-F	Rice, Mrs, Minna B.	53
	N- 5-0-X	Heslop, J. Henry	54
West Danby	WD- 5-0-X	Loomis, Everett	55
	WD- 5-1-A	Hunt, Samuel	56
	WD- 5-1-R	Long, Parshall	57
	WD- 5-2-H	Keckman, John	58
	WD- 7-1-J	Ruuspakka, George	59
	WD- 7-1-R	Blomquist, Aarne J.	60
	WD- 9-1-W	Knuuttila, Henry	61
	WD- 9-1-Z	Knuuttilz, Henry	62
	WD-10-1-C	Ford, Howard	63
	WD-11-0-G	Harker, C. E.	64
	√D-11-1-A	Sincebaugh, Dewitt	65
	WD-11-1-B	Jackson, Eugene	66
	₩ D-11-1- ₩	Pertula, Albert	67
	WD-11-1-W	Silmu, Frank	68
	WD-11-2-X	Catchim, A. L.	69
	WD-12-1-A	Pesu, John	70

	. ·		
4.		process of the second	
	Walter State of the State of th	<u></u> .	
t _g a	San Carlo	··· •• .	
Φ.,	A STATE OF THE STATE OF	1 .	
 		the first of the	i di Talik
***************************************		at experience	
	•	• ••	
		• * •	
	•	* * .	
4, 5	***	- ·	
	And the second second		
. •	And the second second		
		• • •	
		e e c	
		The second second	
	nthe , each	7 - 7	

APPENDIX B

CAYUGA INLET SOIL CONSERVATION PROJECT FARMS

BY COOPERATOR

Name of cooperator	Farm No.	Photo	Acres	Code No.
Albright, Demont SEE: Babcock, H.	E.			12
Albright Demont Forms "A"		13		
Albright, Mrs. Roy SEE: Taber,	C.			09
Albright, Mrs. R.J.SEE: Poelvoor	deN-2-1-X	39	119.0	11
Babcock, H.E.	I-7-3-X	41B 43A & 1	B 317.0	04
Babcock, H.E. Farm B	N-2-2-M	41	82.2	12
Babcock, H.E. Farm A	N-2-2-M	41	159•2	13
Blaker, Mrs.H.L. SEE: Linsay, W	1.			
Bomquist, Aarne, J.	WD-7-1-R	33	140.6	60
Blowsky, Frank	N-8-1-A	15	94.8	46
Blovsky, Frank	N-8-2-B	3	108.0	48 48
Bovers, Mrs. Alice M.	N-4-3-B	35	57.8	23
Button, George	N-11-2-C	50	97•2	50
Catchim, A.L.	W D -11-2-X		39.6	69
Cutter, Paul	N-4-2-R	26 , 35	163.5	21
Deyoung, George, SEE: Kent,P.				20
Emery, Charles	D-6-1-Y	52	133.8	01
Emery, Charles	D-6-1-Y	52	50.8	0,2
Estabrook, E.T.	N-4-0-T	22	161.0	15
Felock, Anthony	I-7-4-X	41	46.7	06
Ford, Howard	WD-10-1-C	37	143.0	63
Forsman, Allen & Burt SEE: Payne	,F			
Gae iski, Joseph	17-4-U	41,20	17.1	05
Greene, N.E.	N-8-1-B	3	68.9	47


*		•	
4.5		•	
Į. V			
			office of the second second second
	·		
			- 1
			.a
		:	
	d.	•	
	;	· · · · · · · · · · · · · · · · · · ·	
4	1	en junea (1)	
	•	. · · •	
10 mg/s 11 mg/s		and the second	
		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • •
•			
·			egitari sa kangan sa kangan sa k
		••	
	-		
	er e	en en en	
	- '.	na e	•
			e e e e
* .:			· · · · · · · · · · · · · · · · · · ·

Name of cooperator	Farm No.	Photo	Acres	Code No.
Harker, C.E.	WD-11-0-G	•	126.7	64
Heliseva, John	N-6-1-Z	13,24	111.8	38
Heslope, J. Henry	N-5-0-X	22	5.2	54
Hine, Amelia	N-5-0-M	22	69.9	29
Hine, Wilbur	ท−6−7−จ	13	169.5	41
Hokkenen, Albert SEE:Blomquist	Α.			60
Hunt, Samuel Jr.	WD-5-1-A	54	108.2	56
Jackson, Eugene	WD-11-1-B	52	104.1	66
Joki, Matt	N-5-2-H	24	78.3	33
Joki, Matt	N-5-2-Hb	26	42.4	34
Keckman, John R.	WD-5-2-H	56,63	99•3	58
Kent, Paul	N-4-2-D	24	74.0	20
Kinney, Leon A. SEE:Greene, N.E	J •			47
Kippola, Lydia Lathes	N-4-1-Z	24	76.8	19
Knuutila, A.SEE: Knuutila, Waind	l			27
Knuutila, Waind	N-4-3-D	26,35	131.0	27
Knuutila, Henry Farm "B"	WD-9-1-W	50,48	120.0	61
Knuutila, Henry Farm "A"	WD-9-1-Z	50	66.5	62
Korbell, Joseph	N-7-1-S	15	29.0	42
Krobell, Rudobph SEE:Korbell, W	1.			45
Korbell, William	N-7-3-P	5	71.0	45
Krejca, Otto	N-7-2-B	13	92.7	43
Laine, Oscar	N-5-3-T	26	184.0	36
Lamkin, Almon SEE: Cutter, P.				21
Lathes, Lydia SEE: Kippola, Lyd	ia			
Layen, Fred	I-6-5-D	48	116.8	03
Leonard, Purl	N-8-2-L	3	83.8	49

				the state of the s
1 1990 V V V V V V V V V V V V V V V V V V	1 1			and the second s
				the second of th
4,5		:	· · ·	
		. :		
4 - 1 ·	₹ ₹			And Medical Canada
	v +	+ f		
4		• *		•
	• •			
e Se				
	• •		- .;	en e
	•	No		
en. List				
			, 	
\$ · •				
		8.2	المراشية المسترادي	Control of the second
	a - 22		was a second	at production of the second
	r Vi			
1 m 1 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m 2 m	v 1 " v - y			
				n en albeidigen en der en en de 1915 black
	, :			
	• •		The second second	erse gradije u s
٠.	e e e e			
236				en e
·	e - 11.			
				·

• 0	· ·		_	
Name of Cooperator	Farm No.	Photo	Acres	Code No.
Linsay, Willis SEE:Ruuspakka, G				59
Lintala, Emil	N-5-3-M	26 , 35	130.5	35
Lintala, Matt SEE: Lintala, Emi	1			35
Long, Parshall	WD-5-1-R	56	109.8	57
Loomis, Everett	WD-5-0-X	54	47.3	55
Lummuka, John	N-6-3-H	11	102.5	40
Makela, Howard	N-12-1-P	20	133.5	52
Makki, Emil SEE: Makki, Eugene				31
Makki, Eugene	N-5-1-Z	24	178.0	31
Mazoureck, Ladislav SEL: Makela,	Н•			52
Mazoureck Rudolph	N-7-3-A	5	70.6	44
Millard, Henry	N-1-2-F	20	66.2	80
Pakkala, John SEE:Tichener, R.				26
Pakkala, Matt SEE: Pakkala, W.				24
Pakkala, Wilfred	N-4-3-J	26,35	87.0	24
Parsons, Roy .	N-6-2-P	13	72.2	39
Patana, Williams	N→4-4-C	35	146.6	28
Payne, Bert Farm "B"	N-4-1-K	37•	90.6	16
Payne, Bert Farm "A"	N-4-1-K	24	142.8	17
Payne, Fred	N-2-1-D	22	126.2	10
Payne, Fred	N-3-1-I	2467	77.0	14
Payne, Glenn	N-5-1-B	6595	57•5	30
Payne, Will	N-5-1-R	24	121.4	32
Pertula, Albert	WD-11-1-W	37	55.1	67
Pesu, John	WD-12-1-A	52	64.9	70
Pipper, Simeon	N-4-2-V	37	57.0	22
Poelvoorde, Albert	N-2-1-X	39	193.4	11

Name of cooperator	Farm No.	Photo	Acres	Code No.
Rajala, Jacob	N-4-3-L	35	55•2	25
Rice, Mrs. Minna B	N-12-1-F	20	30.8	53
Ruuspakka, Atte SEE: Ruuspaka,	G.			37
Ruuspakka, George	N-5-3-2	28,33,35	127.3	37
Ruuspakka, George	WD-7-1-J	33,35	110.7	59
Seely, Lenford	N-4-1-R	24	64.0	18
Seely, Leslie	N-12-1-B	20	85.9	51
Silmu, Frank	WD-11-1-W	37	73.6	68
Sineebaugh, Dewitt E.	//D-11-1-A	52,37	28.5	65
Stepan, Frank	N-1-1-A	20	102.8	07
Stepan, Joseph SEE: Stepan, F.				07
Taber, Carl	N-2-0-2	22	111.8	09
Tichenener, Richard	N-4-3-L	<i>35</i> ,37	79.8	26



WITHHOLD MANDERS

APPENDIX C

CAYUGA INLET SOIL CONSERVATION PROJECT FARMS

INDEX BY AIRPHOTOS

Photo No.	Farm Code No.	Farm Project No.	<u>Name</u>
3	47	N-8-1-B	Greene, N.E.
3	48	N-8-2-B	Blovsky, Henry
3	49	N-8-2-L	Lecnard, Purl
5	44	N-7-3-A	Mazeureck, Rudolph
5	45	N-7-3-P	Krobell, √illiam
11	40	N-6-3-H	Lummuka, John
13	38	N-6-1-Z	Heliseva, John
13	39	N-6-2-P	Parsons, Roy
13	41	N-6-7-Q	Hine, Wilbur
13	43	N-7-2-B	Krejca, Otto
15	42	N-7-1-S	Korbell, Joseph
15	46	N-8-1-A	Blovsky, Frank
20	05	I-7-4-U	Gaieski, Joseph
20	07	N-1-1-A	Stepan, Frank
20	08	N-1-2-F	Millard, Henry
20-	51	N-12-1-B	Seely, Leslied
20	52	N-12-1-F	Makela, Howard
20	53	N-12-1-F	Rice, Minna
22	09	N-2-0-Z	Taber, Carl
22	10	N-2-1-D	Payne, Fred
22	15	N-4-O-T	Estabrock, E.T.
22	29	N-5-O-M	Hine, Amelia
22	54	N-5-0-X	Heslop, J. Henry
24	17	N-4-1-K	Payne, Bert

A Secretary of the control of the co

on order and the control of

	-		
* * * *		4	
the growth for	1 2 10		
atti a 🕶 🕶 taka	7-9-4 - L		\$
$(x,y) = (a_{k})^{\frac{1}{2}} (a$	***		2
	ere _{de} er	ν',	
to the state of th	and the state of		
	200 L		
er et en	•a · ··································		
1	ter of the production	*.	9.
	u, la li		
the state of the s	, ,		
	· · · · · · · · · · · · · · · · · · ·		
e e e e e e e e e e e e e e e e e e e	, - ,		
with the second	• • •	•	÷
. 21 - d 32	e services	**** _*	4 · 4
the state of the s			
	· · · · · · · · · · · · · · · · · · ·	1. 1. 20	
		(er	
1	1 m	Ç!	
Art Alleger Constitution	ger de la le		
ere i 🕶 🕶 🕶	g one to the	7 Ç	200 m 200 m
for property	and the second	* N.	4 ¹

Photo No.	Farm Code No.	Farm Project No	Nome
24	18	N-4-1-R	Seely, Lenford
24	19	N-4-1-Z	Kippola, Lydia
24	20	N-4-2-D	Kent, Paul
24	30	N - 5-1-B	Payne, Glenn
2 ¹ 4	31	N-5-1-Z	Makki, Eugene
24	32	N-5-1R	Payne, Will
24	33	N-5-2-H	Joki, Matt
24	38	N-6-1-Z	Heliseva, John
26	21	N-4-2-R	Cutter, Paul
26	2 <u>4</u>	N-4-3-J	Pakkala, Wilfred
26	27	N-4-3-D	Knuutila, Waind
26	34	N-5-2-Hb	Joki, Matt
26	35	N-5-3-M	Lintala, Emil
26	36	N-5-3-T	Lane, Oscar
28	37	N-5-3-Z	Ruuspakka, George
3 3	37	N-5-3-Z	Ruuspakka, George
3 3	59	WD-7-1-J	Ruuspakka, George
33	60	WD-7-1-R	Blomquist, Aarne
35	21	N-4-2-R	Cutter, Paul
35	23	N-43-B	Bowers, Alice
35	25	N-4-3-L	Rajala, Jacob
35	26	N-4-3-L	Tichener, Richard
35	27	N-4-3-D	Knuutila, Wain d
35	28	N-4-4-C	Patana, William
35	<u>3</u> 7	N-5-3-Z	Ruuspakka, George
35	59	WD-7-1-J	Ruuspakka, George
37	16	N-4-1-K	Payne, Bert
<i>-</i> 1		,	Digitized by GOC

	e e e e e e e e e e e e e e e e e e e	•	e v week e
	a en en en en en		
	.		
		·	

			+ 2i
10 - 4 0 6 - 6 - 7 - 1	*		
***	grade at the		
	5 <u>-</u> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	· · · · · · · · · · · · · · · · · · ·		
All the second s	e r () er er en ^e	• •	
e di la grazifia	. _.	_. .	
	e per <u>ti</u> en jen op		
	and the second		* 4
	en en en		
	e a n die ee	÷.	
÷			
	Sample of the		
	ng e n a sen s		
A STATE OF THE STA			
the experience	en e		

	Tann	77	• • • • • • • • • • • • • • • • • • • •
Photo No.	Farm <u>Code No</u> .	Farm <pre>Project No.</pre>	Name
37	22	N-4-2-V	Pipper, Simeon
37	26	N-4-3-L	Tichener, Richard
37	63	WD-10-1-C	Ford, Howard
37	65	WD-11-1-A	Sincebaugh, Dewitt
37	67	WD-11-1-W	Pertula, Albert
37	68	WD-11-1-W	Silmu, Frank
70	44	N O A V	Albright, Mrs. Roy C.
39	11	N-2-1-X	Poelvoorde, Albert
39	64	WD-11-0-G	Harker, C.E.
39	69	WD-11-2-X	Catenim, A.L.
41	06	I-7-4-X	Felock, Anthony
41	13	N-2-2-M	Babcock, H.E.
48	03	I-6-5-D	Layen, Fred
48	61	WD-9-1-W	Knuutila, Henry
50	50	N-11-2-C	Button, George
50	51	WD-9-1-W	Knuutila, Henry
50	62	WD-9-1-Z	Knuutila, Henry
50	64	WD-11-0-G	Harker, C.E
52	01	D-6-1-Y	Emery, Charles
52	65	WD-11-1-A	Sincebaugh, Dewitt
52	66	WD-11-1-B	Jackson, Eugene
52	70	WD-12-1-A	Pesu, John
54	55	"/D-5-0-X	Loomis, Everett
54	56	WD-5-1-Λ	Hunt, Samuel
56	57	WD-5-1-R	Long, Parshall
56	58	WD-5-2-H.	Keckman, John
63	58	WD-5-2-H	Keckman, John
			Cood

APPENDIX E

CAYUGA INLET PROJECT - SOIL TYPE NUMBERS

Alphabetical list

Alkaline subsoil Wooster, 17, (now Valois)

Arkport, 35, (now Dunkirk)

Aurora, 58

Berrien, 65

Braceville, 24

Camillus, 49

Caneadea, 29

Cazenovia, 42

Chagrin, 15

Chenange, 12, 22

Chippewa, 4

Crosby, 73

Darien, 72

Dunkirk, 25, 35 (formerly Arkport)

Eel, 6

Erie, 13, 53 (now Langford)

Farmington, 71, 81

Fremont, 23, 43 (now Mardin)

Genesee, 15

Gravel deposits, 3

Graby, 39

Groton, 37, 36 (now Palmyra)

Herkimer, 47

Hilton, 57

Holly, 14

Honeoye, 78

Howard, 21, 31

Langford, 18, 53 (Formerly Erie)

Langing, 52

Lordstown, 1, 41

Lyons, 74

Marcellus, 59

Mardin, 28, 43 (formerly deep Phase Fremont)

Maumee, 14

Mentor, 75

Middlebury, 6

Mixed patches, 46

Mohawk, 44

Muck, 9, 19

Ontario, 77

Otisville, 26

Ottawa, 48

Palatine, 61

Palmyra, 32, 36 (formerly Groton)

Petosky, 55

Poygan, 39

Schoharie, 45

Silt deposits, 33

Small bottoms, 16

Tioga, 5

Tyler, 38

Valoia, 17 (formerly Alkaline subsoil Wooster)

Volusia, 2, 63

e seed the this

: :

* + + + · · · · · · · ·

A Company of the con-

•

1.5

The second second second

1272

:

.

Alphabetical list

Whyland, 14

Wooster, 7, 17 (now Valoia)

Numerical List

- 1 Lordstown
- 2 Volusia
- 3 Gravel deposits
- 4 Chippewa
- 5 Tioga
- 6 Eel and Midlebury
- 7 Wooster
- 9 Poorly-drained muck
- 12 Chenango fine sandy loam
- 13 Erie
- 14 Holly, Wayland and Maumee
- 15 Chagrin and Genesee
- 16 Small bottoms
- 17 Alkaline subsoil Wooster
- 18 Langford
- 19 Well-drained muck
- 21 Howard fine sandy loam
- 22 Chenango gravelly loam
- 23 Freemont
- 24 Braceville
- 25 Dunkirk silty clay loam
- 26 Otisville
- 28 Mardin
- 29 Caneadea

Numerical List

- 31 Howard gravelly loam
- 32 Palmyra
- 33 Silt deposits
- 35 Arkport fine sandy loam
- 36 Groton gravelly loam
- 38 Tyler
- 39 Granby & Poygan
- 41 Deep Lordstown
- 42 Cazenovia
- 43 Fremont deep phase
- 44 Mohawk
- 45 Schoharie
- 46 Mixed patches
- 47 Herkimer
- 48 Ottawa
- 49 Camillus
- 52 Lansong
- 53 Erie deep phase
- 55 Petrosky
- 57 Hilton
- 58 Aurora
- 59 Marcellus
- 61 Palatine
- 63 Volusia deep phase
- 65 Berrien
- 71 Farmington
- 72 Darien
- 73 Crosby

基 (Line and Line and Line

·

The same of the same

to:

e selection of

E see s

žť - - - - - - - - - - -

3.5

and the second

 $\mathcal{L}_{\mathcal{L}_{i}}$

, in

Tumerical List

- 74 Lyons
- 75 Mentor
- 77 Ontario
- 78 Honeoye
- 81 Farmingron deep phase

APPENDIX F

SOIL SURVEY CORRELATION GUIDE

	,	
Ca	yuga Inlet Project	Tompkins County District
1	Lordstown	Si41 Lordstown eh. si. loam
2	Volusia	842 Volusia eh. si. loam
,3	Gravel deposits	16 Undifferentiated alluvial
4	Chippewa	940 Chippewa silt loam
5	Tioga	A140 Tioga silt loam
6	Eel and Middlebury	A410 Eel silt loam (Alkalino) A440 Middlebury silt loam (Acid)
· 7	Wooster	142 Wooster gr. si. loam
9	Poorly-drained muck	MU Muck, undrained
12	Chenango fine sandy loam	T143 Chenango gravelly loam
13	Erie	831 Erie gravelly silt loam
14	Holly, Wayland and Maumee *	A710 Wayland silt loam (alkaline) A740 Holly silt loam (acid)
15	Chagrin and Genesee	A110 Genesee silt loam
16	Small bottoms	16 Undifferentiated alluvial
17	Alkaline subsoil Wooster	133 Valois gr. loam
18	Langford	631 Langford gr. si. loam
19	Well-drained muck	MU Muck, drained
21	Howard fine sandy loam	T1313 Howard gravelly loam
22	Chenango gravelly loam	T143 Chenango gravelly loam
23	Fremont	8411 Fremont ch. si. loam
24	Braceville	T440 Braceville silt loam
25	Dunkirk silty clay loam	L110 Dunkirk silt loam L110 Dunkirk silty clay loam
26	Otisville	T143 Chenango gravelly loam
28	Mardin	6411 Mardin ch. si. loam
29	Cancadea	L522 Caneadea silty clay loam

Company of the Compan	
• And the second of the second	
en eta	
	And the second s
e de la companya della companya della companya de la companya della companya dell	
	and the second of the second o
The Committee of States	Status 2
	where is a rearror of the property
	to a description
Karamatan Baran Bara Baran Baran Ba	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	#21 * 1 1 1 1 1 1 1 1 1
	$(x_1, x_2, \dots, x_n) \in \mathcal{X}$
i de la compansión de la c Compansión de la compansión de	

<u> </u>	yuga Inlet Project		Tompkins County District
31	Howard gravelly loam	^T 1313	Howard gravelly loam
32	Palmyra	T 11 3	Palmyra gravelly loam
33	Silt deposits	16	Undifferentiated alluvial
35	Arkport fine sandy loam	L110	Dunkirk silt loam
36	Groton gravelly loam	T113	Palmyra gravelly loam
3 8	Tyler	T740	Red hook silt loam
39	Granby & Poygan	L015 ^l	+ Granby fine sandy loam
41	Deep Lordstown	8141	Lordstown eh. si. loam
42	Cazenovia	2111	Cayuga gravelly silt loam
43	Fremont deep phase	6411	Mardin eh. si. loam
44	Mohawk	S141	Kashong shaly si. loam
45	Schoharie	L110	Dunkirk silt loam
46	Mixed patches	16	Undifferentiated alluvial
47	Herkimer	T113	Palmyra gravelly loam
48	Ottawa	L0416	Ottawa loamy fine sand
49	Camillus	S141	Kashong shaly silt loam
52	Lansing	121	Lansing gr. silt loam
53	Erie deep phase	631	Langford gr. si. loam (badly eroded)
55	Petrosky	LO114	Arkport fine sandy loam
57	Hilton	421	Conesus gr. silty loam
58	Aurora	S530	Aurora silt loam
59	Marcellus	421	Conesus gr. silt loam
61	Palatine	S131	Kashong shaly silt loam
63	Volusia deep phase	641	Canfield eh. silt loam
65	Berrien	L0416	Ottawa loamy fine sand
71	Farmington	S131	Kashong shaly silt loam
72	Darien	520	Darien silt loam Google

Statistical Control of the Control of the

Cayuga Inlet Project	Tompkins County District	<u>T</u>
73 Crosby	511 Ovid gr. silt loam	511 0
74 Lyons	910 Lyons silt loam	910 L
75 Men r **	T1313 Howard gravelly loam	Т1313 Н
77 Ontario	133 Valois gravelly loam	133 V
78 Honeoye ***	1113 Honeoye gravelly loam	1113 Н
81 Farmington deep phase	S131 Kashong shaly silt loam	S1 3 1 K

Notes:

- * Maumee occupies nearly flat depressions; is developed from sandy soils, alkaline in reaction. Covered with water much of the time. Now mapped Westland or F.W. marah.
- ** Mentor is an alkaline stream terrace soil with considerable silt in its structure. Howard silt loam would be a better substitute.
- *** It is very doubtful if Lansing or Honeoye is found in this area. Cayuga and Valois are more porbable.

•

And the second of the second o

en en la companya de En la companya de la En la companya de la

SOIL TYPE LEGEND FOR THE TOMPKING COUNTY DISTRICT

The origin of the soil is indicated by the following letters:

- A- Alluvial flood plain soils L- Lacustrine soils
- H- High bottom alluvial soils S- Shallow upland soils, 20-40" to bed rock
- F- Fan phase soils
- T- Terrace soils

V- Very shallow upland soils, 20" or less to bed rock No letter - Deep upland soils.

The drainage-profile condition is indicated by the following numbers:

- O- Well drained, loose, porous profile (may be dreughty)
- 1- Well drained, friable, mellow profile.
- 2- Well drained, with heavy layer in the profile
- 3- Well drained, with compact layer in the profile.
- 4- Imperfectly drained, with high water table, or impervious layer deep in the profile.
- 5- Imperfectly drained, with heavy layer in the profile
- 6- Imperfectly drained, with hardpan in the profile
- 7- Poorly drained, with high water table, or impervious layer deep in the profile.
- 8- Poorly drained, with high water table or impervious layer shallow in the profile.
- 9- Very poorly drained, with high water table or impervious layer in the profile.

The lime content is indicated by the following numbers:

- 1- Soil material high in lime, with neutral or slightly acid subsoils.
- 2- Soil material moderate in lime, with slightly acid subsoils
- 3- Soil material containing lime, with acid subsoils.
- 4- Soils acid throughout.



and the second of the second o

original for the second of the second of

Carrier and the Committee of the Committ

The second of th

大概 (1) 建设设置 (1) 10 (1)

and the second of the second o

parties from the continue of the parties of the continue of th

and the state of the control of the

Carrier and the state of the second